

Well Name: JUNIPER COM 17	Well Location: T24N / R10W / SEC 17 / SWSE / 36.3077363 / -107.9156537	County or Parish/State: SAN JUAN / NM
Well Number: 34	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM101058	Unit or CA Name:	Unit or CA Number: NMNM108207
US Well Number: 300453186200S1	Well Status: Temporarily Abandoned	Operator: DUGAN PRODUCTION CORPORATION

Subsequent Report

Sundry ID: 2764714

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 12/06/2023

Time Sundry Submitted: 07:14

Date Operation Actually Began: 11/02/2023

Actual Procedure: Dugan Production P&A'd on 11/02/2023 the well per the following procedure: 1) MI&RU Aztec rig 481 & cement equipment. Spot in and NU BOP. 2) Tag 5½" CIBP @ 1162' from TA status of well. Fruitland Coal perforations @ 1219'-1233'. 3) Load hole. Pressure test casing to 650 psi for 30 mins. Casing tested good. Spot inside Plug I above CIBP @ 1162' w/38 sks (43.7 cu ft) Class G neat cement to 834' to cover the Fruitland top (5 gal/sk, 15.8 #/gal, 1.15 cu ft/sk). Displaced w/3.2 bbls. Plug I, inside 5½" casing, 834'-1162', Fruitland, 38 sks, 43.7 cu ft. 4) Spot inside plug from 592' w/32 sks, 36.8 cu ft Class G neat cement to 315' to cover the Kirtland-Ojo Alamo tops. Displaced w/1.2 bbls. Plug II, inside 5½" casing, 32 sks, 36.8 cu ft, Kirtland-Ojo Alamo, 315'-592'. 5) Run 2-3/8" tubing to 193'. Spot inside Plug III from 193' w/30 sks Class G neat cement (34.5 cu ft) to cover the surface casing shoe to surface. LD all tubing. Cut wellhead off. TOC inside 5½" casing and inside annulus. Plug III, inside 5½" casing, 0-193', Surface, 30 sks, 34.5 cu ft. 6) Fill up cellar and install dry hole marker w/30 sks, 34.5 cu ft Class G neat cement. 7) Clean location. Rig down AWS 481 and move. Monty Gomez w/BLM Farmington FO witnessed job. Well P&A'd 11/02/2023.

Well Name: JUNIPER COM 17

Well Location: T24N / R10W / SEC 17 / SWSE / 36.3077363 / -107.9156537

County or Parish/State: SAN JUAN / NM

Well Number: 34

Type of Well: OTHER

Allottee or Tribe Name:

Lease Number: NMNM101058

Unit or CA Name:

Unit or CA Number: NMNM108207

US Well Number: 300453186200S1

Well Status: Temporarily Abandoned

Operator: DUGAN PRODUCTION CORPORATION

SR Attachments

Actual Procedure

Juniper_Com_17_34_Post_PA_wellbore_schematic_20231206071342.pdf

Juniper_Com_17_34_Post_PA_work_20231206071333.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL

Signed on: DEC 06, 2023 07:13 AM

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative

Street Address: PO Box 420

City: Farmington State: NM

Phone: (505) 325-1821

Email address: tyrafeil@duganproduction.com

Field

Representative Name: Aliph Reena

Street Address: PO Box 420

City: Farmington State: NM Zip: 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

BLM Point of Contact

BLM POC Name: MATTHEW H KADE

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647736

BLM POC Email Address: MKADE@BLM.GOV

Disposition: Accepted

Disposition Date: 12/06/2023


Signature: Matthew Kade

Dugan Production P&A'd on 11/02/2023 the well per the following procedure:

- MI&RU Aztec rig 481 & cement equipment. Spot in and NU BOP.
- Tag 5½" CIBP @ 1162' from TA status of well. Fruitland Coal perforations @ 1219'-1233'. Load hole. Pressure test casing to 650 psi for 30 mins. Casing tested good.
- Spot inside Plug I above CIBP @ 1162' w/38 sks (43.7 cu ft) Class G neat cement to 834' to cover the Fruitland top (5 gal/sk, 15.8 #/gal, 1.15 cu ft/sk). Displaced w/3.2 bbls. **Plug I, inside 5½" casing, 834'-1162', Fruitland, 38 sks, 43.7 cu ft.**
- Spot inside plug from 592' w/32 sks, 36.8 cu ft Class G neat cement to 315' to cover the Kirtland-Ojo Alamo tops. Displaced w/1.2 bbls. **Plug II, inside 5½" casing, 32 sks, 36.8 cu ft, Kirtland-Ojo Alamo, 315'-592'.**
- Run 2-3/8" tubing to 193'. Spot inside Plug III from 193' w/30 sks Class G neat cement (34.5 cu ft) to cover the surface casing shoe to surface. LD all tubing. Cut wellhead off. TOC inside 5½" casing and inside annulus. **Plug III, inside 5½" casing, 0-193', Surface, 30 sks, 34.5 cu ft.**
- Fill up cellar and install dry hole marker w/30 sks, 34.5 cu ft Class G neat cement.
- Clean location. Rig down AWS 481 and move. Monty Gomez w/BLM Farmington FO witnessed job. **Well P&A'd 11/02/2023.**

Completed Wellbore Schematic

Juniper Com 17 # 34
30-045-31862
Basin Fruitland
660' FSL & 1900' FEL
S17 T24N R10W
San Juan County, NM



8-5/8" 24# casing @ 129'. Cemented with 85 sks Class B cement.
Hole size: 12-1/4". Circulate 7 bbls cement to surface.

Plug III, inside 5 1/2" casing, 0-193', Surface, 30 sks, 34.5 Cu.ft.

**Plug II, Inside 5 1/2" casing, 32 sks, 36.8 Cu.ft, Kirtland-Ojo
Alamo, 315'-592'**

5 1/2" 15.5# casing @ 1369'. Hole size: 7-7/8"

Cemented production casing w/ 140 sks Class G followed by 90 sks 50/50
poz. Circulated 10 bbls cement to surface.

**CIBP from TA status @1162'. Plug I, Inside 5 1/2" casing, 834'-
1162', Fruitland, 38 sks, 43.7 Cu.ft.**

Fruitland Coal Perforated @ 1219-1233

PBTB @ 1327, TD 1378

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 291627

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 291627
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	well plugged 11/2/2023	12/18/2023