

DISTRICT

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 15-53351	⁵ Pool Name COTTONWOOD DRAW; BONE SPRING (O)	⁶ Pool Code 97494
⁷ Property Code 329796	⁸ Property Name SCHLITZ FED COM	⁹ Well Number 141H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
M	16	25S	26E	-	648	SOUTH	921	WEST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	9	25S	26E	-	14	NORTH	318	WEST	EDDY
¹² Lse Code S	¹³ Producing Method Code P	¹⁴ Gas Connection Date 6/19/2023	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBTB	²⁵ Perforations	²⁶ DHC, MC
3/5/2022	6/14/2023	16928'	16905'	6490 ft to 16772 ft	
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	380'	395 sks		
12.25"	9.625"	1987'	590 sks		
8.75"/7.875"	5.5"	16908'	2050 sks		

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
6/19/2023	6/19/2023	7/15/2023	24 hrs.	389	1110
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
128/64	0	2491	34		Pumping
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Specialist			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 12/21/2023		
Date: 8/2/2023		Phone: 720-772-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT
As Drilled

AS-DRILLED PLAT


¹ API Number 30-015-53351	² Pool Code 97494	³ Pool Name COTTONWOOD DRAW; BONE SPRING (O)
⁴ Property Code 329796	⁵ Property Name SCHLITZ FED COM	⁶ Well Number 141H
⁷ OGRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3427

¹⁰ Surface Location									
UL or lot no. M	Section 16	Township 25-S	Range 26-E	Lot Idn -	Feet from the 648'	North/South line SOUTH	Feet from the 921'	East/West line WEST	County EDDY


¹¹ Bottom Hole Location If Different From Surface									
UL or lot no. D	Section 9	Township 25-S	Range 26-E	Lot Idn -	Feet from the 14'	North/South line NORTH	Feet from the 318'	East/West line WEST	County EDDY

¹² Dedicated Acres 640	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



NEW MEXICO EAST NAD 1983 <u>SURFACE LOCATION (SHL)</u> 648' FSL - SEC. 16 921' FWL - SEC. 16 X=550614 Y=409071 LAT.: N 32.1246113 LONG.: W 104.3033660 <u>KICK OFF POINT (KOP)</u> 63' FSL - SEC. 16 252' FWL - SEC. 16 X=549957 Y=408461 LAT.: N 32.1229358 LONG.: W 104.3054910 MD=6073' TVD=5983' <u>FIRST TAKE POINT (HEEL)</u> 143' FSL - SEC. 16 280' FWL - SEC. 16 X=549984 Y=408542 LAT.: N 32.1231590 LONG.: W 104.3054044 MD=6370' TVD=6264' <u>LAST TAKE POINT (TOE)</u> 100' FNL - SEC. 9 325' FWL - SEC. 9 X=549963 Y=418917 LAT.: N 32.1516791 LONG.: W 104.3054617 MD=16841' TVD=6264' <u>BOTTOM HOLE LOCATION (BHL)</u> 14' FNL - SEC. 9 318' FWL - SEC. 9 X=549957 Y=419003 LAT.: N 32.1519136 LONG.: W 104.3054824 MD=16927' TVD=6526'

¹⁷OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.  6/29/2023 Signature Jeff Trlica Date 6/29/2023 Printed Name jtrlica@taprk.com E-mail Address
¹⁸SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief. 01/10/2023 Date of Survey Signature and Seal of Professional Surveyor  6/27/2023 2:42:58 PM Certificate Number

Ramon A. Dominguez, P.S. No. 24508

SCHLITZ FED COM 141H AS-DRILLED	REVISION:		NOTES: 1. ORIGINAL DOCUMENT SIZE: 8.5" X 11" 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET. 3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.
DATE: 06/26/2023			
FILE:AD_SCHLITZ_FED_COM_141H			
DRAWN BY: LS			
SHEET : 2 OF 2			



Operator: Tap Rock Resources, LLC.
Well Name: Schlitz Fed Com #141H
County: Eddy
State: New Mexico
Rig Name: H&P 312
API: 30-015-53351

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 196' MD – 16869' MD
Projection to Bit: 16928' MD
Dates Performed: 03/16/2023 – 03/23/2023
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "George Dominguez".

George Dominguez
MWD Coordinator
Intrepid Directional Drilling Specialists





Operator: **Tap Rock Resources, LLC.**
 Well Name: **Schlitz Fed Com #141H**
 Job Number: **ID3909**
 Survey Company: **Intrepid Directional Drilling Specialists**
 Rig Name: **H&P 312**

Target KBTVD: **6513.00**
 Target Inclination: **90.00°**
 Declination Correction: **6.95°**
 DF Elevation: **3453**

Vertical Section Calculated Along Azimuth:

359.64°

Survey Calculation Method: Minimum Curvature

TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0.00	0.00	0.00	0	0	0	0	0	0.00
MWD	1	196.00	0.44	2.64	196	196.00	0.75	0.75	0.03	0.22
MWD	2	226.00	0.57	14.16	30	226.00	1.01	1.01	0.08	0.55
MWD	3	318.00	0.22	13.98	92	317.99	1.63	1.63	0.23	0.38
MWD	4	497.00	0.75	142.39	179	496.99	1.03	1.03	1.03	0.50
MWD	5	588.00	0.79	155.92	91	587.98	-0.02	-0.01	1.65	0.20
MWD	6	681.00	1.67	191.70	93	680.96	-1.94	-1.92	1.64	1.21
MWD	7	772.00	3.38	210.42	91	771.87	-5.54	-5.54	0.01	2.06
MWD	8	864.00	4.88	218.85	92	863.63	-10.90	-10.92	-3.82	1.75
MWD	9	956.00	6.29	225.80	92	955.19	-17.42	-17.49	-9.89	1.70
MWD	10	1047.00	7.87	226.33	91	1045.49	-25.15	-25.26	-17.97	1.74
MWD	11	1139.00	8.22	223.07	92	1136.59	-34.25	-34.42	-27.02	0.62
MWD	12	1231.00	8.84	215.51	92	1227.57	-44.75	-44.98	-35.61	1.39
MWD	13	1323.00	9.76	214.72	92	1318.36	-56.86	-57.14	-44.16	1.01
MWD	14	1414.00	10.77	219.65	91	1407.91	-69.69	-70.03	-53.98	1.47
MWD	15	1506.00	11.25	215.60	92	1498.22	-83.53	-83.94	-64.69	0.99
MWD	16	1598.00	12.40	211.74	92	1588.26	-99.17	-99.64	-75.11	1.52
MWD	17	1689.00	13.71	216.74	91	1676.91	-116.05	-116.59	-86.70	1.90
MWD	18	1785.00	13.67	229.05	96	1770.21	-132.50	-133.15	-102.08	3.03
MWD	19	1880.00	12.75	231.25	95	1862.69	-146.32	-147.07	-118.73	1.10
MWD	20	1916.00	12.09	232.04	36	1897.85	-151.09	-151.87	-124.80	1.89
MWD	21	2082.00	11.47	227.99	166	2060.35	-172.66	-173.61	-150.77	0.62
MWD	22	2176.00	11.12	227.91	94	2152.53	-184.91	-185.94	-164.45	0.37
MWD	23	2272.00	13.36	233.80	96	2246.35	-197.57	-198.70	-180.27	2.67
MWD	24	2367.00	14.15	231.25	95	2338.62	-211.20	-212.45	-198.18	1.05
MWD	25	2463.00	14.07	230.19	96	2431.73	-225.90	-227.27	-216.30	0.28
MWD	26	2558.00	13.98	229.58	95	2523.90	-240.63	-242.10	-233.90	0.18
MWD	27	2653.00	13.76	229.66	95	2616.13	-255.27	-256.86	-251.25	0.23
MWD	28	2749.00	13.49	228.52	96	2709.42	-269.97	-271.66	-268.34	0.40
MWD	29	2844.00	12.00	226.50	95	2802.08	-284.01	-285.80	-283.81	1.64
MWD	30	2938.00	12.18	227.64	94	2894.00	-297.33	-299.21	-298.22	0.32
MWD	31	3034.00	12.40	224.66	96	2987.80	-311.39	-313.36	-312.95	0.70
MWD	32	3130.00	12.97	226.50	96	3081.45	-326.04	-328.11	-328.01	0.73
MWD	33	3225.00	11.82	226.41	95	3174.24	-340.00	-342.16	-342.79	1.21
MWD	34	3320.00	11.25	225.89	95	3267.32	-353.07	-355.32	-356.49	0.61
MWD	35	3416.00	10.64	223.07	96	3361.57	-365.98	-368.31	-369.27	0.85
MWD	36	3511.00	10.51	219.91	95	3454.96	-378.96	-381.36	-380.82	0.63
MWD	37	3605.00	11.60	227.56	94	3547.22	-391.84	-394.32	-393.29	1.94
MWD	38	3701.00	12.09	226.33	96	3641.18	-405.20	-407.77	-407.69	0.57
MWD	39	3796.00	12.04	226.76	95	3734.08	-418.77	-421.43	-422.10	0.11
MWD	40	3892.00	11.43	225.45	96	3828.07	-432.21	-434.96	-436.18	0.69
MWD	41	3987.00	10.95	224.57	95	3921.26	-445.16	-447.99	-449.22	0.54
MWD	42	4083.00	10.20	221.84	96	4015.63	-457.92	-460.82	-461.29	0.94
MWD	43	4178.00	11.38	227.99	95	4108.96	-470.38	-473.36	-473.86	1.73
MWD	44	4274.00	11.56	225.97	96	4203.04	-483.31	-486.39	-487.82	0.46
MWD	45	4369.00	10.51	225.71	95	4296.28	-495.90	-499.05	-500.86	1.11
MWD	46	4465.00	11.34	228.08	96	4390.54	-508.23	-511.47	-514.15	0.98
MWD	47	4560.00	11.38	230.72	95	4483.68	-520.32	-523.65	-528.36	0.55
MWD	48	4655.00	11.30	227.99	95	4576.83	-532.39	-535.81	-542.53	0.57
MWD	49	4751.00	12.22	232.04	96	4670.81	-544.84	-548.36	-557.53	1.29

MWD	50	4846.00	12.00	232.04	95	4763.70	-557.00	-560.61	-573.24	0.23
MWD	51	4941.00	10.73	234.94	95	4856.83	-568.06	-571.77	-588.27	1.47
MWD	52	5037.00	10.68	233.88	96	4951.16	-578.35	-582.15	-602.77	0.21
MWD	53	5132.00	9.23	232.30	95	5044.73	-588.11	-592.00	-615.91	1.55
MWD	54	5227.00	7.96	235.11	95	5138.66	-596.46	-600.42	-627.33	1.41
MWD	55	5323.00	7.60	231.25	96	5233.78	-604.17	-608.19	-637.73	0.66
MWD	56	5418.00	6.07	236.08	95	5328.10	-610.85	-614.93	-646.80	1.72
MWD	57	5514.00	3.82	247.77	96	5423.74	-614.85	-618.97	-653.98	2.56
MWD	58	5609.00	2.90	301.65	95	5518.60	-614.76	-618.91	-658.95	3.32
MWD	59	5704.00	1.32	356.32	95	5613.54	-612.39	-616.56	-661.07	2.52
MWD	60	5800.00	1.27	59.07	96	5709.52	-610.74	-614.90	-660.23	1.41
MWD	61	5896.00	1.19	9.85	96	5805.50	-609.22	-613.38	-659.14	1.07
MWD	62	5991.00	0.31	330.91	95	5900.49	-608.03	-612.18	-659.10	1.02
MWD	63	6089.00	3.87	33.76	98	5998.41	-605.05	-609.20	-657.39	3.82
MWD	64	6184.00	13.58	20.05	95	6092.21	-591.91	-596.02	-651.77	10.38
MWD	65	6280.00	21.71	14.16	96	6183.62	-564.11	-568.17	-643.55	8.66
MWD	66	6375.00	33.85	20.31	95	6267.53	-522.18	-526.15	-630.01	13.11
MWD	67	6471.00	44.31	22.33	96	6341.95	-466.08	-469.90	-607.93	10.98
MWD	68	6566.00	53.10	15.12	95	6404.63	-398.67	-402.36	-585.36	10.86
MWD	69	6662.00	65.89	9.06	96	6453.30	-318.07	-321.65	-568.36	14.38
MWD	70	6757.00	76.75	3.43	95	6483.70	-228.83	-232.35	-558.73	12.73
MWD	71	6853.00	83.56	359.22	96	6500.11	-134.36	-137.86	-556.58	8.30
MWD	72	6937.00	88.70	358.25	84	6505.78	-50.59	-54.10	-558.44	6.23
MWD	73	7032.00	88.75	358.60	95	6507.89	44.36	40.84	-561.05	0.37
MWD	74	7128.00	90.81	359.22	96	6508.26	140.35	136.81	-562.87	2.24
MWD	75	7223.00	91.25	359.48	95	6506.55	235.33	231.79	-563.95	0.54
MWD	76	7319.00	91.60	359.48	96	6504.17	331.30	327.76	-564.82	0.36
MWD	77	7414.00	91.65	359.39	95	6501.47	426.26	422.71	-565.76	0.11
MWD	78	7510.00	92.00	359.13	96	6498.41	522.21	518.66	-567.00	0.45
MWD	79	7605.00	90.02	358.86	95	6496.74	617.18	613.62	-568.66	2.10
MWD	80	7701.00	89.89	358.34	96	6496.82	713.17	709.59	-571.01	0.56
MWD	81	7796.00	90.02	358.42	95	6496.89	808.14	804.56	-573.69	0.16
MWD	82	7891.00	89.63	358.25	95	6497.18	903.12	899.52	-576.45	0.45
MWD	83	7987.00	89.01	358.07	96	6498.32	999.08	995.46	-579.54	0.67
MWD	84	8082.00	89.63	357.90	95	6499.45	1094.03	1090.39	-582.88	0.68
MWD	85	8177.00	89.89	358.16	95	6499.85	1188.99	1185.34	-586.14	0.39
MWD	86	8272.00	91.74	0.45	95	6498.49	1283.97	1280.31	-587.29	3.10
MWD	87	8368.00	92.18	0.36	96	6495.21	1379.91	1376.25	-586.62	0.47
MWD	88	8463.00	91.12	0.01	95	6492.48	1474.86	1471.21	-586.31	1.17
MWD	89	8558.00	91.34	359.83	95	6490.44	1569.84	1566.19	-586.44	0.30
MWD	90	8654.00	90.24	359.57	96	6489.11	1665.83	1662.17	-586.94	1.18
MWD	91	8749.00	90.02	359.39	95	6488.90	1760.83	1757.17	-587.81	0.30
MWD	92	8844.00	90.55	359.13	95	6488.42	1855.82	1852.16	-589.03	0.62
MWD	93	8940.00	91.34	358.86	96	6486.84	1951.80	1948.13	-590.72	0.87
MWD	94	9035.00	90.68	358.78	95	6485.17	2046.78	2043.10	-592.67	0.70
MWD	95	9130.00	90.99	358.86	95	6483.78	2141.76	2138.07	-594.63	0.34
MWD	96	9226.00	90.90	358.78	96	6482.20	2237.74	2234.03	-596.61	0.13
MWD	97	9321.00	90.37	359.04	95	6481.15	2332.72	2329.01	-598.41	0.62
MWD	98	9417.00	89.23	358.69	96	6481.48	2428.71	2424.99	-600.31	1.24
MWD	99	9512.00	89.32	358.34	95	6482.68	2523.69	2519.95	-602.78	0.38
MWD	100	9607.00	89.19	357.81	95	6483.92	2618.64	2614.89	-605.97	0.57
MWD	101	9703.00	90.33	358.16	96	6484.32	2714.60	2710.82	-609.34	1.24
MWD	102	9798.00	89.80	357.19	95	6484.21	2809.54	2805.74	-613.20	1.16
MWD	103	9894.00	91.56	359.39	96	6483.07	2905.50	2901.69	-616.06	2.93
MWD	104	9989.00	90.37	1.32	95	6481.47	3000.47	2996.66	-615.47	2.39
MWD	105	10085.00	90.77	0.89	96	6480.52	3096.44	3092.64	-613.62	0.61
MWD	106	10180.00	91.08	0.97	95	6478.98	3191.40	3187.62	-612.08	0.34
MWD	107	10276.00	91.56	0.97	96	6476.77	3287.35	3283.58	-610.45	0.50
MWD	108	10371.00	90.46	0.53	95	6475.10	3382.31	3378.55	-609.21	1.25
MWD	109	10466.00	89.71	0.18	95	6474.96	3477.30	3473.55	-608.62	0.87
MWD	110	10561.00	89.98	359.66	95	6475.21	3572.30	3568.55	-608.76	0.62
MWD	111	10656.00	90.29	359.74	95	6474.99	3667.30	3663.55	-609.25	0.34
MWD	112	10752.00	89.80	0.18	96	6474.92	3763.30	3759.55	-609.32	0.69

MWD	113	10847.00	90.02	0.27	95	6475.06	3858.29	3854.54	-608.95	0.25
MWD	114	10943.00	90.02	0.80	96	6475.03	3954.28	3950.54	-608.05	0.55
MWD	115	11038.00	91.12	0.80	95	6474.09	4049.26	4045.52	-606.72	1.16
MWD	116	11134.00	90.15	0.27	96	6473.02	4145.24	4141.51	-605.83	1.15
MWD	117	11224.00	88.92	0.09	90	6473.75	4235.23	4231.51	-605.54	1.38
MWD	118	11316.00	89.27	0.27	92	6475.21	4327.21	4323.50	-605.26	0.43
MWD	119	11408.00	88.00	0.27	92	6477.40	4419.18	4415.47	-604.82	1.38
MWD	120	11500.00	88.97	1.15	92	6479.83	4511.13	4507.43	-603.68	1.42
MWD	121	11592.00	89.89	1.24	92	6480.74	4603.09	4599.40	-601.76	1.00
MWD	122	11684.00	89.98	1.50	92	6480.85	4695.05	4691.37	-599.56	0.30
MWD	123	11776.00	86.33	359.83	92	6483.81	4786.97	4783.30	-598.50	4.36
MWD	124	11867.00	87.12	0.45	91	6489.01	4877.81	4874.15	-598.27	1.10
MWD	125	11959.00	87.16	0.45	92	6493.60	4969.69	4966.03	-597.55	0.04
MWD	126	12051.00	87.56	359.57	92	6497.84	5061.59	5057.93	-597.54	1.05
MWD	127	12142.00	89.32	359.39	91	6500.31	5152.55	5148.89	-598.36	1.94
MWD	128	12234.00	90.55	358.95	92	6500.42	5244.55	5240.88	-599.69	1.42
MWD	129	12325.00	90.02	358.95	91	6499.97	5335.54	5331.87	-601.36	0.58
MWD	130	12417.00	89.27	358.69	92	6500.54	5427.53	5423.84	-603.26	0.86
MWD	131	12509.00	88.92	358.60	92	6501.99	5519.50	5515.81	-605.43	0.39
MWD	132	12604.00	87.60	358.78	95	6504.87	5614.44	5610.74	-607.60	1.40
MWD	133	12699.00	88.40	359.13	95	6508.19	5709.38	5705.66	-609.33	0.92
MWD	134	12794.00	89.32	359.83	95	6510.08	5804.36	5800.64	-610.20	1.22
MWD	135	12890.00	90.33	0.27	96	6510.37	5900.35	5896.63	-610.11	1.15
MWD	136	12985.00	92.18	0.71	95	6508.29	5995.31	5991.60	-609.30	2.00
MWD	137	13080.00	92.35	0.89	95	6504.54	6090.22	6086.52	-607.97	0.26
MWD	138	13175.00	91.60	0.89	95	6501.26	6185.14	6181.45	-606.50	0.79
MWD	139	13271.00	90.33	0.53	96	6499.65	6281.11	6277.43	-605.31	1.38
MWD	140	13366.00	89.58	0.80	95	6499.72	6376.09	6372.42	-604.21	0.84
MWD	141	13461.00	89.71	0.80	95	6500.31	6471.07	6467.41	-602.88	0.14
MWD	142	13556.00	88.75	0.18	95	6501.59	6566.05	6562.40	-602.07	1.20
MWD	143	13651.00	88.44	359.74	95	6503.92	6661.02	6657.37	-602.14	0.57
MWD	144	13747.00	87.82	359.57	96	6507.05	6756.97	6753.31	-602.71	0.67
MWD	145	13842.00	87.52	359.13	95	6510.91	6851.89	6848.23	-603.79	0.56
MWD	146	13937.00	88.22	358.25	95	6514.44	6946.81	6943.14	-605.96	1.18
MWD	147	14032.00	89.36	357.11	95	6516.45	7041.73	7038.04	-609.81	1.70
MWD	148	14127.00	90.59	357.28	95	6516.49	7136.64	7132.92	-614.45	1.31
MWD	149	14223.00	89.23	356.84	96	6516.64	7232.54	7228.79	-619.38	1.49
MWD	150	14317.00	90.07	356.93	94	6517.21	7326.43	7322.65	-624.49	0.90
MWD	151	14413.00	89.71	357.81	96	6517.40	7422.35	7418.55	-628.89	0.99
MWD	152	14508.00	88.57	357.99	95	6518.82	7517.30	7513.47	-632.37	1.21
MWD	153	14603.00	89.41	358.42	95	6520.50	7612.25	7608.41	-635.35	0.99
MWD	154	14699.00	90.51	358.86	96	6520.57	7708.23	7704.38	-637.63	1.23
MWD	155	14794.00	89.14	358.60	95	6520.86	7803.22	7799.35	-639.73	1.47
MWD	156	14889.00	91.69	0.80	95	6520.17	7898.20	7894.34	-640.23	3.54
MWD	157	14984.00	91.96	1.41	95	6517.14	7993.12	7989.27	-638.40	0.70
MWD	158	15079.00	90.51	0.71	95	6515.10	8088.07	8084.23	-636.64	1.69
MWD	159	15173.00	88.75	0.89	94	6515.70	8182.04	8178.21	-635.33	1.88
MWD	160	15269.00	88.18	0.53	96	6518.27	8277.99	8274.17	-634.14	0.70
MWD	161	15364.00	88.09	0.62	95	6521.37	8372.93	8369.12	-633.19	0.13
MWD	162	15460.00	88.13	0.18	96	6524.53	8468.87	8465.06	-632.52	0.46
MWD	163	15555.00	87.56	0.09	95	6528.10	8563.80	8559.99	-632.29	0.61
MWD	164	15650.00	89.76	0.62	95	6530.33	8658.76	8654.96	-631.70	2.38
MWD	165	15745.00	90.20	0.62	95	6530.36	8753.74	8749.95	-630.68	0.46
MWD	166	15841.00	90.33	0.89	96	6529.91	8849.72	8845.94	-629.41	0.31
MWD	167	15936.00	90.90	0.71	95	6528.89	8944.70	8940.93	-628.08	0.63
MWD	168	16031.00	90.90	0.71	95	6527.40	9039.67	9035.91	-626.91	0.00
MWD	169	16126.00	91.34	0.18	95	6525.55	9134.64	9130.89	-626.17	0.73
MWD	170	16222.00	91.30	0.53	96	6523.33	9230.61	9226.86	-625.58	0.37
MWD	171	16317.00	91.52	359.83	95	6521.00	9325.58	9321.83	-625.28	0.77
MWD	172	16412.00	90.73	357.99	95	6519.13	9420.54	9416.79	-627.08	2.11
MWD	173	16507.00	90.20	357.55	95	6518.36	9515.49	9511.71	-630.78	0.73
MWD	174	16603.00	89.41	357.11	96	6518.69	9611.41	9607.61	-635.25	0.94
MWD	175	16698.00	88.57	356.14	95	6520.36	9706.26	9702.43	-640.84	1.35

MWD	176	16793.00	88.75	355.70	95	6522.58	9801.04	9797.16	-647.60	0.50
MWD	177	16869.00	88.75	355.70	76	6524.24	9876.84	9872.93	-653.30	0.00
PTB	178	16928.00	88.75	355.70	59	6525.53	9935.68	9931.75	-657.72	0.00

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name SCHLITZ FED COM		
								6. Well Number: 141H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC							9. OGRID 372043			
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO							11. Pool name or Wildcat COTTONWOOD DRAW; BONE SPRING (O)			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	M	16	25S	26E	-	648	SOUTH	921	WEST	EDDY
BH:	D	9	25S	26E	-	14	NORTH	318	WEST	EDDY
13. Date Spudded 3/5/2023	14. Date T.D. Reached 3/22/2023		15. Date Rig Released 3/25/2023		16. Date Completed (Ready to Produce) 6/14/2023			17. Elevations (DF and RKB, RT, GR, etc.) 3427 GR		
18. Total Measured Depth of Well 16928 ft			19. Plug Back Measured Depth 16905 ft		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 6490 ft to 16772 ft							BONE SPRING			
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		380'		17.5"		395 sks		0
9.625"		40		1987'		12.25"		590 sks		0
5.5"		20		16908'		8.75"/7.875"		2050 sks		0
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	25. TUBING RECORD					
					SIZE	DEPTH SET	PACKER SET			
					2.875	6861	6837			
26. Perforation record (interval, size, and number)					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
					DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
Perforate from 6490 ft to 16772 ft, 1 SPF, .55 inch holes with 520 total shots.					6490 ft to 16772 ft		40 stage frac with 25,910,480 lbs of 100 mesh sand			
28. PRODUCTION										
Date First Production 6/19/2023		Production Method (Flowing, gas lift, pumping - Size and type pump) Gas Lift				Well Status (Prod. or Shut-in) Producing				
Date of Test 7/15/2023	Hours Tested 24 hrs	Choke Size 128/64	Prod'n For Test Period	Oil - Bbl 0	Gas - MCF 34	Water - Bbl. 2491	Gas - Oil Ratio -			
Flow Tubing Press. 389	Casing Pressure 1110	Calculated 24-Hour Rate	Oil - Bbl. 0	Gas - MCF 34	Water - Bbl. 2491	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By			
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude			Longitude			NAD83				
<i>I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief</i>										
Signature 			Printed Name Jeff Trlica			Title Regulatory Specialist			Date 8/2/2023	
E-mail Address jtrlica@taprock.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	420		Quaternary					
420	857		Rustler					
857	1626		Top of Salt					
1626	1828		Base of Salt					
1828	1855		Lamar					
1855	2834		Bell Canyon					
2834	3722		Cherry Canyon					
3722	5390		Brushy Canyon					
5390	5824		Bone Spring					
5824	6292		Avalon					
6292			1st Bone Spring Sand					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 297155

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 297155
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 297155

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 297155
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	12/21/2023