

Well Name: JICARILLA FLORANCE D	Well Location: T23N / R4W / SEC 5 / SWNW / 36.2544516 / -107.2865556	County or Parish/State: RIO ARRIBA / NM
Well Number: 3	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC362	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003908078	Well Status: Abandoned	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2760866

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 11/09/2023

Time Sundry Submitted: 01:57

Date Operation Actually Began: 10/20/2023

Actual Procedure: The subject well was Plugged & Abandoned on 10/20/2023 per the attached End of Well Report, As Plugged Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure

D_3_EOWR_BLM_Submittal_20231109135608.pdf

Well Name: JICARILLA FLORANCE D	Well Location: T23N / R4W / SEC 5 / SWNW / 36.2544516 / -107.2865556	County or Parish/State: RIO ARRIBA / NM
Well Number: 3	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC362	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003908078	Well Status: Abandoned	Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SHAW-MARIE FORD

Signed on: NOV 09, 2023 01:56 PM

Name: DJR OPERATING LLC

Title: Regulatory Specialist

Street Address: 1 ROAD 3263

City: AZTECState: NM

Phone: (505) 632-3476

Email address: SFORD@DJRLLC.COM

Field

Representative Name:

Street Address:

City:State:Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: MATTHEW H KADE

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647736

BLM POC Email Address: MKADE@BLM.GOV

Disposition: Accepted

Disposition Date: 11/09/2023

Signature: Matthew Kade

DJR Operating, LLC
P&A End of Well Report
Jicarilla Florance D3
API # 30-039-08078
SW/NW, Unit E. Sec 5, T23N, R4W
Rio Arriba County, NM
Spud Date: 5-24-1966
Plug Date: 10-20-2023

10-17-2023:

MIRU rig and equipment. SITP = N/A, SICP = 115 BH = 0. Kill well with 25 bbl. RIH with WL gauge ring, tagged fill at 2636'. NDWH, NU BOP. Obtained approval from BLM and NMOCD to set 2 7/8" WL-set CIBP above Pictured Cliffs perforations and pump plug above CIBP.

10-18-2023:

SITP = N/A, SICP = 115, BH = 0. Blow well down. Pump 10 bbl to kill well.

RIH, set CIBP at 2580', POOH.

TIH, load and roll hole. PT casing, did not test.

P&A Plug 1: Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo formation tops: Mix and spot a balanced plug of 20 sx in 2 stages from 2568', (spot a balanced plug of 10 sx, pull up 2213', spot a balanced plug of 10 sx). TOOH. WOC.

10-19-2023:

TIH, tagged Plug 1 at 1933'. TOOH.

RIH, perforate holes at 687'. POOH.

Establish injection into holes.

P&A Plug 2: Nacimiento formation top. Mix and pump a bullhead plug of 40 sx down casing and into annulus, (30.4 sx outside casing, displace and leave 5.6 sx inside casing). WOC.

TIH, tagged Plug 2 at 403'. TOOH.

RIH, perforate holes at 116', POOH.

Establish circulation down casing and out BH. ND BOP, NU flange and valve on casing.

P&A Plug 3: Surface casing shoe to surface: Mix and pump plug of 42 sx down casing and out BH, good cement returns out BH. WOC.

10-20-2023:

Cut off WH. TOC at surface in both casings. Install P&A marker. Top off cellar with 20 sx.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cu ft/sx.

Regulatory representative; Joseph Maestas, BLM, Monica Kuehling, NMOCD via phone

GPS Coordinates: Lat; 36.254167 N, Long; 107.286111 W

DJR Operating, LLC
P&A Marker
Jicarilla Florance D3
API # 30-039-08078
SW/NW, Unit E. Sec 5, T23N, R4W
Rio Arriba County, NM
Spud Date: 5-24-1966
Plug Date: 10-20-2023





United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Jicarilla Agency

P.O. Box 167

Dulce, New Mexico 87528

IN REPLY REFER TO:

Branch of Real Estate Services

November 15, 2019

Memorandum

To: Robert Switzer, Environmental Protection Specialist
Bureau of Land Management, Farmington Field Office

From: Kurt Sandoval, Realty Officer
Bureau of Indian Affairs, Jicarilla Agency

Subject: BIA Concurrence concerning Well Pad Monument Makers

Let this serve as concurrence for the agreed upon preferred method to be used when constructing well pad monument markers on Jicarilla Apache Tribal Lands. We will eliminate the 6 ft. dry hole marker and use a permanent metal plate that will be installed at ground level, effective September 2019. The marker will contain the following information:

- Well Pad Lease Number
- Well Pad Location Name and Number
- Well Pad Legal Description, specifically Section, Township and Range
- Well Pad API Number
- Well Pad Plug Date
- Well Pad Operator Name

You may contact our office if you have any questions or concerns at (575) 759-3936. Thank you.


Realty Officer

cc: Jicarilla Oil and Gas Administration

12" x 18" MINIMUM

DJR Operating, LLC
End of Well Report
Jicarilla Florance D 3
 API # 30-039-08078
 SW/NW, Unit E, Sec 5, T23N, R4W
 Rio Arriba County, NM

GL: 6997'
 KB: N/A
 Spud Date: 5/24/1966

SURF CSG

Hole size 9.875"
 Csg Size: 7.625"
 Wt: 26# ?
 Grade: N/A
 ID: 6.9969"
 Depth 66'
 casing cap ft³/ft: 0.2648
 TOC: Pumped 75
 sx cement.

FORMATION TOPS

	San Jose	Surface
Nacimiento	637'	
Ojo Alamo	2110'	
Kirtland	2242'	
Fruitland	2357'	
Pictured Cliffs	2572'	


Formation tops estimated
 from correlation to Jicarilla
 Florance D 4

PROD CSG

Hole size 6.75"
 Csg Size: 2.875"
 Wt: 6.5#
 Grade: N/A
 ID: 2.441"
 Depth 2678'
 Casing cap ft³/ft: 0.0325
 Csq/csq Ann. ft³/ft: 0.2269
 Csq/OH ft³/ft: 0.2034
 TOC: Pumped 100
 sx cement

Pictured Cliffs perms
 2598'-2632'

PBTB 2636'
 TD 2680'



10-20-2023: Cut off WH, TOC at surface in both casings, install P&A marker. Top off cellar with 20 sx.

10-19-2023: Plug 3: Surface casing shoe to surface: Perforate holes at 116'. Establish circulation down casing and out BH. Mix and pump plug of 42 sx down casing and out BH, good cement returns out BH. WOC.

10-19-2023: Plug 2: Nacimiento formation top: Perforate holes at 687', establish injection. Mix and pump a bullhead plug of 40 sx down casing and out holes into annulus. (30.4 sx outside casing, 5.6 sx inside casing, displace inside to 486'). WOC, tagged Plug 2 at 403'.

10-18-2023: Plug 1: Pictured Cliffs, Fruitland, Kirtland, Ojo Alamo formation tops: Mix and spot balanced plug of 20 sx from 2568' in 2 stages, (spot 10 sx, pull tbg up to 2213', spot balanced plug of 10 sx). TOOH, WOC. 10-19-2023: Tagged Plug 1 at 1933'.

10-18-2023: RIH, set 2 7/8" CIBP with WL at 2580'. Load and roll hole. PT casing, did not test. Run CBL from 2580' to surface, TOC at 1810'.

10-17-2023: RIH with WL gauge ring. Tagged fill at 2636'. Obtained approvals from BLM and NMOCD to set CIBP above Pictured Cliffs perforations, spotting cement above CIBP.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cu ft/sx
 Regulatory representative: Joseph Maestas, BLM and Monica Kuehling, NMOCD via phone
 GPS Coordinates: Lat; 36.254167 N, Long; 107.286111 W

11/9/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 286320

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 286320
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	well plugged 10/20/2023	12/20/2023