

Sundry Print Recort

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: COLD SNACK FED COM Well Location: T25S / R25E / SEC 14 / County or Parish/State: EDDY /

SWNW / 32.1329441 / -104.3737153

Well Number: 231H Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

WELL

Lease Number: NMNM28169 Unit or CA Name: Unit or CA Number:

US Well Number: 3001553322 Well Status: Drilling Well Operator: TAP ROCK

OPERATING LLC

Subsequent Report

Sundry ID: 2729176

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 05/04/2023 Time Sundry Submitted: 10:23

Date Operation Actually Began: 03/05/2023

Actual Procedure: Well spud on 3/5/2023 at 05:30 3/5/2023: Drill 17.5 inch surface hole to 333. 3/5/2023: Run 13.375 inch 54.5 lb J55 surface casing to 318 ft. Pump 20 bbls water spacer, followed by 471 sks of 14.8 ppg tail cmt. Drop plug and displace with 43 bbls brine. 2 bbls of cement returned back to surface with top job. EST TOC at 0 ft. Pressure test casing to 1500 PSI for 30 minutes, good test. 3/7/2023: Test BOPS. Drill 9.875 intermediate hole to 8526 ft. 3/10/2023: Run 7.625 inch 29.7 lb P-110 intermediate casing to 8469 ft. Pump 40 bbls gel spacer, followed by 1105 sks of 11.2 ppg lead cmt, 270 sks of 13.2 ppg tail cmt. Drop plug and displace with 391 bbls of fresh water. 140 bbls cement to surface. EST TOC at 0 ft. Pressure test casing to 1864 for 30 minutes, good test. 4/11/2023: Drill 6.75 inch production hole to 19176 ft. 4/19/2023: Run 5.5 inch 20 lb P-110 production casing to 19155 ft MD. Pump 80 bbls weighted spacer, then 900 sks of 14.0 ppg tail cmt. Drop plug and displace with 20 bbls MMCR water and 404 bbls fresh water. 0 bbls cement returned to surface. Est TOC at 4832 ft. Surface Casing Details: Casing ran: 3/5/2023, Fluid Type Fresh Water, Hole 17.5 inch, Csg Size 13.375 inch, Weight 54.5 lbs, Grade J55, Est TOC 0 ft, Depth set 318 ft, Cement 471 sacks, Yield 1.35 tail, Class C. Pressure test: 1500 PSI, Pressure Drop: 0. Intermediate Casing Details: Casing ran: 3/10/2023, Fluid Type diesel brine emulsion, Hole 9.875 inch to 8526, Csg Size 7.625 inch, Weight 29.7 lbs, Grade P-110, Est TOC 0 ft, Depth set 8469 ft, Cement 1375 sks, Yield 2.60 lead/1.35 tail, Class C, Pressure Held 1864 psi, Pres Drop 0. Production Casing details: Casing Date: 4/19/2023, Fluid Type oil based mud, Hole 6.75 inch to 19176 ft, Csg Size, 5.5 inch, Weight 20 lbs, Grade P-110, Depth set 19155 ft, EST TOC 4832 ft, Cement 900 sacks, yield 1.37 tail, Class H. 4/19/2023: TD Reached at 19176 ft MD, 9245 ft TVD. Plug Back Measured depth at 19104 ft MD, 9248 ft TVD. Rig Release on 4/21/2023 at 12:00

Page 1 of 2

eived by OCD: 5/11/2023 3:20:34 PM Well Name: COLD SNACK FED COM

Well Location: T25S / R25E / SEC 14 /

SWNW / 32.1329441 / -104.3737153

County or Parish/State: EDD 1/2

NM

Well Number: 231H

Type of Well: CONVENTIONAL GAS

Lease Number: NMNM28169

Unit or CA Name:

Unit or CA Number:

Allottee or Tribe Name:

US Well Number: 3001553322

Well Status: Drilling Well

Operator: TAP ROCK OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JEFFREY TRLICA Signed on: MAY 04, 2023 10:22 AM

Name: TAP ROCK OPERATING LLC

Title: Regulatory Analyst

Street Address: 523 PARK POINT DRIVE SUITE 200

City: GOLDEN State: CO

Phone: (720) 772-5910

Email address: JTRLICA@TAPRK.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

Disposition Date: 05/11/2023 **Disposition:** Accepted

Signature: Jonathon Shepard

Page 2 of 2

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 216177

CONDITIONS

Operator:	OGRID:
TAP ROCK OPERATING, LLC	372043
523 Park Point Drive	Action Number:
Golden, CO 80401	216177
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By		Condition Date
smcgrath	None	1/2/2024