

Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: COLD SNACK FED COM Well Location: T25S / R25E / SEC 14 / County or Parish/State: EDDY /

NWSW / 32.127735 / -104.3739888

Well Number: 233H Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

WELL

Lease Number: NMNM28169 Unit or CA Name: Unit or CA Number:

US Well Number: 3001553324 Well Status: Drilling Well Operator: TAP ROCK

OPERATING LLC

Subsequent Report

Sundry ID: 2734081

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 06/02/2023 Time Sundry Submitted: 11:03

Date Operation Actually Began: 03/27/2023

Actual Procedure: Well spud on 3/27/2023 at 12:30 3/27/2023: Drill 17.5 inch surface hole to 400 ft. 3/27/2023: Run 13.375 inch 54.5 lb J55 surface casing to 377 ft. Pump 50 bbl spacer, followed by 485 sks of 14.8 ppg tail cmt. Drop plug and displace with 53 bbls brine. 61 bbls of cement returned back to surface with top job. EST TOC at 0 ft. Pressure test casing to 1500 PSI for 30 minutes, good test. 4/18/2023: Test BOPS. Drill 9.875 intermediate hole to 8457 ft. 4/21/2023: Run 7.625 inch 29.7 lb P-110 intermediate casing to 8388 ft. Pump 20 bbls fresh water, followed by 1025 sks of 11.5 ppg lead cmt, 325 sks of 13.2 ppg tail cmt. Drop plug and displace with 20 bbls of fresh water then 363 bbls of diesel brine emulsion. 56 bbls cement to surface. EST TOC at 0 ft. Pressure test casing to 1850 for 30 minutes, good test. 5/13/2023: Drill 6.75 inch production hole to 19182 ft. 5/22/2023: Run 5.5 inch 20 lb P-110 production casing to 19163 ft MD. Pump 80 bbls spacer, then 930 sks of 14.0 ppg tail cmt. Drop plug and displace with 424 bbls brine. 0 bbls cement returned to surface. Est TOC at 2492 ft. Surface Casing Details: Casing ran: 3/27/2023, Fluid Type Fresh Water, Hole 17.5 inch, Csg Size 13.375 inch, Weight 54.5 lbs, Grade J55, Est TOC 0 ft, Depth set 377 ft, Cement 485 sacks, Yield 1.36 tail, Class C. Pressure test: 1500 PSI, Pressure Drop: 0. Intermediate Casing Details: Casing ran: 4/21/2023, Fluid Type diesel brine emulsion, Hole 9.875 inch to 8457, Csg Size 7.625 inch, Weight 29.7 lbs, Grade P-110, Est TOC 0 ft, Depth set 8388 ft, Cement 1350 sks, Yield 2.63 lead/1.67 tail, Class C, Pressure Held 1850 psi, Pres Drop 0. Production Casing details: Casing Date: 5/22/2023, Fluid Type oil based mud, Hole 6.75 inch to 19182 ft, Csg Size, 5.5 inch, Weight 20 lbs, Grade P-110, Depth set 19163 ft, EST TOC 2492 ft, Cement 930 sacks, yield 1.32 tail, Class H. 5/17/2023: TD Reached at 19182 ft MD, 9219 ft TVD. Plug Back Measured depth at 19114 ft MD, 9218 ft TVD. Rig Release on 5/24/2023 at 12:30

eceived by OCD: 6/15/2023 9:11:46 AM Well Name: COLD SNACK FED COM Well L

Well Location: T25S / R25E / SEC 14 /

NWSW / 32.127735 / -104.3739888

County or Parish/State: EDD 1/2

NM

Well Number: 233H

Type of Well: CONVENTIONAL GAS

WELL

Lease Number: NMNM28169 Unit or CA Name:

Unit or CA Number:

Allottee or Tribe Name:

US Well Number: 3001553324

Well Status: Drilling Well

Operator: TAP ROCK OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JEFFREY TRLICA Signed on: JUN 02, 2023 11:03 AM

Name: TAP ROCK OPERATING LLC

Title: Regulatory Analyst

Street Address: 523 PARK POINT DRIVE SUITE 200

City: GOLDEN State: CO

Phone: (720) 772-5910

Email address: JTRLICA@TAPRK.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted **Disposition Date:** 06/09/2023

Signature: Jonathon Shepard

Page 2 of 2

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 228430

CONDITIONS

Operator:	OGRID:
TAP ROCK OPERATING, LLC	372043
523 Park Point Drive	Action Number:
Golden, CO 80401	228430
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
smcgrath	None None	1/2/2024