

District I
1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

District II
811 S. First St., Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 05/24/2023
⁴ API Number 30 - 015-48277	⁵ Pool Name CEDAR CANYON; BONE SPRING	⁶ Pool Code 11520
⁷ Property Code: 321633	⁸ Property Name: OXBOW CC 17-8 FEDERAL COM	⁹ Well Number: 15H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
N	17	24S	29E		255	SOUTH	1697	WEST	EDDY

¹¹ Bottom Hole Location

FTP- 190' FSL 1764' FWL LTP- 188' FNL 1805' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	8	24S	29E		50	NORTH	1807	WEST	EDDY
¹² Lse Code F	¹³ Producing Method Code : F	¹⁴ Gas Connection Date: 6/2/23	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 01/04/23	²² Ready Date 05/24/2023	²³ TD 18290'M 7735'V	²⁴ PBTD 18247'M 7735'V	²⁵ Perforations 15702-18152'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
14-3/4"	10-3/4"	525'	480		
9-7/8"	7-5/8"	6968'	705		
6-3/4"	5-1/2"	18270'	1122		

V. Well Test Data

³¹ Date New Oil 6/2/23	³² Gas Delivery Date 6/2/23	³³ Test Date 6/16/23	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 863
³⁷ Choke Size 128/128	³⁸ Oil 710	³⁹ Water 1125	⁴⁰ Gas 1399		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature:

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 07/20/2023 Phone: 432-695-5936

OIL CONSERVATION DIVISION

Approved by: Sarah McGrath

Title: Petroleum Specialist - A

Approval Date: 01/05/2024

File 3160-4 within 10 days of BLM Approval

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011District I

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 05/24/2023
⁴ API Number 30 - 015-48277	⁵ Pool Name PIERCE CROSSING; BONE SPRING, EAST	⁶ Pool Code 96473
⁷ Property Code: 321633	⁸ Property Name: OXBOW CC 17-8 FEDERAL COM	⁹ Well Number: 15H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
N	17	24S	29E		255	SOUTH	1697	WEST	EDDY

¹¹ Bottom Hole Location

FTP- 190' FSL 1764' FWL LTP- 188' FNL 1805' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	8	24S	29E		50	NORTH	1807	WEST	EDDY
¹² Lse Code F	¹³ Producing Method Code : F		¹⁴ Gas Connection Date: 6/2/23		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 01/04/23	²² Ready Date 05/24/2023	²³ TD 18290'M 7735'V	²⁴ PBTB 18247'M 7735'V	²⁵ Perforations 13031-15679'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
14-3/4"		10-3/4"		525'	480
9-7/8"		7-5/8"		6968'	705
6-3/4"		5-1/2"		18270'	1122

V. Well Test Data

³¹ Date New Oil 6/2/23	³² Gas Delivery Date 6/2/23	³³ Test Date 6/16/23	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 863
³⁷ Choke Size 128/128	³⁸ Oil 710	³⁹ Water 1125	⁴⁰ Gas 1399		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.



Signature:

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:

Janalyn_mendiola@oxy.com

Date:

07/20/2023

Phone:

432-695-5936

OIL CONSERVATION DIVISION

Approved by: Sarah McGrath

Title: Petroleum Specialist - A

Approval Date: 01/05/2024

File 3160-4 within 10 days of BLM Approval

District I
1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 05/24/2023
⁴ API Number 30 – 015-48277	⁵ Pool Name PIERCE CROSSING; BONE SPRING	⁶ Pool Code 50371
⁷ Property Code: 321633	⁸ Property Name: OXBOW CC 17-8 FEDERAL COM	⁹ Well Number: 15H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
N	17	24S	29E		255	SOUTH	1697	WEST	EDDY

¹¹ Bottom Hole Location

FTP- 190' FSL 1764' FWL LTP- 188' FNL 1805' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	8	24S	29E		50	NORTH	1807	WEST	EDDY
¹² Lse Code F	¹³ Producing Method Code : F		¹⁴ Gas Connection Date: 6/2/23		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 01/04/23	²² Ready Date 05/24/2023	²³ TD 18290'M 7735'V	²⁴ PBTD 18247'M 7735'V	²⁵ Perforations 7886-13008'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
14-3/4"		10-3/4"		525'	480
9-7/8"		7-5/8"		6968'	705
6-3/4"		5-1/2"		18270'	1122

V. Well Test Data

³¹ Date New Oil 6/2/23	³² Gas Delivery Date 6/2/23	³³ Test Date 6/16/23	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 863
³⁷ Choke Size 128/128	³⁸ Oil 710	³⁹ Water 1125	⁴⁰ Gas 1399		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.



Signature:

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:

Janalyn_mendiola@oxy.com

Date:

07/20/2023

Phone:

432-695-5936

OIL CONSERVATION DIVISION

Approved by: Sarah McGrath

Title: Petroleum Specialist - A

Approval Date: 01/05/2024

File 3160-4 within 10 days of BLM Approval

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102 Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-48277	² Pool Code 11520	³ Pool Name CEDAR CANYON; BS
⁴ Property Code 321633	⁵ Property Name OXBOW CC 17 8 FEDERAL COM	⁶ Well Number 15H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁹ Elevation 2973'


¹⁰ Surface Location

UL or lot no. N	Section 17	Township 24S	Range 29E	Lot Idn	Feet from the 255	North/South line South	Feet from the 1697	East/West line West	County EDDY
--------------------	---------------	-----------------	--------------	---------	----------------------	---------------------------	-----------------------	------------------------	----------------

¹¹ Bottom Hole Location If Different From Surface

UL or lot no. C	Section 8	Township 24S	Range 29E	Lot Idn	Feet from the 50	North/South line North	Feet from the 1807	East/West line West	County EDDY
¹² Dedicated Acres 160	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102 Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-48277	² Pool Code 50371	³ Pool Name PIERCE CROSSING; BS.
⁴ Property Code 321633	⁵ Property Name OXBOW CC 17 8 FEDERAL COM	⁶ Well Number 15H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁹ Elevation 2973'


¹⁰ Surface Location

UL or lot no. N	Section 17	Township 24S	Range 29E	Lot Idn	Feet from the 255	North/South line South	Feet from the 1697	East/West line West	County EDDY
--------------------	---------------	-----------------	--------------	---------	----------------------	---------------------------	-----------------------	------------------------	----------------

¹¹ Bottom Hole Location If Different From Surface

UL or lot no. C	Section 8	Township 24S	Range 29E	Lot Idn	Feet from the 50	North/South line North	Feet from the 1807	East/West line West	County EDDY
¹² Dedicated Acres 320	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102 Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-48277	² Pool Code 96473	³ Pool Name PIERCE CROSSING; BS EAST
⁴ Property Code 321633	⁵ Property Name OXBOW CC 17 8 FEDERAL COM	⁶ Well Number 15H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁹ Elevation 2973'


¹⁰ Surface Location

UL or lot no. N	Section 17	Township 24S	Range 29E	Lot Idn	Feet from the 255	North/South line South	Feet from the 1697	East/West line West	County EDDY
--------------------	---------------	-----------------	--------------	---------	----------------------	---------------------------	-----------------------	------------------------	----------------

¹¹ Bottom Hole Location If Different From Surface

UL or lot no. C	Section 8	Township 24S	Range 29E	Lot Idn	Feet from the 50	North/South line North	Feet from the 1807	East/West line West	County EDDY
¹² Dedicated Acres 160	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.






OXY



Borehole:	Well:	Field:	Structure:
Oxbow CC 17-8 Federal Com 15H	Oxbow CC 17-8 Federal Com 15H	NM Eddy County (NAD 83)	Oxy Oxbow CC 17-8 Federal Com Pad 215
Gravity & Magnetic Parameters			
Model: IFR1	Dip: 59.898°	Date: 21-Apr-2023	Surface Location NAD83 New Mexico State Plane, Eastern Zone, US Feet
MagDec: 6.729°	FS: 47466.9nT	Gravity FS: 998.468mgn (9.80665 Based)	Lat: N 32 12 39.72 Northing: 440659.03RUS Grid Conv: 0.1726°
			Lon: W 104 0 34.60 Easting: 641457.47RUS Scale Fact: 0.99992057
Miscellaneous			
			Slot: 15H TVD Ref: H&P 373, RKB = 26ft (2862.8ft above MSL)
			Plan: Oxy Oxbow CC 17-8 Federal Com 15H Gyro+Corrected MWD to 18290ft

Critical Points

Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)/S(-)	E(+)/W(-)	DLS
WRP	0.00	0.00	180.00	0.00	0.00	0.00	0.00	
SHL	26.00	0.00	0.00	26.00	0.00	0.00	0.00	
First Gyro Survey	64.03	0.15	93.18	64.03	0.00	0.00	0.05	0.39
Last Gyro Survey	512.00	1.58	215.30	511.86	-9.89	-9.87	-3.57	0.37
First SLB Survey	592.00	1.47	214.76	591.83	-11.63	-11.61	-4.80	0.14
Actual KOP	7007.00	4.47	153.61	6958.20	-558.56	-558.89	76.36	12.86
1st Bone Spring Intersection	7667.58	47.47	8.08	7509.60	-240.80	-241.01	48.65	6.22
FTP / 100ft FSL Cross	7781.00	54.68	7.43	7582.71	-155.53	-155.80	64.08	13.72
Section 17-8 Line Cross	13016.00	89.80	359.78	7732.73	5055.20	5054.88	84.90	1.58
LTP / 100ft FNL Cross	18238.00	89.92	0.53	7734.87	10267.48	10267.38	46.89	0.16
Final Survey	18258.00	89.92	0.56	7734.90	10287.48	10287.38	47.08	0.16
Projection to Total Depth	18290.00	89.92	0.56	7734.94	10319.48	10319.37	47.39	0.00





Oxy Oxbow CC 17-8 Federal Com 15H Gyro+Corrected MWD to 18290ft
Survey Geodetic Report
(Def Survey)



Report Date:	March 31, 2023 - 08:39 AM	Survey / DLS Computation:	Minimum Curvature / Lubinski
Client:	OXY	Vertical Section Azimuth:	0.245 ° (Grid North)
Field:	NM Eddy County (NAD 83)	Vertical Section Origin:	0.000 ft, 0.000 ft
Structure / Slot:	Oxy Oxbow CC 17-8 Federal Com Pad 215 / 15H	TVD Reference Datum:	H&P 373, RKB = 26ft
Well:	Oxbow CC 17-8 Federal Com 15H	TVD Reference Elevation:	2962.600 ft above MSL
Borehole:	Oxbow CC 17-8 Federal Com 15H	Seabed / Ground Elevation:	2936.600 ft above MSL
UWI / API#:	Unknown / 30-015-48277	Magnetic Declination:	6.729 °
Survey Name:	Oxy Oxbow CC 17-8 Federal Com 15H Gyro+Corrected MWD to 18290ft	Total Gravity Field Strength:	998.4677mgn (9.80665 Based)
Survey Date:	February 01, 2023	Gravity Model:	GARM
Tort / AHD / DDI / ERD Ratio:	334.531 ° / 11474.171 ft / 6.958 / 1.483	Total Magnetic Field Strength:	47466.900 nT
Coordinate Reference System:	NAD83 New Mexico State Plane, Eastern Zone, US Feet	Magnetic Dip Angle:	59.898 °
Location Lat / Long:	N 32° 12' 39.72262", W 104° 0' 34.59722"	Declination Date:	April 21, 2023
Location Grid N/E Y/X:	N 440659.030 HUS, E 641457.470 HUS	Magnetic Declination Model:	IFR1
CRS Grid Convergence Angle:	0.1726 °	North Reference:	Grid North
Grid Scale Factor:	0.99992057	Grid Convergence Used:	0.1726 °
Version / Patch:	2.10.834.0	Total Corr Mag North>Grid North:	6.5564 °
		Local Coord Referenced To:	Well Head

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S °)	Longitude (E/W °)
WRP	0.00	0.00	180.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	440659.03	641457.47	N 32.211034	W 104.009610
SHL	26.00	0.00	0.00	26.00	0.00	0.00	0.00	0.00	0.00	0.00	440659.03	641457.47	N 32.211034	W 104.009610
First Gyro Survey	64.03	0.15	93.18	64.03	0.00	0.00	0.05	0.39	0.05	93.18	440659.03	641457.52	N 32.211034	W 104.009610
	148.63	1.11	205.44	148.62	-0.75	-0.75	-0.19	1.39	0.77	194.36	440658.28	641457.28	N 32.211032	W 104.009611
	232.38	1.65	195.05	232.35	-2.65	-2.65	-0.85	0.71	2.78	197.87	440656.38	641456.62	N 32.211027	W 104.009613
	326.26	1.65	194.59	326.19	-5.27	-5.26	-1.54	0.01	5.48	196.37	440653.77	641455.93	N 32.211020	W 104.009615
Last Gyro Survey	419.84	1.52	202.81	419.74	-7.72	-7.71	-2.37	0.28	8.06	197.06	440651.32	641455.10	N 32.211013	W 104.009618
	512.00	1.58	215.30	511.86	-9.89	-9.87	-3.57	0.37	10.50	199.90	440649.16	641453.90	N 32.211007	W 104.009622
	592.00	1.47	214.76	591.83	-11.63	-11.61	-4.80	0.14	12.57	202.44	440647.42	641452.67	N 32.211002	W 104.009626
	651.00	1.36	215.67	650.82	-12.83	-12.80	-5.64	0.19	13.99	203.76	440646.23	641451.84	N 32.210999	W 104.009629
First SLB Survey	711.00	0.57	205.42	710.81	-13.68	-13.65	-1.18	1.34	14.99	204.35	440645.38	641451.29	N 32.210997	W 104.009630
	835.00	0.14	143.84	834.80	-14.33	-14.30	-6.35	0.42	15.68	203.91	440644.70	641451.12	N 32.210995	W 104.009631
	929.00	0.24	326.66	928.80	-14.29	-14.26	-6.40	0.40	15.63	204.17	440644.77	641451.07	N 32.210995	W 104.009631
	1024.00	0.15	136.24	1023.80	-14.22	-14.19	-6.43	0.40	15.63	204.37	440644.84	641451.04	N 32.210995	W 104.009631
	1118.00	0.28	91.73	1117.80	-14.31	-14.29	-6.11	0.22	15.54	203.17	440644.74	641451.36	N 32.210995	W 104.009630
	1213.00	0.16	316.58	1212.80	-14.22	-14.20	-5.97	0.43	15.40	202.82	440644.83	641451.50	N 32.210995	W 104.009630
	1306.00	0.27	306.20	1307.80	-14.00	-13.97	-6.25	0.12	15.30	204.09	440645.06	641451.22	N 32.210996	W 104.009631
	1402.00	0.11	59.97	1401.80	-13.82	-13.79	-6.35	0.35	15.18	204.71	440645.24	641451.12	N 32.210996	W 104.009631
	1497.00	0.18	206.92	1496.80	-13.91	-13.88	-6.33	0.29	15.38	204.53	440645.15	641451.14	N 32.210996	W 104.009631
	1592.00	0.18	23.33	1591.80	-13.90	-13.88	-6.34	0.38	15.26	204.57	440645.15	641451.13	N 32.210996	W 104.009631
	1687.00	0.10	302.20	1686.80	-13.72	-13.70	-6.35	0.20	15.10	204.89	440645.34	641451.12	N 32.210996	W 104.009631
	1782.00	0.06	156.87	1781.80	-13.70	-13.70	-6.40	0.16	15.12	205.06	440645.33	641451.07	N 32.210996	W 104.009631
	1877.00	0.07	299.05	1876.80	-13.74	-13.71	-6.44	0.13	15.15	205.14	440645.32	641451.03	N 32.210996	W 104.009631
	1972.00	0.23	201.76	1971.80	-13.89	-13.86	-6.56	0.26	15.34	205.31	440645.17	641450.91	N 32.210996	W 104.009632
	2067.00	0.13	290.18	2066.80	-14.03	-14.00	-6.73	0.27	15.54	205.67	440645.03	641450.74	N 32.210996	W 104.009632
	2162.00	0.14	317.81	2161.80	-13.91	-13.88	-6.91	0.07	15.50	206.46	440645.15	641450.56	N 32.210996	W 104.009633
	2257.00	0.21	267.67	2256.80	-13.83	-13.80	-7.16	0.17	15.55	207.42	440645.23	641450.31	N 32.210996	W 104.009634
	2352.00	0.60	142.69	2351.80	-14.23	-14.20	-7.03	0.78	15.85	206.34	440644.83	641450.44	N 32.210995	W 104.009633
	2446.00	1.68	149.26	2445.78	-15.84	-15.81	-6.91	2.01	18.81	200.81	440643.22	641451.46	N 32.210991	W 104.009630
	2543.00	3.42	152.95	2542.68	-19.55	-19.53	-4.01	1.84	19.94	191.60	440639.50	641453.46	N 32.210980	W 104.009623
	2638.00	4.25	155.89	2637.47	-25.28	-25.27	-1.28	0.90	25.30	182.90	440633.76	641456.19	N 32.210965	W 104.009615
	2733.00	4.52	159.53	2732.19	-31.98	-31.99	1.47	0.41	32.02	177.38	440627.04	641458.94	N 32.210946	W 104.009606
	2826.00	4.37	159.26	2826.90	-38.87	-38.88	4.06	0.16	39.09	174.82	440620.15	641461.53	N 32.210927	W 104.009598
	2923.00	4.26	160.42	2921.63	-45.56	-45.59	6.52	0.15	46.06	171.86	440613.44	641463.99	N 32.210909	W 104.009590
	3018.00	4.36	158.68	3016.37	-52.24	-52.28	9.02	0.17	53.05	170.22	440606.75	641466.49	N 32.210890	W 104.009582
	3113.00	0.88	127.00	3111.25	-56.04	-56.08	10.91	3.83	57.14	168.99	440602.95	641468.38	N 32.210880	W 104.009576
	3209.00	0.14	275.81	3207.25	-56.47	-56.52	11.39	1.04	57.65	168.61	440602.52	641468.85	N 32.210879	W 104.009574
	3303.00	0.22	111.98	3301.25	-56.52	-56.57	11.44	0.38	57.72	168.57	440602.46	641468.91	N 32.210878	W 104.009574
	3399.00	0.07	352.21	3397.25	-56.53	-56.58	11.60	0.27	57.76	168.41	440602.45	641469.07	N 32.210878	W 104.009573
	3494.00	0.13	282.68	3492.25	-56.45	-56.50	11.49	0.13	57.66	168.51	440602.53	641468.96	N 32.210879	W 104.009574
	3589.00	0.13	251.54	3587.25	-56.46	-56.51	11.28	0.07	57.63	168.71	440602.52	641468.75	N 32.210879	W 104.009574
	3684.00	0.24	355.56	3682.25	-56.30	-56.35	11.16	0.32	57.44	168.80	440602.69	641468.63	N 32.210879	W 104.009575
	3779.00	0.16	329.83	3777.25	-56.19	-56.24	11.05	0.38	57.31	168.99	440602.80	641468.51	N 32.210879	W 104.009575
	3874.00	1.03	218.64	3872.24	-56.94	-56.99	10.41	0.92	57.93	169.65	440602.05	641467.88	N 32.210877	W 104.009577
	3969.00	1.83	209.24	3967.21	-58.94	-58.98	9.14	0.87	59.68	171.19	440600.06	641466.61	N 32.210872	W 104.009581
	4064.00	2.93	202.39	4062.13	-62.51	-62.55	7.47	1.19	62.99	173.19	440596.49	641464.94	N 32.210862	W 104.009587
	4159.00	3.69	198.74	4156.97	-67.66	-67.69	5.96	0.83	67.92	175.30	440591.35	641463.03	N 32.210848	W 104.009593
	4254.00	4.28	190.99	4251.74	-74.05	-74.06	3.91	0.84	74.17	176.98	440584.97	641461.38	N 32.210830	W 104.009598
	4349.00	4.83	185.55	4346.44	-81.51	-81.52	2.84	0.74	81.57	178.00	440577.51	641460.19	N 32.210810	W 104.009602
	4444.00	5.79	180.25	4441.03	-90.28	-90.30	2.44	1.13	90.33	178.45	440568.74	641459.91	N 32.210786	W 104.009603
	4539.00	6.27	177.84	4535.51	-100.26	-100.27	2.61	0.57	100.31	178.51	440558.77	641460.08	N 32.210758	W 104.009603
	4634.00	7.06	173.74	4629.87	-111.24	-111.26	3.44	0.97	111.31	178.23	440547.78	641460.91	N 32.210728	W 104.009600
	4730.00	7.65	172.00	4725.08	-123.43	-123.45	4.97	0.66	123.55	177.69	440535.59	641462.44	N 32.210695	W 104.009595
	4825.00	8.32	169.59	4819.15	-136.41	-136.44	7.10	0.79	136.66	177.02	440522.57	641464.57	N 32.210659	W 104.009589
	4920.00	9.17	166.45	4913.05	-150.55	-150.59	10.11	1.03	150.93	176.16	440508.45	641467.58	N 32.210620	W 104.009579
	5015.00	9.50	164.15	5006.79	-165.43	-165.49	14.03	0.52	166.09	175.16	440493.55	641471.50	N 32.210579	W 104.009567
	5110.00	9.89	163.37	5100.43	-180.77	-180.85	18.50	0.43	181.80	174.42	440478.19	641475.97	N 32.210537	W 104.009552
	5205.00	11.02	167.56	5193.86	-197.44	-197.54	22.79	0.43	198.85	173.42	440461.51	641480.26	N 32.210491	W 104.009539
	5300.00	11.36	170.73	5287.05	-215.62	-215.64	26.26	0.74	217.23	173.06	440443.41	641483.73	N 32.210441	W 104.009529
	5395.00	11.65	172.84	5380.14	-234.26	-234.39	28.96	0.54	236.17	172.96	440424.66	641486.43	N 32.210390	W 104.009519
	5490.00	12.21	173.62	5473.09	-253.75	-253.89	31.27	0.61	255.81	172.98	440405.16	641488.74	N 32.210336	W 104.009512
	5585.00	11.75	173.23	5566.02	-273.33	-273.48	33.53	0.49	275.53	173.01	440385.57	641491.00	N 32.210282	W 104.009505
	5680.00	11.92	174.00	5659.00	-292.69	-292.84	35.69	0.24	295.01	173.05	440366.21	641493.16	N 32.210229	W 104.009498
	5775.00	11.84	174.73	5751.97	-312.14	-312.31	38.14	0.18	314.56	173.13	440346.75	641495.08	N 32.210175	W 104.009492
	5870.00	11.99	174.85	5844.92	-331.67	-331.84	39.40	0.16	334.17	173.23	440327.22	641496.86	N 32.210122	W 104.009486
	5966.00	11.92	174.60	5938.84	-351.46	-351.64	41.22	0.09	354.05	173.31	440307.42	641498.69	N 32.210067	W 104.009480
	6061.00	11.99	174.37	6031.75	-371.22	-371.40	43.02	0.06	373.22	173.36	440287.84	641500.69	N 32.210019	W 104.009474
	6156.00	12.09	169.24	6124.69	-390.60	-390.80	46.15	1.00	393.51	173.26	440268.26	641503.62	N 32.209960	W 104.009465
	6251.00	11.94	167.62	6217.61	-409.95	-410.17	50.12	0.39	413.22	173.03	440248.89	641507.58	N 32.209906	W 104.009452
	63													

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N S °)	Longitude (E W °)
Section 17-8 Line Cross	9343.00	90.43	0.51	7715.41	1382.93	1382.61	77.76	0.98	1384.80	3.22	442041.53	641535.23	N 32.214834	W 104.009345
	9439.00	90.32	1.47	7714.38	1478.60	1478.40	79.40	1.01	1480.73	3.07	442137.51	641536.89	N 32.215359	W 104.009333
	9534.00	90.17	0.53	7714.38	1573.91	1573.58	81.08	1.00	1575.67	2.95	442232.48	641538.54	N 32.215359	W 104.009333
	9629.00	89.91	358.04	7714.31	1668.89	1668.57	79.90	2.64	1670.48	2.74	442327.46	641537.36	N 32.215620	W 104.009336
	9725.00	89.00	0.83	7715.22	1764.87	1764.55	78.95	3.06	1766.31	2.56	442423.43	641536.41	N 32.215884	W 104.009338
	9820.00	89.29	359.64	7716.64	1859.86	1859.53	79.34	1.29	1861.22	2.44	442518.41	641536.80	N 32.216145	W 104.009336
	9915.00	88.12	0.64	7718.79	1954.83	1954.51	79.57	1.62	1956.12	2.33	442613.38	641537.03	N 32.216406	W 104.009334
	10010.00	88.01	0.66	7722.00	2049.77	2049.45	80.65	0.12	2051.03	2.25	442708.31	641538.11	N 32.216667	W 104.009330
	10106.00	88.53	1.75	7724.89	2145.71	2145.38	82.67	1.26	2146.97	2.21	442804.23	641540.13	N 32.216930	W 104.009322
	10201.00	90.02	1.24	7726.10	2240.68	2240.34	85.14	1.66	2241.95	2.18	442899.18	641542.61	N 32.217191	W 104.009313
	10296.00	90.39	1.10	7725.76	2335.67	2335.32	87.08	0.42	2336.94	2.14	442994.15	641544.55	N 32.217452	W 104.009306
	10391.00	90.06	358.70	7725.38	2430.66	2430.31	86.92	2.55	2431.86	2.05	443089.14	641544.38	N 32.217713	W 104.009306
	10486.00	89.95	1.03	7725.38	2525.65	2525.30	86.69	2.46	2526.79	1.97	443184.12	641544.16	N 32.217974	W 104.009305
	10581.00	90.07	0.86	7725.36	2620.64	2620.29	88.26	0.22	2621.77	1.93	443279.10	641545.72	N 32.218236	W 104.009299
	10676.00	90.89	0.68	7724.56	2715.63	2715.27	89.54	0.88	2716.75	1.89	443374.08	641547.00	N 32.218497	W 104.009294
	10771.00	89.78	359.40	7724.01	2810.63	2810.27	89.60	1.78	2811.70	1.83	443469.07	641547.07	N 32.218758	W 104.009293
	10867.00	89.84	359.11	7724.33	2906.61	2906.26	88.36	0.31	2907.60	1.74	443565.05	641545.82	N 32.219022	W 104.009296
	10962.00	89.86	359.30	7724.57	3001.60	3001.25	87.04	0.20	3002.51	1.66	443660.04	641544.50	N 32.219283	W 104.009300
	11056.00	90.11	0.40	7724.60	3095.59	3095.25	86.79	1.20	3096.47	1.61	443754.03	641544.25	N 32.219541	W 104.009300
	11150.00	87.13	359.45	7726.86	3189.55	3189.21	86.67	3.33	3190.39	1.56	443847.98	641544.13	N 32.219799	W 104.009299
	11243.00	91.10	0.09	7728.30	3282.52	3282.18	86.30	4.32	3283.31	1.51	443940.94	641543.76	N 32.220055	W 104.009299
	11337.00	90.70	0.06	7726.82	3376.51	3376.17	86.42	0.43	3377.27	1.47	444034.92	641543.88	N 32.220313	W 104.009298
	11431.00	91.27	0.45	7725.21	3470.49	3470.15	86.84	0.73	3471.24	1.43	444128.90	641544.30	N 32.220572	W 104.009296
	11526.00	90.50	0.00	7723.74	3565.48	3565.14	87.21	0.94	3566.21	1.40	444223.88	641544.67	N 32.220833	W 104.009294
	11620.00	92.58	0.03	7721.21	3659.44	3659.10	87.23	2.21	3660.14	1.37	444317.83	641544.70	N 32.221091	W 104.009293
	11714.00	89.43	359.68	7719.56	3753.41	3753.07	87.00	3.37	3754.08	1.33	444411.80	641544.46	N 32.221349	W 104.009292
	11808.00	90.24	359.53	7719.84	3847.07	3847.07	86.43	0.86	3848.04	1.29	444505.79	641543.89	N 32.221608	W 104.009293
	11902.00	89.28	359.21	7720.23	3941.39	3941.06	85.48	1.11	3941.99	1.24	444599.77	641542.94	N 32.221866	W 104.009296
	11997.00	88.52	358.93	7722.05	4036.35	4036.03	83.94	0.85	4036.91	1.19	444694.73	641541.40	N 32.222127	W 104.009300
	12092.00	90.74	359.40	7724.32	4131.31	4131.00	82.55	0.55	4131.82	1.14	444789.69	641540.02	N 32.222388	W 104.009303
	12187.00	90.66	0.17	7724.82	4226.30	4225.99	82.20	2.18	4226.79	1.11	444884.67	641539.66	N 32.222649	W 104.009303
	12282.00	89.88	359.43	7724.37	4321.30	4320.98	81.87	1.13	4321.76	1.09	444979.66	641539.33	N 32.222910	W 104.009304
	12377.00	89.55	0.34	7724.85	4416.29	4415.98	81.68	1.02	4416.74	1.06	445074.65	641539.14	N 32.223171	W 104.009303
	12472.00	90.19	0.15	7725.06	4511.29	4510.98	82.08	0.70	4511.73	1.04	445169.64	641539.54	N 32.223432	W 104.009301
	12568.00	89.72	1.65	7725.14	4607.28	4606.97	83.59	1.64	4607.72	1.04	445265.62	641541.05	N 32.223696	W 104.009295
	12663.00	88.64	0.31	7726.50	4702.26	4701.94	85.21	1.81	4702.71	1.04	445360.59	641542.68	N 32.223957	W 104.009289
	12758.00	88.87	359.84	7726.56	4797.24	4796.92	85.34	0.55	4797.67	0.89	445455.56	641542.80	N 32.224218	W 104.009288
	12854.00	89.18	359.88	7730.19	4893.22	4892.90	85.10	0.33	4893.64	1.00	445551.53	641542.57	N 32.224482	W 104.009287
	12949.00	88.77	0.02	7731.89	4988.20	4987.89	85.02	0.46	4988.61	0.98	445646.51	641542.48	N 32.224743	W 104.009287
	13016.00	89.80	359.78	7732.73	5054.88	5054.88	84.90	1.58	5055.59	0.96	445717.50	641542.36	N 32.224927	W 104.009287
	13045.00	90.25	359.67	7732.72	5084.20	5083.88	84.76	1.58	5084.59	0.96	445742.50	641542.22	N 32.225097	W 104.009287
	13139.00	90.32	359.89	7732.25	5178.19	5177.88	84.40	0.25	5178.57	0.93	445836.49	641541.86	N 32.225265	W 104.009286
	13231.00	92.11	0.99	7730.30	5270.16	5269.85	85.11	2.28	5270.54	0.93	445928.48	641542.57	N 32.225518	W 104.009284
	13326.00	90.64	3.91	7728.02	5365.05	5364.72	89.17	3.44	5365.46	0.95	446023.32	641546.63	N 32.225779	W 104.009270
	13421.00	89.41	358.67	7727.98	5460.00	5459.66	91.30	5.67	5460.43	0.96	446118.25	641548.77	N 32.226040	W 104.009262
	13517.00	90.50	0.61	7728.05	5555.99	5555.65	90.70	2.32	5556.40	0.94	446214.23	641548.16	N 32.226304	W 104.009263
	13612.00	90.47	355.82	7727.25	5650.58	5650.24	87.74	5.61	5651.26	0.89	446309.15	641545.21	N 32.226565	W 104.009272
	13707.00	89.62	356.45	7727.17	5745.66	5745.36	81.34	1.11	5745.94	0.81	446403.92	641538.80	N 32.226825	W 104.009291
	13802.00	89.80	352.91	7727.65	5840.19	5839.93	72.53	3.73	5840.39	0.71	446498.49	641530.00	N 32.227085	W 104.009319
	13897.00	90.37	355.07	7727.51	5934.62	5934.41	62.59	2.35	5934.74	0.60	446592.95	641520.05	N 32.227345	W 104.009350
	13992.00	88.20	353.61	7728.70	6029.10	6028.93	53.22	2.75	6029.16	0.51	446687.47	641510.68	N 32.227605	W 104.009380
	14087.00	91.10	353.93	7729.28	6123.48	6123.35	42.91	6.07	6123.51	0.40	446781.99	641500.38	N 32.227865	W 104.009412
	14182.00	89.64	356.73	7728.66	6218.12	6218.03	35.18	3.32	6218.13	0.32	446876.55	641492.64	N 32.228125	W 104.009436
	14277.00	90.93	1.64	7728.19	6313.07	6312.98	33.83	5.34	6313.07	0.31	446971.50	641491.29	N 32.228386	W 104.009439
	14372.00	90.65	7.92	7726.88	6407.72	6407.60	41.74	6.62	6407.73	0.37	447066.11	641499.21	N 32.228646	W 104.009413
	14467.00	90.03	9.46	7726.32	6501.68	6501.50	56.09	1.75	6501.74	0.49	447160.00	641513.56	N 32.228904	W 104.009366
	14562.00	89.58	6.00	7726.64	6595.86	6595.62	68.87	3.67	6595.98	0.60	447254.12	641526.32	N 32.229162	W 104.009323
	14657.00	88.85	3.22	7727.94	6690.56	6690.30	76.50	3.03	6690.73	0.66	447348.78	641533.97	N 32.229423	W 104.009298
	14752.00	88.66	0.41	7730.01	6785.49	6785.22	79.51	2.96	6785.68	0.67	447443.69	641536.97	N 32.229684	W 104.009287
	14847.00	90.21	357.01	7730.94	6880.44	6880.17	77.37	3.93	6880.61	0.64	447538.64	641534.83	N 32.229945	W 104.009293
	14942.00	90.08	354.00	7730.70	6975.10	6974.87	69.93	3.17	6975.22	0.57	447633.33	641527.39	N 32.230205	W 104.009316
	15038.00	90.20	351.20	7730.47	7070.24	7070.06	57.56	2.92	7070.29	0.47	447728.61	641515.03	N 32.230467	W 104.009355
	15135.00	87.78	352.87	7732.16										

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP) (SEE AS-DRILLED C-102 PLAT)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP) (SEE AS-DRILLED C-102 PLAT)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP) (SEE AS-DRILLED C-102 PLAT)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Well Name: OXBOW CC 17-8 FED COM	Well Location: T24S / R29E / SEC 17 / SESW / 32.2110341 / -104.0096104	County or Parish/State: EDDY / NM
Well Number: 15H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM94651	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001548277	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2742093

Type of Submission: Subsequent Report

Type of Action: Workover Operations

Date Sundry Submitted: 07/20/2023

Time Sundry Submitted: 02:12

Date Operation Actually Began: 04/05/2023

Actual Procedure: RUPU 04/05/23, RIH & clean out to PBTD @ 18247', pressure test casing to 6000# for 30 min, good test. RIH & perf @ 7886-18152' Total 1260 holes. Frac in 42 stages w/ 428424BBL Produced Water + 13250BBL Brackish Water (> 1,000 mg/I TDS and 10,000 mg/I TDS) w/ 25796180# sand, RD NexTier 05/08/23. Well ready to produce 05/24/23. OXY USA Inc. requests a tubing exception while continuing to flow back this well. The estimated date of tubing install is 10/31/2023.

Well Name: OXBOW CC 17-8 FED COM	Well Location: T24S / R29E / SEC 17 / SESW / 32.2110341 / -104.0096104	County or Parish/State: EDDY / NM
Well Number: 15H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM94651	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001548277	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a


Operator Electronic Signature: JANA MENDIOLA	Signed on: JUL 20, 2023 02:12 PM
Name: OXY USA INCORPORATED	
Title: Regulatory Coordinator	
Street Address: PO BOX 50250	
City: Midland	State: TX
Phone: (432) 685-5936	
Email address: Janalyn_mendiola@oxy.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 07/20/2023
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name OXBOW CC 17-8 FEDERAL COM		6. Well Number: 15H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator: OXY USA INC.						9. OGRID: 16696				
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710						11. Pool name or Wildcat CEDAR CANYON; BONE SPRING				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	N	17	24S	29E		255	SOUTH	1697	WEST	EDDY
BH:	C	8	24S	29E		50	NORTH	1807	WEST	EDDY
13. Date Spudded 01/04/23		14. Date T.D. Reached 03/29/2023		15. Date Rig Released 04/01/2023		16. Date Completed (Ready to Produce) 05/24/2023		17. Elevations (DF and RKB, RT, GR, etc.) 2973' GL		
18. Total Measured Depth of Well 18290'M 7735'V				19. Plug Back Measured Depth 18247'M 7735'V		20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 15702-18152' 1 ST Bone Spring										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
10.75" J55		45.5		525'		14.75"		480sx-surf circ		
7.625" HCL80		26.4		6968'		9.875"		705sx-surf		
5.5" P110CY		20		18270'		6.75"		1122sx-TOC@2192'		
24. LINER RECORD										
SIZE	TOP	BOTTOM		SACKS CEMENT	SCREEN		25. TUBING RECORD			
							SIZE	DEPTH SET	PACKER SET	
26. Perforation record (interval, size, and number) 15702-18152' Total 1260 holes, Hole Size=0.42						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						15702-18152'		428424BBL Produced Water + 13250BBL Brackish Water (> 1,000 mg/l TDS and < 10,000 mg/l TDS) w/ 25796180# sand		
28. PRODUCTION										
Date First Production 06/02/2023		Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING				Well Status (Prod. or Shut-in) Prod.				
Date of Test 06/16/2023	Hours Tested 24 hrs.	Choke Size 128/128	Prod'n For Test Period	Oil - Bbl 710	Gas - MCF 1399	Water - Bbl. 1125	Gas - Oil Ratio 1970			
Flow Tubing Press.	Casing Pressure 863	Calculated 24- Hour Rate	Oil - Bbl. 710	Gas - MCF 1399	Water - Bbl. 1125	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD								30. Test Witnessed By		
31. List Attachments WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Printed										
Signature: 		Name: <u>Jana Mendiola</u>			Title: <u>Sr. Regulatory Analyst</u>			Date: <u>07/23/2023</u>		
E-mail Address: <u>janalyn_mendiola@oxy.com</u>										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 280'	T. Bell Canyon 2841'	T. Ojo Alamo	T. Penn A"
T. Salado 596'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 1237'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 2789'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 3732'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 4975'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 6592'	T. Todilto	
T. Abo	T. 1 st Bone Springs 7706'	T. Entrada	
T. Wolfcamp	T. 2 nd Bone Springs	T. Wingate	
T. Penn	T. 3 rd Bone Springs	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....


Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

(Attach additional sheets if necessary)

From	To	Thickness In Feet	Lithology

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name OXBOW CC 17-8 FEDERAL COM		6. Well Number: 15H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator: OXY USA INC.						9. OGRID: 16696				
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710						11. Pool name or Wildcat PIERCE CROSSING; BONE SPRING				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	N	17	24S	29E		255	SOUTH	1697	WEST	EDDY
BH:	C	8	24S	29E		50	NORTH	1807	WEST	EDDY
13. Date Spudded 01/04/23		14. Date T.D. Reached 03/29/2023		15. Date Rig Released 04/01/2023		16. Date Completed (Ready to Produce) 05/24/2023		17. Elevations (DF and RKB, RT, GR, etc.) 2973' GL		
18. Total Measured Depth of Well 18290'M 7735'V				19. Plug Back Measured Depth 18247'M 7735'V		20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 7886-13008' 1 ST Bone Spring										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
10.75" J55		45.5		525'		14.75"		480sx-surf circ		
7.625" HCL80		26.4		6968'		9.875"		705sx-surf		
5.5" P110CY		20		18270'		6.75"		1122sx-TOC@2192'		
24. LINER RECORD										
SIZE	TOP	BOTTOM		SACKS CEMENT	SCREEN		25. TUBING RECORD			
							SIZE	DEPTH SET	PACKER SET	
26. Perforation record (interval, size, and number) 7886-13008' Total 1260 holes, Hole Size=0.42						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						7886-13008'		428424BBL Produced Water + 13250BBL Brackish Water (> 1,000 mg/l TDS and < 10,000 mg/l TDS) w/ 25796180# sand		
28. PRODUCTION										
Date First Production 06/02/2023		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) FLOWING				Well Status (<i>Prod. or Shut-in</i>) Prod.				
Date of Test 06/16/2023	Hours Tested 24 hrs.	Choke Size 128/128	Prod'n For Test Period	Oil - Bbl 710	Gas - MCF 1399	Water - Bbl. 1125	Gas - Oil Ratio 1970			
Flow Tubing Press.	Casing Pressure 863	Calculated 24- Hour Rate	Oil - Bbl. 710	Gas - MCF 1399	Water - Bbl. 1125	Oil Gravity - API - (<i>Corr.</i>)				
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) SOLD								30. Test Witnessed By		
31. List Attachments WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Printed										
Signature: 		Name: <u>Jana Mendiola</u>			Title: <u>Sr. Regulatory Analyst</u>			Date: <u>07/23/2023</u>		
E-mail Address: <u>janalyn_mendiola@oxy.com</u>										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 280'	T. Bell Canyon 2841'	T. Ojo Alamo	T. Penn A"
T. Salado 596'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 1237'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 2789'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 3732'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 4975'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 6592'	T. Todilto	
T. Abo	T. 1 st Bone Springs 7706'	T. Entrada	
T. Wolfcamp	T. 2 nd Bone Springs	T. Wingate	
T. Penn	T. 3 rd Bone Springs	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....


No. 3, from.....to.....

No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017													
WELL COMPLETION OR RECOMPLETION REPORT AND LOG																		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)					5. Lease Name or Unit Agreement Name OXBOW CC 17-8 FEDERAL COM 6. Well Number: 15H													
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER																		
8. Name of Operator: OXY USA INC.					9. OGRID: 16696													
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710					11. Pool name or Wildcat PIERCE CROSSING; BONE SPRING, EAST													
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County								
Surface:	N	17	24S	29E		255	SOUTH	1697	WEST	EDDY								
BH:	C	8	24S	29E		50	NORTH	1807	WEST	EDDY								
13. Date Spudded 01/04/23	14. Date T.D. Reached 03/29/2023	15. Date Rig Released 04/01/2023			16. Date Completed (Ready to Produce) 05/24/2023		17. Elevations (DF and RKB, RT, GR, etc.) 2973' GL											
18. Total Measured Depth of Well 18290'M 7735'V			19. Plug Back Measured Depth 18247'M 7735'V			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run CBL										
22. Producing Interval(s), of this completion - Top, Bottom, Name 13031-15679' 1 ST Bone Spring																		
23. CASING RECORD (Report all strings set in well)																		
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED								
10.75" J55		45.5		525'		14.75"		480sx-surf circ										
7.625" HCL80		26.4		6968'		9.875"		705sx-surf										
5.5" P110CY		20		18270'		6.75"		1122sx-TOC@2192'										
24. LINER RECORD																		
SIZE	TOP	BOTTOM		SACKS CEMENT	SCREEN		25. TUBING RECORD											
							SIZE	DEPTH SET		PACKER SET								
26. Perforation record (interval, size, and number) 13031-15679' Total 1260 holes, Hole Size=0.42						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"><tr><td style="width:50%;">DEPTH INTERVAL</td><td style="width:50%;">AMOUNT AND KIND MATERIAL USED</td></tr><tr><td>13031-15679'</td><td>428424BBL Produced Water + 13250BBL Brackish Water (> 1,000 mg/l TDS and < 10,000 mg/l TDS) w/ 25796180# sand</td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr></table>					DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	13031-15679'	428424BBL Produced Water + 13250BBL Brackish Water (> 1,000 mg/l TDS and < 10,000 mg/l TDS) w/ 25796180# sand				
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																	
13031-15679'	428424BBL Produced Water + 13250BBL Brackish Water (> 1,000 mg/l TDS and < 10,000 mg/l TDS) w/ 25796180# sand																	
28. PRODUCTION																		
Date First Production 06/02/2023		Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING				Well Status (Prod. or Shut-in) Prod.												
Date of Test 06/16/2023	Hours Tested 24 hrs.	Choke Size 128/128	Prod'n For Test Period	Oil - Bbl 710	Gas - MCF 1399	Water - Bbl. 1125	Gas - Oil Ratio 1970											
Flow Tubing Press.	Casing Pressure 863	Calculated 24- Hour Rate	Oil - Bbl. 710	Gas - MCF 1399	Water - Bbl. 1125	Oil Gravity - API - (Corr.)												
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By											
31. List Attachments WBD																		
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:											
34. If an on-site burial was used at the well, report the exact location of the on-site burial: Latitude _____ Longitude _____ NAD83																		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief																		
Printed																		
Signature: 		Name: <u>Jana Mendiola</u>		Title: <u>Sr. Regulatory Analyst</u>		Date: <u>07/23/2023</u>												
E-mail Address: <u>janalyn_mendiola@oxy.com</u>																		

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 280'	T. Bell Canyon 2841'	T. Ojo Alamo	T. Penn A"
T. Salado 596'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 1237'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 2789'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 3732'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 4975'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 6592'	T. Todilto	
T. Abo	T. 1 st Bone Springs 7706'	T. Entrada	
T. Wolfcamp	T. 2 nd Bone Springs	T. Wingate	
T. Penn	T. 3 rd Bone Springs	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.


No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

(Attach additional sheets if necessary)

From	To	Thickness In Feet	Lithology

OXY USA Inc.
OXBOW CC 17-8 FED COM 15H
API No. 30-015-48277



14-3/4" hole @ 535'
10-3/4" csg @ 525'
w/ 480sx-TOC-Surf Circ.

9-7/8" hole @ 6980'
7-5/8" csg @ 6968'
w/ 705sx-TOC-Surf Circ.

6-3/4" hole @ 18290'
5-1/2" csg @ 18270'
w/ 1122sx-TOC-2192'

Perfs @ 7886-18152'

TD- 18290'M 7735'V

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 300187

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 300187
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 300187

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 300187
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
smcgrath	File 3160-4 within 10 days of BLM Approval.	1/5/2024