




333 Main Street Shelby, Montana 59474 / P.O. Box 10640 Bozeman, MT 59179


(406) 460-0903

TO: Jim Griswold, OCD
FROM: Curtis Shuck, WDNM
DATE: December 31, 2023
RE: Elizabeth #001 (30-005-60610) Post Plugging Methane Emission Reduction Report

MEMORANDUM

Well Done New Mexico LLC performed Post Plugging Orphan Well Methane Emission Testing, Gas Sampling & Analysis on the Elizabeth #001 (30-005-60610) on November 5, 2023. The following are the conclusions:






 LABORATORY SERVICES Permitted Gas Analysis www.permian.com 575.507.3713 2000 N. Main Street, Midland, NM 88001				C6+ Gas Analysis Report																																																																																														
15560G		Elizabeth #001 Post Plug		Elizabeth #001 Casing Sample																																																																																														
Sample Point Code		Sample Point Name		Sample Point Location																																																																																														
Laboratory Services		2023078642		CES - Spot																																																																																														
Source Laboratory		Lab File No		Container Identity																																																																																														
USA		USA		USA																																																																																														
District		Area Name		Field Name																																																																																														
Nov 5, 2023 15:50		Nov 5, 2023 15:50		Nov 6, 2023 10:46																																																																																														
Date Sampled		Date Effective		Date Received																																																																																														
		System Administrator		Date Reported																																																																																														
Ambient Temp (°F)		Flow Rate (Mcf)		Analyst																																																																																														
				Press PSI @ Temp °F																																																																																														
				Source Conditions																																																																																														
Well Done Foundation				NG																																																																																														
Operator				Lab Source Description																																																																																														
<table><thead><tr><th>Component</th><th>Normalized Mol %</th><th>Un-Normalized Mol %</th><th>GPM</th></tr></thead><tbody><tr><td>H2S (H2S)</td><td>0.0000</td><td>0</td><td></td></tr><tr><td>Nitrogen (N2)</td><td>99.7290</td><td>99.729</td><td></td></tr><tr><td>CO2 (CO2)</td><td>0.0390</td><td>0.039</td><td></td></tr><tr><td>Methane (C1)</td><td>0.0000</td><td>0</td><td></td></tr><tr><td>Ethane (C2)</td><td>0.0000</td><td>0</td><td>0.0000</td></tr><tr><td>Propane (C3)</td><td>0.0000</td><td>0</td><td>0.0000</td></tr><tr><td>I-Butane (IC4)</td><td>0.0000</td><td>0</td><td>0.0000</td></tr><tr><td>N-Butane (NC4)</td><td>0.0000</td><td>0</td><td>0.0000</td></tr><tr><td>I-Pentane (IC5)</td><td>0.0000</td><td>0</td><td>0.0000</td></tr><tr><td>N-Pentane (NC5)</td><td>0.0000</td><td>0</td><td>0.0000</td></tr><tr><td>Hexanes Plus (C6+)</td><td>0.2320</td><td>0.232</td><td>0.1010</td></tr><tr><td>TOTAL</td><td>100.0000</td><td>100.0000</td><td>0.1010</td></tr></tbody></table>				Component	Normalized Mol %	Un-Normalized Mol %	GPM	H2S (H2S)	0.0000	0		Nitrogen (N2)	99.7290	99.729		CO2 (CO2)	0.0390	0.039		Methane (C1)	0.0000	0		Ethane (C2)	0.0000	0	0.0000	Propane (C3)	0.0000	0	0.0000	I-Butane (IC4)	0.0000	0	0.0000	N-Butane (NC4)	0.0000	0	0.0000	I-Pentane (IC5)	0.0000	0	0.0000	N-Pentane (NC5)	0.0000	0	0.0000	Hexanes Plus (C6+)	0.2320	0.232	0.1010	TOTAL	100.0000	100.0000	0.1010	<table><thead><tr><th colspan="4">Gross Heating Values (Real, BTU/R³)</th></tr><tr><td colspan="4">14.696 PSI @ 60.00 °F</td></tr><tr><td>Dry</td><td>Saturated</td><td>Dry</td><td>Saturated</td></tr><tr><td>11.9</td><td>12.6</td><td>11.9</td><td>12.6</td></tr></thead></table> <table><thead><tr><th colspan="2">Calculated Total Sample Properties</th></tr><tr><td colspan="2">GPA2145-16 *Calculated at Contract Conditions</td></tr><tr><td>Relative Density Real</td><td>Relative Density Ideal</td></tr><tr><td>0.9726</td><td>0.9727</td></tr><tr><td>Molecular Weight</td><td></td></tr><tr><td>28.1708</td><td></td></tr></thead></table> <table><thead><tr><th colspan="3">C6+ Group Properties</th></tr><tr><td colspan="3">Assumed Composition</td></tr><tr><td>C6 - 60.000%</td><td>C7 - 30.000%</td><td>C8 - 10.000%</td></tr></thead></table> <table><thead><tr><th colspan="2">Field H2S</th></tr><tr><td colspan="2">0 PPM</td></tr></thead></table>		Gross Heating Values (Real, BTU/R³)				14.696 PSI @ 60.00 °F				Dry	Saturated	Dry	Saturated	11.9	12.6	11.9	12.6	Calculated Total Sample Properties		GPA2145-16 *Calculated at Contract Conditions		Relative Density Real	Relative Density Ideal	0.9726	0.9727	Molecular Weight		28.1708		C6+ Group Properties			Assumed Composition			C6 - 60.000%	C7 - 30.000%	C8 - 10.000%	Field H2S		0 PPM	
Component	Normalized Mol %	Un-Normalized Mol %	GPM																																																																																															
H2S (H2S)	0.0000	0																																																																																																
Nitrogen (N2)	99.7290	99.729																																																																																																
CO2 (CO2)	0.0390	0.039																																																																																																
Methane (C1)	0.0000	0																																																																																																
Ethane (C2)	0.0000	0	0.0000																																																																																															
Propane (C3)	0.0000	0	0.0000																																																																																															
I-Butane (IC4)	0.0000	0	0.0000																																																																																															
N-Butane (NC4)	0.0000	0	0.0000																																																																																															
I-Pentane (IC5)	0.0000	0	0.0000																																																																																															
N-Pentane (NC5)	0.0000	0	0.0000																																																																																															
Hexanes Plus (C6+)	0.2320	0.232	0.1010																																																																																															
TOTAL	100.0000	100.0000	0.1010																																																																																															
Gross Heating Values (Real, BTU/R³)																																																																																																		
14.696 PSI @ 60.00 °F																																																																																																		
Dry	Saturated	Dry	Saturated																																																																																															
11.9	12.6	11.9	12.6																																																																																															
Calculated Total Sample Properties																																																																																																		
GPA2145-16 *Calculated at Contract Conditions																																																																																																		
Relative Density Real	Relative Density Ideal																																																																																																	
0.9726	0.9727																																																																																																	
Molecular Weight																																																																																																		
28.1708																																																																																																		
C6+ Group Properties																																																																																																		
Assumed Composition																																																																																																		
C6 - 60.000%	C7 - 30.000%	C8 - 10.000%																																																																																																
Field H2S																																																																																																		
0 PPM																																																																																																		
Method(s): Gas C6+ - GPA 2265, Extended Gas - GPA 2286, Calculations - GPA 2172				PROTEND STATUS:																																																																																														
				Passed By Validator on Nov 22, 2023																																																																																														
Analyzer Information				DATA SOURCE:																																																																																														
Device Type: Gas Chromatograph		Device Make: Shimadzu		Imported																																																																																														
Device Model: GC-2014		Last Cal Date: Nov 20, 2023																																																																																																
PASSED BY VALIDATOR REASON: Close enough to be considered reasonable.																																																																																																		
VALIDATOR: Ashley Russell																																																																																																		
VALIDATOR COMMENTS: OK																																																																																																		

November 05, 2023

	Atmospheric conditions and temperature °F	RealFeel °F	Atmospheric pressure inHg	Wind speed mph	Humidity
Night	☾ +52°	+52°	26.4	▼ N 6.3	47%
Morning	☁ +45°	+41°	26.4	▲ NW 4.3	64%
Day	☀ +73°	+73°	26.5	▼ SE 7.2	19%
Evening	☾ +64°	+64°	26.3	↙ SW 5.1	21%

Hourly forecast for 05.11.2023





15560G	Elizabeth #001 Post Plug	Elizabeth #001 Casing Sample	
Sample Point Code	Sample Point Name	Sample Point Location	
Laboratory Services	2023078642	NA	CES - Spot
Source Laboratory	Lab File No	Container Identity	Sampler
USA	USA	USA	New Mexico
District	Area Name	Field Name	Facility Name
Nov 5, 2023 15:50	Nov 5, 2023 15:50	Nov 6, 2023 10:46	Nov 20, 2023
Date Sampled	Date Effective	Date Received	Date Reported
System Administrator			
Ambient Temp (°F)	Flow Rate (Mcf)	Analyst	Press PSI @ Temp °F Source Conditions
Well Done Foundation		NG	
Operator		Lab Source Description	

Component	Normalized Mol %	Un-Normalized Mol %	GPM
H2S (H2S)	0.0000	0	
Nitrogen (N2)	99.7290	99.729	
CO2 (CO2)	0.0390	0.039	
Methane (C1)	0.0000	0	
Ethane (C2)	0.0000	0	0.0000
Propane (C3)	0.0000	0	0.0000
I-Butane (IC4)	0.0000	0	0.0000
N-Butane (NC4)	0.0000	0	0.0000
I-Pentane (IC5)	0.0000	0	0.0000
N-Pentane (NC5)	0.0000	0	0.0000
Hexanes Plus (C6+)	0.2320	0.232	0.1010
TOTAL	100.0000	100.0000	0.1010

Method(s): Gas C6+ - GPA 2261, Extended Gas - GPA 2286, Calculations - GPA 2172

Analyzer Information			
Device Type:	Gas Chromatograph	Device Make:	Shimadzu
Device Model:	GC-2014	Last Cal Date:	Nov 20, 2023

Gross Heating Values (Real, BTU/ft³)			
14.696 PSI @ 60.00 Å°F	14.73 PSI @ 60.00 Å°F		
Dry	Saturated	Dry	Saturated
11.9	12.6	11.9	12.6

Calculated Total Sample Properties	
GPA2145-16 *Calculated at Contract Conditions	
Relative Density Real	Relative Density Ideal
0.9726	0.9727
Molecular Weight	
28.1708	

C6+ Group Properties		
Assumed Composition		
C6 - 60.000%	C7 - 30.000%	C8 - 10.000%

Field H2S
0 PPM

PROTREND STATUS: Passed By Validator on Nov 22, 2023
DATA SOURCE: Imported

PASSED BY VALIDATOR REASON:
 Close enough to be considered reasonable.

VALIDATOR:
 Ashley Russell

VALIDATOR COMMENTS:
 OK

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

DEFINITIONS

Action 302076

DEFINITIONS

Operator: CANYON E & P COMPANY 251 O'Connor Ridge Blvd. Irving, TX 75038	OGRID: 269864
	Action Number: 302076
	Action Type: [UF-OMA] Post-Plug Methane Monitoring (UF-OMA-MMB)

DEFINITIONS

The Orphan Well Mitigation Activity (OMA) forms are a subset of the OCD's forms exclusively designed for activities related to State of New Mexico's contracted plugging and reclamation activities. Specifically, these forms are used for orphan wells or associated facilities which are in a "Reclamation Fund Approved" status. This status represents wells or facilities where the OCD has acquired a hearing order allowing the OCD to perform plugging or reclamation on wells and associated facilities that no longer have a viable operator to perform the necessary work. These forms are not to be utilized for any other purpose.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 302076

QUESTIONS

Operator: CANYON E & P COMPANY 251 O'Connor Ridge Blvd. Irving, TX 75038	OGRID: 269864
	Action Number: 302076
	Action Type: [UF-OMA] Post-Plug Methane Monitoring (UF-OMA-MMB)

QUESTIONS

Prerequisites	
[OGRID] Well Operator	[269864] CANYON E & P COMPANY
[API] Well Name and Number	[30-005-60610] ELIZABETH #001
Well Status	Plugged (not released)

Monitoring Event Information	
<i>Please answer all the questions in this group.</i>	
Reason For Filing	Post-Plug Methane Monitoring
Date of monitoring	11/05/2023
Latitude	33.64089
Longitude	-104.03123

Monitoring Event Details	
<i>Please answer all the questions in this group.</i>	
Flow rate in cubic meters per day (m³/day)	0.00
Test duration in hours (hr)	1.0
Average flow temperature in degrees Celsius (°C)	21.9
Average gauge flow pressure in kilopascals (kPag)	0.0
Methane concentration in part per million (ppm)	0
Methane emission rate in grams per hour (g/hr)	0.00
Testing Method	Steady State

Monitoring Contractor	
<i>Please answer all the questions in this group.</i>	
Name of monitoring contractor	Well Done New Mexico LLC