

Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: RODEO UNIT Well Location: T23N / R9W / SEC 25 / County or Parish/State: SAN

SENE / 36.201051 / -107.732966 JUAN / NM

Well Number: 503H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM120377 Unit or CA Name: WEST LYBROOK Unit or CA Number:

EXPLORATORY UNIT NMNM135216X

US Well Number: 300453832200X1 Well Status: Drilling Well Operator: ENDURING

RESOURCES LLC

Subsequent Report

Sundry ID: 2762184

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 11/17/2023 Time Sundry Submitted: 11:11

Date Operation Actually Began: 11/11/2023

Actual Procedure: 11/11/23 through 11/12/23 – MIRU 11/12/23 - Casing Summary: Float Shoe, 1 jt 9- 5/8 36# J55 LTC, Float Collar, 78 jts 9-5/8 36# J55 LTC, pup joint, mandrel hanger, & landing joint. Shoe Depth: 3,021 ft MD - Float Collar Depth: 2,933 ft MD. 26 total spiral glider centralizers. Pressure tested lines to 1500 psi. Pumped 10 bbls FW, 10 bbls D-Mud Breaker, & 10 bbls of FW. Pumped Lead Cement: 221 bbls (578 sx) 90:10 Poz:Type III at 12.5 ppg, 2.14 ft3/sk, 12.05 gal H2O/sk. Pumped Tail Cement: 37.0 bbls (149 sx) Type III Blend at 14.6 ppg, 1.38 ft3/sk, 6.64 gal H2O/sk. Dropped plug & began displacement. Displaced with 226 bbls FW. FCP at 834 psi and Bump Plug, bled off floats held. Maintained returns throughout job. Calculated 76 bbls to surface and got 60 bbls of good cement to surface. Top of Lead to surface and top of tail at 2,378 ft MD. Total bbls of cement 258, sks of cement 727. Rig Released @ 11:30 on 11/15/23

eceived by OCD: 11/20/2023 10:08:11 AM Well Name: RODEO UNIT

Well Location: T23N / R9W / SEC 25 /

SENE / 36.201051 / -107.732966

County or Parish/State: SAN 2 0

JUAN / NM

Well Number: 503H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM120377

US Well Number: 300453832200X1

Unit or CA Name: WEST LYBROOK

EXPLORATORY UNIT

Well Status: Drilling Well

Unit or CA Number: NMNM135216X

Operator: ENDURING

RESOURCES LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Signed on: NOV 17, 2023 11:10 AM **Operator Electronic Signature: MARCI FISHER**

Name: ENDURING RESOURCES LLC

Title: Regulatory Professional Street Address: PO BOX 4190

City: PARKER State: CO

Phone: (303) 204-9385

Email address: MFISHER@CDHCONSULT.COM

Field

Representative Name:

Street Address:

City:

Phone:

Email address:

Zip:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK BLM POC Title: Petroleum Engineer

State:

BLM POC Phone: 5055647742 BLM POC Email Address: krennick@blm.gov

Disposition: Accepted Disposition Date: 11/17/2023

Signature: Kenneth Rennick

Page 2 of 2

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 287212

CONDITIONS

Operator:	OGRID:
ENDURING RESOURCES, LLC	372286
6300 S Syracuse Way, Suite 525	Action Number:
Centennial, CO 80111	287212
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	Future submittal needs to include Hole Size and Pressure Test Duration.	1/10/2024