

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: RODEO UNIT Well Location: T23N / R9W / SEC 25 / County or Parish/State: SAN

SENE / 36.201023 / -107.732908 JUAN / NM

Well Number: 504H Type of Well: OIL WELL Allottee or Tribe Name:

NAVAJO NATION

Lease Number: NMNM120377 Unit or CA Name: Unit or CA Number:

NMNM136328A

US Well Number: 300453832300X1 Well Status: Drilling Well Operator: ENDURING

RESOURCES LLC

Subsequent Report

Sundry ID: 2768124

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 01/04/2024 Time Sundry Submitted: 08:50

Date Operation Actually Began: 12/20/2023

Actual Procedure: 12/20/2023: Test intermediate casing to 1,500 PSI for 30 min; Pressure test BOP 12/20/2023-12/25/2023: Drilling 8 1/2" hole 12/26/23: Ran PROD CSG to 14,554.3 ft MD. Picked up landing joint & landed in wellhead with 26k*lbs. Tested pack off. Casing Summary: Float Shoe, Float Collar, 1 jt 5-1/2 17.0# P-110 LTC, Float Collar, 1 jt 5-1/2 17.0# P-110 LTC, X-O, Toe Sleeve 8500, X-O, 39 jts 5-1/2 17.0# P-110 LTC, Marker Joint, 17 jts 5-1/2 17.0# P-110 LTC, NCS Airlock Sub, 112 jts 5-1/2 17.0# P-110 LTC, Pup Joint, Mandrel Hanger, & Landing Joint. 326 total Joints (14,552.3 ft) of casing ran plus 5 marker joints. Casing set at 14,552.3 MD, Float Collar 1/Deb Catch @ 14,548.5 Float Collar 2 @ 14,503.4, 8500 Toe Sleeve @ 14,444.7, Airlock@ 4,973.3. 94 centralizers used. Casing Summary: PJSM with American Cementing. Pressure tested lines to 5,000 psi. Pumped 60 bbls Intraguard Star @11.0 ppg. Pumped Lead Cement: 224.5 bbls (557 sx) ASTM Type I/II at 12.4 ppg, 2.26 ft3/sk, 12.70 gal H2O/sk. Pumped Tail Cement: 465.1 bbls (1,668 sx) Class G Cement at 13.3 ppg, 1.57 ft3/sk, 7.70-gal H2O/sk. Washed lines, dropped plug & began displacement. Displaced with 337 bbls FW with cement retarder in 1st 50 bbls. FCP 1,524 -- psi Bump Plug at 4.0 bpm to 2,519- psi. Bled back 4.5 Bbls and floats held. Cement From 08:30 To 12:10 - 12/27/2023 Top of Tail: Calculated 4,197 ft MD. Top of Lead: Surface Cement Back 128 BBL, Calculated Back 128 bbl's. Total Cement: 689.6 bbls, 2,225 sx Rig Released 12/27/2023 @ 6:00

eceived by OCD: 1/5/2024 8:17:30 AM
Well Name: RODEO UNIT

Well Location: T23N / R9W / SEC 25 /

SENE / 36.201023 / -107.732908

County or Parish/State: SAN 20

JUAN / NM

Well Number: 504H Type of Well: OIL WELL

Allottee or Tribe Name:

NAVAJO NATION

Lease Number: NMNM120377

Unit or CA Name:

Unit or CA Number:

NMNM136328A

US Well Number: 300453832300X1

Well Status: Drilling Well

Operator: ENDURING RESOURCES LLC

SR Attachments

PActual Procedure

4_production_casing_Rodeo_504H_20240104084936.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: MARCI FISHER Signed on: JAN 04, 2024 08:49 AM

Name: ENDURING RESOURCES LLC

Title: Regulatory Professional **Street Address:** PO BOX 4190

City: PARKER State: CO

Phone: (303) 204-9385

Email address: MFISHER@CDHCONSULT.COM

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: MATTHEW H KADE BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647736 BLM POC Email Address: MKADE@BLM.GOV

Disposition: Accepted **Disposition Date:** 01/04/2024

Signature: Matthew Kade

Page 2 of 2

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 300268

CONDITIONS

Operator:	OGRID:
ENDURING RESOURCES, LLC	372286
6300 S Syracuse Way, Suite 525	Action Number:
Centennial, CO 80111	300268
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartine	z None	1/10/2024