

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Reports
01/12/2024

Well Name: WHITLEY Well Location: T27N / R9W / SEC 8 / Cou

SWSE / 36.584183 / -107.807831

County or Parish/State: SAN

JUAN / NM

Well Number: 9 Type of Well: CONVENTIONAL GAS

WELL

Unit or CA Name:

Allottee or Tribe Name:

Unit or CA Number:

US Well Number: 3004511734 **Well Status:** Abandoned

Operator: HILCORP ENERGY

COMPANY

Subsequent Report

Lease Number: NMNM02294

Sundry ID: 2769526

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 01/12/2024 Time Sundry Submitted: 07:26

Date Operation Actually Began: 01/05/2024

Actual Procedure: Hilcorp Energy Company plugged and abandoned the subject well on 1/11/2024 per the attached

report.

SR Attachments

Actual Procedure

WHITLEY_9_PA_Subsequent_20240112072459.pdf

Received by OCD: 1/12/2024 8:25:24 AM Well Location: T27N / R9W / SEC 8 /

SWSE / 36.584183 / -107.807831

County or Parish/State: SAN 2 0

JUAN / NM

Well Number: 9

Type of Well: CONVENTIONAL GAS

WELL

Unit or CA Number:

Allottee or Tribe Name:

Lease Number: NMNM02294

US Well Number: 3004511734

Unit or CA Name:

Well Status: Abandoned

Operator: HILCORP ENERGY

COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TAMMY JONES Signed on: JAN 12, 2024 07:26 AM

Name: HILCORP ENERGY COMPANY

Title: Regulatory Compliance Specialist

Street Address: 382 ROAD 3100

City: AZTEC State: NM

Phone: (505) 324-5185

Email address: TAJONES@HILCORP.COM

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: MATTHEW H KADE **BLM POC Title:** Petroleum Engineer

BLM POC Phone: 5055647736 BLM POC Email Address: MKADE@BLM.GOV

Disposition: Accepted Disposition Date: 01/12/2024

Signature: Matthew Kade

Page 2 of 2

PLUG & ABANDONMENT

1/5/2024 — MIRU. CK PRESSURES. SITP = 0 PSI, SICP = 15 PSI, SIBHP = 0 PSI. B/D WELL. ND WH. NU BOP, TEST & FUNCTION - GOOD. TOOH & LAY DOWN PROD TBG. RU W/L. RUN 4.5" GR TO 2256'. TOOH W/GAUGE RING. RECEIVED BLM & NMOCD APPROVAL TO SET CIBP @ 2250'. PU 4.5" CIBP & RIH, SET @ 2250'. POOH RD W/L. PU 71 JTS OF 2.375" TBG TO 2250'. RU CEMENTERS. PT PUMP & LINES. LW W/34 BBLS OF FW. PUMP 45 BBLS UNTIL WELL CLEAN. PT 4-1/2" CASING 2 TIMES TO 600 PSI. DROPPED BOTH TIMES TO 545 PSI. THREE PT HELD @ 545 PSI FOR 30 MINUTES. GOOD TEST. (SCHEDULED MIT TEST FOR 1/8/24 @ 9AM) LD 71 JTS OF 2.375" TBG, WHILE LOADING BACKSIDE WITH FW. SIW. SDFN.

1/8/2024 – CK PRESSURES. SITP = 0 PSI, SICP = 0 PSI, SIBHP = 0 PSI. BDW 0 MIN. RE-LOAD WELL FOR MIT TEST. RU WELLCHECK. RUN MIT TEST. TEST PRODUCTION CASING 3 TIMES. START @560 PSI & DROP TO 520 PSI. 40 PSI IN 30 MINS. LAST 10 MINS, DOES NOT LEVEL OUT. (NMOCD REP. NOT ON LOCATION FOR TEST, DUE TO OFFICE BEING CLOSED, MONICA KUEHLING GAVE APPROVAL TO PROCEED WITH MIT TEST) MIT TEST SENT TO NMOCD, FOR REVIEW. WAITING ON ORDERS TO PROCEED WITH OPERATIONS FROM NMOCD - FAILED MIT TEST. ORDERS TO RUN PACKER TO FIND LEAK OFF. SIW. SDFN.

1/9/2024 – CK PRESSURES. SITP = 0 PSI, SICP = 0 PSI, SIBHP = 0 PSI. BDW 0 MIN. MU AS1X PACKER, RIH TO 198'. PT FROM 198' TO SURFACE @ 580 PSI FOR 15MINS. GOOD TEST. PU TBG TO 1110'. PT TO 580 PSI FROM 1110' TO SURFACE FOR 15MINS. GOOD TEST. PT FROM 1110' TO 2250'/CIBP @ 600 PSI FOR 15 MINS & FAILED. LOST 40 PSI IN 15 MINS. PU TBG TO 1668'. PT TO 560 PSI FROM 1668' TO SURFACE. FAIL TEST. PT FROM 1668' TO 2250'/CIBP @ 600 PSI & GOOD TEST. START LOOKING FOR LEAK OFF BETWEEN 1668' TO 1110'. FOUND LEAK OFF BETWEEN 1110' TO 1295' - 185' OF FAILED TEST. (WAITING ON ORDERS TO PROCEED, HILCORP OFFICE DECIDED TO P&A WELL) TOOH 26 STDS OF 2.375" TBG. LD PACKER. SIW. SDFN.

1/10/2024 — CK PRESSURES. SITP = 0 PSI, SICP = 0 PSI, SIBHP = 0 PSI. BDW 0 MIN. RU WIRELINE, RUN CBL FROM 2250' TO SURFACE. POOH R/D WIRELINE. (WAIT ON CBL APPROVAL, & NOI APPROVAL TO START P&A OPS) (NMOCD & BLM APPROVE P&A OPS & FOR ALL INSIDE PLUGS TO SURFACE) MU TAG SUB, TIH 26 STDS OF 2.375" TBG. PU 18 JTS OFF TRAILOR TO 2250'. RU CEMENTERS TO RIG FLOOR. PT PUMP & LINES TO 1000 PSI. PUMP CEMENT PLUG #1 (CIBP,FRD,KRD, & OJO TOPS) 74 SX 17.9 BBL,1.37, 14.8#, 6.64 GAL/SX. TOC @ 1150', BOC @ 2250'. DISPLACE 4.4 BBL, LD 37 JTS. TOOH 17 STDS OF 2.375" TBG. WOC. TIH & TAG CEMENT PLUG #1 @ 1210'. LD 22 JTS OF 2.375" TBG TO 560'. PUMP CEMENT PLUG #2 (NAC & SURFACE) 44 SX 10.7 BBL,1.37, 14.8#, 6.64 GAL/SX. TOC @ 0', BOC @ 560'. LD 17 JTS. CLEAN TBG OF CEMENT. CLEAN BOP OF CEMENT. WOC OVERNIGHT. SIW. SDFN. (BLM REP. KEN CHRISTESEN ON LOCATION)

1/11/2024 – CK PRESSURES. SITP = 0 PSI, SICP = 0 PSI, SIBHP = 0 PSI. BDW 0 MIN. RD RIG FLOOR. ND BOP. NU WH, WAIT TO CUT OFF WH. CEMENT TRUCK DECK MOTOR STARTER OUT. WAITING ON STARTER FROM TOWN. (NOTIFIED NMOCD MONICA KUEHLING AND BLM OF RIG MOVE YESTERDAY FROM WHITLEY 9 TO LARCHER 2) CEMENT CREW STAYED ON LOCATION FOR CUT-OFF & TOP OFF. RIG DOWN RIG AND EQUIPMENT. CUT OFF WH, (TOC IN 4.5" 60'/TOC, & BH 6') WELD ON P&A MARKER, FILL CASING AND CELLAR WITH 25 SXS CEMENT (RIG RELEASED @ 12:00 1/11/24).

Tammy Jones

From: Tammy Jones

Sent: Wednesday, January 10, 2024 10:22 AM

To: Kuehling, Monica, EMNRD; Rennick, Kenneth G; Rustin Mikeska

Cc: Clay Padgett; Max Weaver; Lee Murphy; John LaMond; Farmington Regulatory Techs; Decker,

Mark A; Kade, Matthew H; Brice Clyde - (C)

Subject: RE: [EXTERNAL] Hilcorp P&A NOI Verbal Request: Whitley #9

Attachments: Whitley #9_P&A NOI BLM Approved.pdf

Hi Monica,

The BLM Approved NOI (attached) is now submitted in NMOCD EPermitting – **Action id**: **302080**.

Thanks,

Tammy Jones | HILCORP ENERGY COMPANY | San Juan Regulatory | 505.324.5185 | tajones@hilcorp.com

From: Kuehling, Monica, EMNRD < monica.kuehling@emnrd.nm.gov>

Sent: Wednesday, January 10, 2024 10:08 AM

To: Rennick, Kenneth G < krennick@blm.gov>; Rustin Mikeska < rmikeska@hilcorp.com>

Cc: Clay Padgett <cpadgett@hilcorp.com>; Max Weaver <mweaver@hilcorp.com>; Lee Murphy <lmurphy@hilcorp.com>; John LaMond <jlamond@hilcorp.com>; Farmington Regulatory Techs <FarmingtonRegulatoryTechs@hilcorp.com>; Decker, Mark A <mdecker@blm.gov>; Kade, Matthew H <mkade@blm.gov>; Brice Clyde - (C) <Brice.Clyde@hilcorp.com>

Subject: RE: [EXTERNAL] Hilcorp P&A NOI Verbal Request: Whitley #9

CAUTION: External sender. DO NOT open links or attachments from UNKNOWN senders.

Log has been reviewed

NMOCD approves to continue as planned – please submit approved BLM NOI and let me know the action id.

Thank you

Monica Kuehling
Compliance Officer Supervisor
Deputy Oil and Gas Inspector
New Mexico Oil Conservation Division

North District

Office Phone: 505-334-6178 ext. 123

Cell Phone: 505-320-0243

Email - monica.kuehling@emnrd.nm.gov

From: Rennick, Kenneth G < krennick@blm.gov>
Sent: Wednesday, January 10, 2024 9:57 AM

To: Rustin Mikeska <rmikeska@hilcorp.com>; Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>

Cc: Clay Padgett <<u>cpadgett@hilcorp.com</u>>; Max Weaver <<u>mweaver@hilcorp.com</u>>; Lee Murphy <<u>lmurphy@hilcorp.com</u>>; John LaMond <<u>jlamond@hilcorp.com</u>>; Farmington Regulatory Techs <<u>FarmingtonRegulatoryTechs@hilcorp.com</u>>; Decker, Mark A

<mdecker@blm.gov>; Kade, Matthew H <mkade@blm.gov>; Brice Clyde - (C) <Brice.Clyde@hilcorp.com>

Subject: Re: [EXTERNAL] Hilcorp P&A NOI Verbal Request: Whitley #9

The BLM finds the propose proposal appropriate.

Kenneth (Kenny) Rennick

Petroleum Engineer

Bureau of Land Management Farmington Field Office 6251 College Blvd Farmington, NM 87402

Email: krennick@blm.gov
Mobile & Text: 505.497.0019

From: Rustin Mikeska < rmikeska@hilcorp.com>
Sent: Wednesday, January 10, 2024 9:53 AM

To: Rennick, Kenneth G < krennick@blm.gov; Kuehling, Monica, EMNRD < krennick.knehling@state.nm.us>

Cc: Clay Padgett <<u>cpadgett@hilcorp.com</u>>; Max Weaver <<u>mweaver@hilcorp.com</u>>; Lee Murphy <<u>lmurphy@hilcorp.com</u>>; John LaMond <<u>jlamond@hilcorp.com</u>>; Farmington Regulatory Techs <<u>FarmingtonRegulatoryTechs@hilcorp.com</u>>; Decker, Mark A <<u>mdecker@blm.gov</u>>; Kade, Matthew H <<u>mkade@blm.gov</u>>; Brice Clyde - (C) <<u>Brice.Clyde@hilcorp.com</u>>

Subject: RE: [EXTERNAL] Hilcorp P&A NOI Verbal Request: Whitley #9

Good morning Monica/Kenny – Please review the attached CBL and proposed plug design below.

Whitley #9

3004511734 Sundry 2769004

Proposal:

- Plug well per NOI all inside plugs. WOC & tag plugs with pipe.
- After the wellhead is cut off, check 8-5/8" x 4-1/2" annulus and top of w/ cmt as needed with poly pipe.

Thanks,

Rustin Mikeska

P&A Engineer | Technical Services Cell: (254) 913-6777 Office: (713) 289-2931 rmikeska@hilcorp.com



From: Rennick, Kenneth G < krennick@blm.gov Sent: Wednesday, January 10, 2024 10:40 AM

To: Rustin Mikeska <rmikeska@hilcorp.com>; Kuehling, Monica, EMNRD <monica.kuehling@state.nm.us>

Cc: Clay Padgett <<u>cpadgett@hilcorp.com</u>>; Max Weaver <<u>mweaver@hilcorp.com</u>>; Lee Murphy <<u>lmurphy@hilcorp.com</u>>; John LaMond <<u>jlamond@hilcorp.com</u>>; Farmington Regulatory Techs <<u>FarmingtonRegulatoryTechs@hilcorp.com</u>>; Decker, Mark A

<mdecker@blm.gov>; Kade, Matthew H <mkade@blm.gov>

Subject: Re: [EXTERNAL] Hilcorp P&A NOI Verbal Request: Whitley #9

CAUTION: External sender. DO NOT open links or attachments from UNKNOWN senders.

The notice associated to this plugging, sundry 2769004, has been approved in AFMSS.

Kenneth (Kenny) Rennick

Petroleum Engineer

Bureau of Land Management Farmington Field Office 6251 College Blvd Farmington, NM 87402

Email: krennick@blm.gov
Mobile & Text: 505.497.0019

From: Rustin Mikeska < rmikeska@hilcorp.com>
Sent: Wednesday, January 10, 2024 8:00 AM

To: Rennick, Kenneth G < krennick@blm.gov >; Kuehling, Monica, EMNRD < monica.kuehling@state.nm.us >

Cc: Clay Padgett < cpadgett@hilcorp.com; Max Weaver < mweaver@hilcorp.com; Lee Murphy < lmurphy@hilcorp.com; John

LaMond <|liamond@hilcorp.com>; Farmington Regulatory Techs <FarmingtonRegulatoryTechs@hilcorp.com>

Subject: RE: [EXTERNAL] Hilcorp P&A NOI Verbal Request: Whitley #9

Thank you, Kenny. I was informed by our regulatory group that a preemptive onsite was completed in October 2023.

Monica - Attached is the updated NOI to reflect the Nacimiento plug.

Thanks,

Rustin Mikeska

P&A Engineer | Technical Services

Cell: (254) 913-6777 Office: (713) 289-2931 rmikeska@hilcorp.com



From: Rennick, Kenneth G < krennick@blm.gov>

Sent: Tuesday, January 9, 2024 6:05 PM

To: Rustin Mikeska <rmikeska@hilcorp.com>; Kuehling, Monica, EMNRD <monica.kuehling@state.nm.us>

Cc: Clay Padgett <cpadgett@hilcorp.com>; Max Weaver <mweaver@hilcorp.com>; Lee Murphy <lmurphy@hilcorp.com>; John

LaMond <|lilamond@hilcorp.com>; Farmington Regulatory Techs <FarmingtonRegulatoryTechs@hilcorp.com>

Subject: Re: [EXTERNAL] Hilcorp P&A NOI Verbal Request: Whitley #9

CAUTION: External sender. DO NOT open links or attachments from UNKNOWN senders.

The BLM approves the procedure. Please add a plug at 510, the BLM estimates a Nacimiento formation top at Received by OCD: 1/12/2024 8:25:24 AM this location.

Please submit the notice of intent in AFMSS as soon as possible. Include this email conversation with the submission.

Kenneth (Kenny) Rennick

Petroleum Engineer

Bureau of Land Management Farmington Field Office 6251 College Blvd Farmington, NM 87402

Email: krennick@blm.gov
Mobile & Text: 505.497.0019

From: Rustin Mikeska < rmikeska@hilcorp.com>

Sent: Tuesday, January 9, 2024 4:41 PM

To: Rennick, Kenneth G < krennick@blm.gov>; Kuehling, Monica, EMNRD < monica.kuehling@state.nm.us>

Cc: Clay Padgett < cpadgett@hilcorp.com >; Max Weaver < mweaver@hilcorp.com >; Lee Murphy < murphy@hilcorp.com >; John

LaMond <<u>ilamond@hilcorp.com</u>>; Farmington Regulatory Techs <<u>FarmingtonRegulatoryTechs@hilcorp.com</u>>

Subject: [EXTERNAL] Hilcorp P&A NOI Verbal Request: Whitley #9

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

Monica/Kenny – As discussed, we are requesting verbal approval of the attached P&A NOI after failing a TA MIT today. Please review the proposal and note any necessary COA's.

Whitley #9

3004511734 BLM Surface

Of Note:

- The well failed an MIT 1/9/2024 while executing a TA NOI. Hilcorp has decided to P&A the wellbore.
- Hilcorp P&A will begin P&A operations 1/10/2024 by loading the well and running a CBL from CIBP @ 2,250' to surface.
- Our regulatory group will submit an NOI through normal system avenues to BLM & OCD.
- Our regulatory group will coordinate the scheduling of an onsite following the P&A (ASAP).

No bradenhead pressure observed.

Rustin Mikeska

Thanks, P&A – Petroleum Engineer


Cell: (254) 913-6777 Office: (713) 289-2931 rmikeska@hilcorp.com

Hilcorp Energy Company

Current Schematic - Version 3

Well Name: WHITLEY #9

API / UWI Surface Legal Location 008-027N-009W-O					State/Province NEW MEXICO		Well Configuration Type	
Ground Elevation (ft) 6,284.00	Original KB/RT Elevation (ft) 6,294.00		RKB to GL (ft) 10.00	KB-Casing Flange Dis	tance (ft)	KB-Tubing Hanger	Distance (ft)	



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 303014

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	303014
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date	l
mkuehling	well plugged 1/11/2024	1/16/2024	ĺ