

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Reports
01/04/2024

Well Name: LIVINGSTON RIDGE Well Location: T22S / R30E / SEC 1 / County or Parish/State: EDDY /

NESW /

NM

Well Number: 6 Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM70335 Unit or CA Name: Unit or CA Number:

US Well Number: 3001526408 Well Status: Abandoned Operator: CONOCOPHILLIPS

COMPANY

Accepted for Record Only

SUBJECT TO LIKE APPROVAL BY BLM NMOCD 1/25/24



# **Subsequent Report**

**Sundry ID: 2763334** 

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 11/28/2023 Time Sundry Submitted: 01:07

**Date Operation Actually Began:** 11/03/2023

**Actual Procedure:** 11/3/23 - MIRU 11/7/23 - CIRCULATE MLF. SPOTTED 35 SX CLASS 'C" CEMENT FROM 6225' - 5880'. TAGGED @ 5863'. PERF'D @ 5840'. SQUEEZED 75 SX OF CLASS "C" CEMENT FROM 5840' - 5700'. 11/8/23 - TAGGED @ 5643'. SPOTTED 230 SX CLASS "C" CEMENT FROM 3861' - 1644". TAGGED @ 1650' PERF'D @ 1630'. SQUEEZED 250 SX CLASS "C" CEMENT FROM 1630' - 551'. 11/9/23 - TAGGED @ 555'. PERF'D @ 521'. SQUEEZED 120 SX OF CLASS "C" CEMENT FROM 521' - TO SURFACE. 11/16/23 - CUT OFF WH & INSTALLED MARKER.

### **SR Attachments**

### **Actual Procedure**

Livingston\_Ridge\_DHM\_Pics\_20231128130559.pdf

Livingston\_Ridge\_Fed\_6\_Plugged\_WBD\_20231128130504.pdf

Page 1 of 2

eceived by OCD: 1/4/2024 4:55:17 AM Well Name: LIVINGSTON RIDGE

Well Location: T22S / R30E / SEC 1 /

NESW /

County or Parish/State: EDDY/200

NM

Well Number: 6

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM70335

**Unit or CA Name:** 

**Unit or CA Number:** 

**US Well Number:** 3001526408

Well Status: Abandoned

Operator: CONOCOPHILLIPS

COMPANY

# **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: RUTH SHOCKENCY Signed on: NOV 28, 2023 01:07 PM

Name: CONOCOPHILLIPS COMPANY

Title: Regulatory Analyst

Street Address: 600 W. ILLINOIS AVE.

City: MIDLAND State: TX

Phone: (575) 703-8321

Email address: RUTH.SHOCKENCY@CONOCOPHILLIPS.COM

### **Field**

**Representative Name:** 

**Street Address:** 

Citv:

State:

Zip:

Phone:

Email address:

## **BLM Point of Contact**

BLM POC Name: JAMES A AMOS BLM POC Title: Acting Assistant Field Manager

**BLM POC Phone:** 5752345927 **BLM POC Email Address:** jamos@blm.gov

**Disposition:** Accepted **Disposition Date:** 12/01/2023

Signature: James A Amos

Page 2 of 2

Form 3160-5 (June 2019)

### **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

SUNDRY NOTICES AND REPORTS ON WELLS
not use this form for proposals to drill or to us onto

BUREAU OF LAND MANAGEMENT				5. Lease Serial No. NMNM70335			
SUNDRY NOTICES AND REPO Do not use this form for proposals t abandoned well. Use Form 3160-3 (A	o drill or to re	e-enter an		Indian, Allottee	or Tribe Nan	ne	
SUBMIT IN TRIPLICATE - Other instructions on page 2			7. If	7. If Unit of CA/Agreement, Name and/or No.			
1. Type of Well  Oil Well  Gas Well  Other			8. W	8. Well Name and No. LIVINGSTON RIDGE/6			
2. Name of Operator CONOCOPHILLIPS COMPANY			9. Al	9. API Well No. 3001526408			
3a. Address PO Box 2197, Houston, TX 77252	lude area code	e) 10. F	10. Field and Pool or Exploratory Area CABIN LAKE/CABIN LAKE				
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) SEC 1/T22S/R30E/NMP				11. Country or Parish, State EDDY/NM			
12. CHECK THE APPROPRIATE BO	OX(ES) TO INDICA	ATE NATURE	E OF NOTICE, F	REPORT OR OT	HER DATA		
TYPE OF SUBMISSION		TYI	PE OF ACTION				
Notice of Intent Acidize Alter Casing	Deepen Hydraulic	c Fracturing	Production Reclamati	n (Start/Resume)	=	ter Shut-Off	
Subsequent Report Casing Repair Change Plans	New Con Plug and		Recomple Temporari	te ly Abandon	Oth	ier	
Final Abandonment Notice Convert to Injection	Plug Back	k	Water Dis	posal			
completed. Final Abandonment Notices must be filed only after is ready for final inspection.)  11/3/23 - MIRU  11/7/23 - CIRCULATE MLF. SPOTTED 35 SX CLASS 'C SQUEEZED 75 SX OF CLASS "C" CEMENT FROM 584  11/8/23 - TAGGED @ 5643'. SPOTTED 230 SX CLASS SQUEEZED 250 SX CLASS "C" CEMENT FROM 1630'  11/9/23 - TAGGED @ 555'. PERF'D @ 521'. SQUEEZE  11/16/23 - CUT OFF WH & INSTALLED MARKER.	C" CEMENT FROM 40' - 5700'. "C" CEMENT FROM - 551'. D 120 SX OF CLA	M 6225' - 588 OM 3861' - 1	80'. TAGGED @	҈ 5863'. PERF' D @ 1650' PER	D @ 5840'. F'D @ 163		
14. I hereby certify that the foregoing is true and correct. Name ( <i>Printed/Typed</i> )  RUTH SHOCKENCY / Ph: (575) 703-8321  Regulatory Analys			y Analyst				
Signature (Electronic Submission)  Date				11/28/2023			
THE SPACE	FOR FEDER	AL OR ST	ATE OFICE	USE			
Approved by		A a4:-	- A-sistest Fig	Id Manager		40/04/0000	
JAMES A AMOS / Ph: (575) 234-5927 / Accepted		Title	g Assistant Fie		Date	12/01/2023	
Conditions of approval, if any, are attached. Approval of this notice of certify that the applicant holds legal or equitable title to those rights which would entitle the applicant to conduct operations thereon.		Office CA	RLSBAD				
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make any false, fictitious or fraudulent statements or representations as to a			ly and willfully	to make to any d	epartment or	r agency of the United States	

(Instructions on page 2)

#### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

#### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

#### **NOTICES**

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

## **Additional Information**

### **Location of Well**

 $0. \ SHL: \ NESW \ / \ 1980 \ FSL \ / \ 1980 \ FWL \ / \ TWSP: \ 22S \ / \ RANGE: \ 30E \ / \ SECTION: \ 1 \ / \ LAT: \ 0.0 \ / \ LONG: \ 0.0 \ ( \ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \ )$  BHL: \ NESW \ / \ 1980 \ FSL \ / \ 1980 \ FWL \ / \ TWSP: \ 22S \ / \ SECTION: \ / \ LAT: \ 0.0 \ / \ LONG: \ 0.0 \ ( \ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \ )





Perforated; 7,504.0-7,508.0; 11/1/1991

Perforated; 7,512.0-7,516.0; 11/1/1991

Perforated; 7,520.0-7,524.0; 11/1/1991 Perforated; 7,528.0-7,536.0; 11/1/1991

Report Printed: 11/21/2023

#### **CURRENT SCHEMATIC** ConocoPhillips LIVINGSTON RIDGE FEDERAL 6 State/Province Field Name API / UWI DELAWARE BASIN WEST CABIN LAKE 3001526408 EDDY **NEW MEXICO** Original Spud Date Surface Legal Location E/W Dist (ft) E/W Ref N/S Dist (ft) N/S Ref FWL 10/14/1991 Sec 1, T22S, R30E, Eddy Co, NM 1,980.00 1,980.00 FSI VERTICAL, Main Hole, 11/21/2023 9:47:09 AM MD (ftKB) Vertical schematic (actual) Cement Plug; 12.0-521.0; 120 sx Class C 8.5 cement pumped; 11/9/2023 Casing Joints; 12.0-470.0 16.1 Cement; 12.0-470.0; 10/15/1991 Perforated; 520.0-521.0; 11/9/2023; Perf for P 31.5 &A plug to est communication between 5 1/2" RUSTLER (final) casing and the 8 5/8" intermediate casing. 520.0 Plug - Plug Back / Abandonment Plug; 551.0-SALADO (final) 1,630.0; 250 sxs Class C Cement; 11/8/2023 1.628.9 SQUEEZE PERFS; 1,629.0-1,630.0; 11/8/2023 Cement Plug; 1,630.0-3,861.0; 230 sxs of 1,832.0 ANHXDRITE (final) Class C cement mixed 14.8 ppg; 1.32 cuft 3.631.9 yeild.; 11/8/2023 Casing Joints; 12.0-3,700.0 BELL CANYON (final) "inal) 3.819.9 Cement; 12.0-3,700.0; 10/20/1991 CHERRY CANYON (final) Casing Joints; 12.0-6,013.0 5,731.0 Cement; 1,630.0-6,013.0; 10/30/1991 Plug – Plug Back / Abandonment Plug; 5,643.0 5,761.8 -5,863.0; 11/7/2023 Perforated; 5,840.0-5,845.0; 3/21/2002 5,801.2 Cement Squeeze; 5,840.0-5,866.0; 1/17/2008 5,824.1 Hyd Frac-Other; 5,840.0-5,866.0; 16/30 SAND WEDGE; 3/25/2002 5,866.1 Perforated; 5,856.0-5,866.0; 3/21/2002 BRUSHY CANYON (final) DV TOOL Plug – Plug Back / Abandonment Plug; 5,863.0 6,081.7 -6,225.0; 11/7/2023 Stage Tool; 6,013.0-6,016.0 6.107.0 6,133.5 6,149.9 6,174.9 6,190.0 Perforated; 6,285.0-6,330.0; 1/23/2008 6,215.9 Hyd Frac-Gelledwater; 6,285.0-6,345.0; Bridge Plug w/Cement Cap; 6,225.0-6,236.5; FRACTURE TREAT UPPER BRUSSHY 6,231.0 SET CIBP ON WIRELINE AT 6235'; 9/13/2023 CANYON W 69,000 GAL GELLED WATER CONTAINING 60,000 LBS OF 16/30 SAND @ 6,244.1 30 BBLS PER MIN.; 1/25/2008 6.270.7 Acidizing; 6,285.0-6,345.0; PUMP W 50 BBLS 2% KCL WATER @ 3000# @ 8 BPM. 6,295.9 SWITCH TO ACID AND PUMP 3000GAL 15% HCL SPACED EVENLY W 80 BALL SEALERS. 6.322.5 AVERAGE PRESSURE 1300#. FLUSHED TO PERFS W 2% KCL WATER.; 1/24/2008 6,330.1 Perforated; 6,330.0-6,345.0; 1/23/2008 Cement; 6,013.0-7,635.0; 10/30/1991 6.342.8 Casing Joints; 6,016.0-7,635.0 Perforated; 7,396.0; 11/1/1991 6,351.7 Perforated; 7,402.0; 11/1/1991 6,364.2 Perforated; 7,408.0; 11/1/1991 Perforated; 7,414.0; 11/1/1991 6,376.3 Hyd Frac-Other; 7,396.0-7,536.0; 85,000# 20/40 & 27,500# 16/30; 11/2/1991 Cast Iron Bridge Plug; 7,350.0-7,352.0; 7.350.1 Perforated; 7,480.0-7,484.0; 11/1/1991 6/12/1994 Perforated; 7,488.0-7,492.0; 11/1/1991 7,414.0 Perforated; 7,496.0-7,500.0; 11/1/1991

Page 1/1

BONE SPRINGS (final)

7.496.1

7,516.1

7.538.1

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 299759

**CONDITIONS** 

Operator:	OGRID:
CONOCOPHILLIPS COMPANY	217817
600 W. Illinois Avenue	Action Number:
Midland, TX 79701	299759
	Action Type:
	[C-103] Sub. Plugging (C-103P)

### CONDITIONS

Created By	Condition	Condition Date
kfortner	Like approval from BLM	1/25/2024