

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011District I

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 10/05/2023
⁴ API Number 30 - 015-48025	⁵ Pool Name PURPLE SAGE WOLFCAMP *NSL-8583	⁶ Pool Code 98220
⁷ Property Code: 329731	⁸ Property Name: CORRAL BLUFF 11-14 FEDERAL COM	⁹ Well Number: 37H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
A	11	25S	29E		79 78	NORTH	329	EAST	EDDY

¹¹ Bottom Hole Location

FTP- 221' FNL 769' FEL LTP- 195' FSL 833' FEL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	14	25S	29E		55	SOUTH	829	EAST	EDDY

¹² Lse Code F	¹³ Producing Method Code : F	¹⁴ Gas Connection Date: 10/06/23	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date
-----------------------------	--	---	-----------------------------------	------------------------------------	-------------------------------------

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 06/20/23	²² Ready Date 10/05/2023	²³ TD 20811'M 10508'V	²⁴ PBTD 20767'M 10508'V	²⁵ Perforations 10364-20671'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
14-3/4"	10-3/4"	697'	570		
9-7/8"	7-5/8"	9863'	2250		
6-3/4"	5-1/2"	20791'	842		

V. Well Test Data

³¹ Date New Oil 10/08/23	³² Gas Delivery Date 10/06/23	³³ Test Date 10/14/23	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 1908
³⁷ Choke Size 57	³⁸ Oil 2479	³⁹ Water 4609	⁴⁰ Gas 7903		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.



Signature:

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:

Janalyn_mendiola@oxy.com

Date:

01/23/2024

Phone:

432-685-5936

OIL CONSERVATION DIVISION

Approved by:

PATRICIA MARTINEZ

Title:

PETROLEUM SPECIALIST

Approval Date:

1/26/2024

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102 Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACERAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-48025	² Pool Code 98220	³ Pool Name PURPLE SAGE WOLFCAMP
⁴ Property Code 329731	⁵ Property Name CORRAL BLUFF 11_14 FED COM	⁶ Well Number 37H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁹ Elevation 3070'


¹⁰ Surface Location

UL or lot no. A	Section 11	Township 25S	Range 29E	Lot Idn	Feet from the 79 78	North/South line NORTH	Feet from the 329	East/West line EAST	County EDDY
--------------------	---------------	-----------------	--------------	---------	------------------------	---------------------------	----------------------	------------------------	----------------

¹¹ Bottom Hole Location If Different From Surface

UL or lot no. P	Section 14	Township 25S	Range 29E	Lot Idn	Feet from the 55	North/South line SOUTH	Feet from the 829	East/West line EAST	County EDDY
¹² Dedicated Acres 1280.00	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. NSL-8583						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.






OXY



Borehole:	Well:	Field:	Structure:
Corral Bluff 11-14 Fed Com 37H	Corral Bluff 11-14 Fed Com 37H	NM Eddy County (NAD 83)	Oxy Corral Bluff 11-14 Fed Com Pad Sec 11 Lot A

Gravity & Magnetic Parameters				Surface Location				NAD83 New Mexico State Plane, Eastern Zone, US Feet				Miscellaneous			
Model:	IFR1	Dip:	59.752°	Date:	26-Jul-2023	Lat:	N 32 9 6.22	Northing:	419147.931US	Grid Conv:	0.2052°	Slot:	Corral Bluff 11-14 Fed Com 37H	TVD Ref:	RKB (3095.800 ft above MSL)
MagDec:	6.566°	FS:	47490.3nT	Gravity FS:	998.452mgn (9.80665 Based)	Lon:	W 103 56 51.61	Easting:	660691.641US	Scale Fact:	0.99992541	Plan:	Oxy Corral Bluff 11-14 Fed Com 37H Rev2 AR 29Jun23		

Critical Points										
Comments	Survey MD(ft)	Inclination(deg)	Azimuth(deg)	TVD(ft)	VS(ft)	NS(ft)	EW(ft)	Sub-Sea TVD	DLS(°/100ft)	
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-3,095.80	0.00	
SHL	26.00	0.00	0.00	26.00	0.00	0.00	0.00	-3,069.80	0.00	
First SLB Survey	203.00	0.40	182.04	203.00	0.62	-0.62	-0.02	-2,892.80	0.23	
Actual KOP	9,909.00	8.74	254.87	9,872.74	-5.25	25.76	-481.64	6,776.94	5.01	
FTP / 100ft FNL Cross	10,147.00	25.14	156.00	10,103.02	42.86	-22.46	-480.13	7,007.22	11.53	
Exit Lateral Window	10,241.00	35.45	157.31	10,183.88	85.45	-65.92	-460.56	7,088.08	10.86	
Wolfcamp A Intersection	10,490.59	55.38	181.05	10,358.00	257.64	-239.49	-431.96	7,262.20	10.47	
Enter Lateral Window	11,147.00	89.46	184.72	10,525.92	874.98	-856.34	-456.45	7,430.12	3.94	
Exit Lateral Window	12,148.00	90.33	176.51	10,510.87	1,867.57	-1,850.05	-451.38	7,415.07	5.26	
Enter Lateral Window	12,464.00	92.19	183.43	10,501.68	2,182.91	-2,165.75	-449.71	7,405.88	4.01	
Exit Lateral Window	13,502.00	90.08	190.27	10,508.94	3,216.92	-3,195.65	-544.53	7,413.14	7.55	
Enter Lateral Window	14,705.00	91.41	170.56	10,495.40	4,409.49	-4,390.56	-538.37	7,399.60	2.42	
Section 11-14 Line Cross	15,557.00	89.90	177.00	10,507.25	5,251.28	-5,237.02	-446.62	7,411.45	1.02	
LTP / 100ft FSL Cross	20,767.00	89.92	178.13	10,507.76	10,454.84	-10,445.24	-447.96	7,411.96	0.12	
Last SLB Survey	20,777.00	89.93	178.12	10,507.77	10,464.81	-10,455.23	-447.63	7,411.97	0.12	
Total Depth Projection	20,811.00	89.93	178.12	10,507.81	10,498.72	-10,489.22	-446.51	7,412.01	0.00	



Vertical Section (ft) Azim = 182.49° Scale = 1:2600.00(ft) Origin = 0N=S, 0E=W



Oxy Corral Bluff 11-14 Fed Com 37H IFR1+MWD to 20811ft Survey
Geodetic Report
Definitive Survey



Report Date: August 03, 2023 - 03:11 PM (UTC 0)
Client: OXY
Field: NM Eddy County (NAD 83)
Structure / Slot: Oxy Corral Bluff 11-14 Fed Com Pad Sec 11 Lot A / Corral Bluff 11-14 Fed Com 37H
Well: Corral Bluff 11-14 Fed Com 37H
Borehole: Corral Bluff 11-14 Fed Com 37H
UBHI / API / JobNumber: Unknown / Unknown / Unknown
Survey Name / Version: Oxy Corral Bluff 11-14 Fed Com 37H IFR1+MWD to 20811ft / 2
Survey Date: August 03, 2023
Tort / AHD / DDI / ERD Ratio: 336.766 ° / 11081.157 ft / 6.668 / 1.053
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32°06'22.246", W 103°56'51.61191"
Location Grid N/E Y/X: N 419147.930 ftUS, E 660691.640 ftUS
CRS Grid Convergence Angle: 0.205°
Grid Scale Factor: 0.99992541
Engine Version: 2023.1.0.1

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 182.438 °(Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 3095.800 ft above MSL
Seabed / Ground Elevation: 3069.800 ft above MSL
Magnetic Declination: 6.566°
Total Gravity Field Strength: 998.4521mgn (9.80665 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 47490.3 nT
Magnetic Dip Angle: 59.752°
Declination Date: July 26, 2023
Magnetic Declination Model: IFR1
North Reference: Grid
North Grid: 6.361°
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	TVDSS (ft)	DLS (°/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N S ° ' ")	Longitude (E W ° ' ")	Closure (ft)	Closure Azimuth (°)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-3.095.80	0.00	419,147.93	660,691.64	N 32°06'22"	W 103°56'51.61"		
SHL	26.00	0.00	0.00	26.00	0.00	0.00	0.00	-3.069.80	0.00	419,147.93	660,691.64	N 32°06'22"	W 103°56'51.61"	0.00	0.00
First SLB Survey	203.00	0.40	182.04	203.00	0.62	-0.62	-0.02	-2.892.80	0.23	419,147.31	660,691.62	N 32°06'22"	W 103°56'51.61"	0.62	182.04
	302.00	0.54	196.10	302.00	1.42	-1.41	-0.16	-2.793.80	0.18	419,146.52	660,691.48	N 32°06'21"	W 103°56'51.61"	1.42	186.616274
	395.00	0.51	198.55	394.99	2.24	-2.22	-0.42	-2.700.81	0.04	419,145.71	660,691.22	N 32°06'20"	W 103°56'51.62"	2.26	190.614281
	488.00	0.63	204.92	487.99	3.11	-3.08	-0.76	-2.607.81	0.15	419,144.85	660,690.88	N 32°06'19"	W 103°56'51.62"	3.17	193.928361
	581.00	0.76	188.68	580.98	4.20	-4.15	-1.07	-2.514.82	0.25	419,143.78	660,690.57	N 32°06'18"	W 103°56'51.62"	4.29	194.476803
	607.00	0.84	192.40	606.98	4.55	-4.51	-1.14	-2.488.82	0.37	419,143.42	660,690.50	N 32°06'18"	W 103°56'51.63"	4.65	194.177253
	745.00	2.25	201.98	744.92	8.10	-8.01	-2.37	-2.350.88	1.04	419,139.92	660,689.27	N 32°06'14"	W 103°56'51.64"	8.35	196.485153
	864.00	3.16	210.99	863.79	13.19	-12.99	-4.93	-2.232.01	0.84	419,134.94	660,686.71	N 32°06'09"	W 103°56'51.67"	13.89	200.799332
	936.00	4.13	213.64	935.64	17.15	-16.85	-7.39	-2.160.16	1.37	419,131.08	660,684.25	N 32°06'06"	W 103°56'51.70"	18.40	203.688366
	1,121.00	1.14	226.17	1,120.43	24.18	-23.67	-12.41	-1.975.37	1.64	419,124.26	660,679.23	N 32°05'59"	W 103°56'51.76"	26.73	207.669084
	1,214.00	0.04	170.24	1,213.42	24.88	-24.34	-13.07	-1.882.38	1.20	419,123.59	660,678.57	N 32°05'58"	W 103°56'51.76"	27.63	208.236992
	1,308.00	0.27	1.33	1,307.42	24.69	-24.15	-13.06	-1.788.38	0.33	419,123.78	660,678.58	N 32°05'58"	W 103°56'51.76"	27.46	208.403904
	1,402.00	0.11	329.02	1,401.42	24.39	-23.86	-13.10	-1.694.38	0.20	419,124.08	660,678.54	N 32°05'59"	W 103°56'51.77"	27.22	208.779583
	1,496.00	0.13	135.59	1,495.42	24.39	-23.85	-13.08	-1.600.38	0.25	419,124.08	660,678.57	N 32°05'59"	W 103°56'51.76"	27.20	208.728763
	1,590.00	0.23	107.82	1,589.42	24.51	-23.99	-12.82	-1.506.38	0.14	419,123.94	660,678.82	N 32°05'59"	W 103°56'51.76"	27.20	208.123527
	1,685.00	0.13	250.47	1,684.42	24.60	-24.08	-12.74	-1.411.38	0.36	419,123.85	660,678.90	N 32°05'58"	W 103°56'51.76"	27.25	207.881679
	1,779.00	0.31	98.71	1,778.42	24.67	-24.16	-12.59	-1.317.38	0.46	419,123.77	660,679.05	N 32°05'58"	W 103°56'51.76"	27.24	207.528273
	1,873.00	0.32	23.75	1,872.42	24.45	-23.96	-12.23	-1.223.38	0.41	419,123.98	660,679.41	N 32°05'59"	W 103°56'51.76"	26.90	207.052392
	1,967.00	0.29	357.94	1,966.42	23.97	-23.48	-12.14	-1,129.38	0.15	419,124.45	660,679.50	N 32°05'59"	W 103°56'51.75"	26.43	207.336091
	2,062.00	0.16	89.21	2,061.42	23.72	-23.24	-12.01	-1,034.38	0.35	419,124.70	660,679.63	N 32°05'59"	W 103°56'51.75"	26.16	207.33834
	2,156.00	0.26	26.90	2,155.42	23.52	-23.04	-11.78	-940.38	0.25	419,124.89	660,679.86	N 32°05'59"	W 103°56'51.75"	25.88	207.085713
	2,250.00	0.36	21.42	2,249.42	23.05	-22.58	-11.58	-846.38	0.11	419,125.35	660,680.06	N 32°06'00"	W 103°56'51.75"	25.37	207.153105
	2,345.00	0.32	7.33	2,344.41	22.50	-22.04	-11.44	-751.39	0.10	419,125.89	660,680.20	N 32°06'00"	W 103°56'51.75"	24.83	207.429515
	2,439.00	0.24	51.81	2,438.41	22.11	-21.65	-11.25	-657.39	0.24	419,126.28	660,680.39	N 32°06'01"	W 103°56'51.74"	24.40	207.450504
	2,534.00	0.29	69.35	2,533.41	21.89	-21.45	-10.87	-562.39	0.10	419,126.48	660,680.77	N 32°06'01"	W 103°56'51.74"	24.04	206.872319
	2,628.00	0.26	54.64	2,627.41	21.67	-21.24	-10.47	-468.39	0.08	419,126.69	660,681.17	N 32°06'01"	W 103°56'51.73"	23.68	206.243208
	2,723.00	0.25	76.80	2,722.41	21.48	-21.07	-10.09	-373.39	0.10	419,126.86	660,681.55	N 32°06'01"	W 103°56'51.73"	23.36	205.599219
	2,818.00	0.25	87.17	2,817.41	21.40	-21.01	-9.68	-278.39	0.05	419,126.92	660,681.96	N 32°06'01"	W 103°56'51.73"	23.13	204.747763
	2,913.00	0.26	90.12	2,912.41	21.38	-21.00	-9.26	-183.39	0.02	419,126.93	660,682.38	N 32°06'01"	W 103°56'51.72"	22.95	203.799999
	3,007.00	0.22	62.35	3,006.41	21.28	-20.92	-8.89	-89.39	0.13	419,127.01	660,682.75	N 32°06'02"	W 103°56'51.72"	22.73	203.024048
	3,102.00	0.18	262.31	3,101.41	21.21	-20.85	-8.88	5.61	0.41	419,127.08	660,682.77	N 32°06'02"	W 103°56'51.72"	22.66	203.05618
	3,197.00	0.39	143.25	3,196.41	21.49	-21.13	-8.83	100.61	0.53	419,126.80	660,682.81	N 32°06'01"	W 103°56'51.72"	22.90	202.677896
	3,292.00	0.20	32.78	3,291.41	21.60	-21.25	-8.55	195.61	0.52	419,126.68	660,683.09	N 32°06'01"	W 103°56'51.71"	22.91	201.908788
	3,387.00	0.17	344.00	3,386.41	21.32	-20.98	-8.50	290.61	0.16	419,126.96	660,683.14	N 32°06'02"	W 103°56'51.71"	22.63	202.048842
	3,482.00	0.13	118.25	3,481.41	21.23	-20.89	-8.44	385.61	0.29	419,127.04	660,683.20	N 32°06'02"	W 103°56'51.71"	22.53	201.997272
	3,576.00	0.12	34.80	3,575.40	21.20	-20.86	-8.29	479.60	0.18	419,127.07	660,683.35	N 32°06'02"	W 103°56'51.71"	22.45	201.67103
	3,671.00	0.19	13.53	3,670.40	20.96	-20.63	-8.20	574.60	0.09	419,127.31	660,683.44	N 32°06'02"	W 103°56'51.71"	22.20	201.670278
	3,765.00	0.10	298.46	3,764.40	20.77	-20.44	-8.23	668.60	0.20	419,127.50	660,683.41	N 32°06'02"	W 103°56'51.71"	22.03	201.939507
	3,860.00	0.28	282.23	3,859.40	20.69	-20.35	-8.53	763.60	0.20	419,127.58	660,683.11	N 32°06'02"	W 103°56'51.71"	22.06	202.747601
	3,954.00	0.25	289.42	3,953.40	20.59	-20.23	-8.95	857.60	0.05	419,127.70	660,682.69	N 32°06'02"	W 103°56'51.72"	22.12	203.862834
	4,049.00	0.25	273.39	4,048.40	20.53	-20.15	-9.35	952.60	0.07	419,127.78	660,682.29	N 32°06'02"	W 103°56'51.72"	22.21	204.89668
	4,144.00	0.28	258.23	4,143.40	20.58	-20.18	-9.79	1,047.60	0.08	419,127.75	660,681.86	N 32°06'02"	W 103°56'51.73"	22.43	205.86485
	4,238.00	0.19	283.33	4,237.40	20.61	-20.20	-10.16	1,141.60	0.14	419,127.74	660,681.48	N 32°06'02"	W 103°56'51.73"	22.61	206.71143
	4,333.00	0.31	284.32	4,332.40	20.53	-20.10	-10.56	1,236.60	0.13	419,127.84	660,681.08	N 32°06'02"	W 103°56'51.74"	22.70	207.731689
	4,427.00	0.12	282.93	4,426.40	20.46	-20.01	-10.91	1,330.60	0.20	419,127.92	660,680.73	N 32°06'02"	W 103°56'51.74"	22.79	208.592869
	4,521.00	0.18	232.95	4,520.40	20.53	-20.08	-11.12	1,424.60	0.15	419,127.85	660,680.52	N 32°06'02"	W 103°56'51.74"	22.95	208.981504
	4,616.00	0.13	241.20	4,615.40	20.68	-20.22	-11.33	1,519.60	0.06	419,127.71	660,680.31	N 32°06'02"	W 103°56'51.74"	23.18	208.273381
	4,711.00	0.24	285.06	4,710.40	20.70	-20.22	-11.62	1,614.60	0.18	419,127.71	660,680.02	N 32°06'02"	W 103°56'51.75"	23.32	208.887285
	4,805.00	0.26	245.80	4,804.40	20.75	-20.26	-12.01	1,708.60	0.18	419,127.68	660,679.64	N 32°06'02"	W 103°56'51.75"	23.55	210.654821
	4,900.00	0.29	182.85	4,899.40	21.09	-20.58	-12.21	1,803.60	0.30	419,127.35	660,679.43	N 32°06'02"	W 103°56'51.75"	23.94	210.683389
	4,994.00	0.19	186.83	4,993.39	21.48	-20.98	-12.24	1,897.59	0.11	419,126.96	660,679.40	N 32°06'02"	W 103°56'51.76"	24.29	210.272695
	5,089.00	0.30	137.78	5,088.39	21.81	-21.32	-12.10	1,992.59	0.24	419,126.61	660,679.55	N 32°06'01"	W 103°56'51.75"	24.51	209.571721
	5,184.00	0.21	84.88	5,183.39	21.97	-21.49	-11.76	2,087.59	0.25	419,126.45	660,679.89	N 32°06'01"	W 103°56'51.75"	24.49	208.684104
	5,278.00	0.20	63.00	5,277.39	21.86	-21.40	-11.44	2,181.59	0.08	419,126.54	660,680.20	N 32°06'01"	W 103°56'51.75"	24.26	208.127622
	5,467.00	0.14	295.87	5,466.39	21.61	-21.15	-11.35	2,370.59	0.16	419,126.79	660,680.29	N 32°06'01"	W 103°56'51.74"	24.00	208.228192
	5,656.00	0.18	206.57	5,655.39	21.79	-21.31	-11.69	2,5							

	8,872.00	9.08	270.82	8,848.29	6.22	7.51	-322.49	5,752.49	0.47	419,155.43	660,369.18	N 32°9'6.31"	W 103°56'55.36"	322.58	271.333163
	8,967.00	9.06	273.31	8,942.10	6.31	8.04	-337.45	5,846.30	0.41	419,155.97	660,354.21	N 32°9'6.31"	W 103°56'55.54"	337.55	271.365564
	9,061.00	8.88	277.67	9,034.95	5.54	9.44	-352.03	5,939.15	0.75	419,157.37	660,339.64	N 32°9'6.33"	W 103°56'55.71"	352.16	271.536046
	9,156.00	9.24	274.76	9,128.77	4.56	11.05	-366.90	6,032.97	0.61	419,158.98	660,324.77	N 32°9'6.34"	W 103°56'55.88"	367.06	271.725298
	9,250.00	9.14	271.26	9,221.56	4.41	11.84	-381.88	6,125.76	0.60	419,159.77	660,309.79	N 32°9'6.35"	W 103°56'56.05"	382.07	271.776121
	9,344.00	8.80	276.53	9,314.41	4.05	12.82	-396.49	6,218.61	0.95	419,160.75	660,295.18	N 32°9'6.36"	W 103°56'56.22"	396.70	271.852477
	9,439.00	8.97	283.39	9,408.28	2.12	15.37	-410.92	6,312.48	1.13	419,163.29	660,280.76	N 32°9'6.39"	W 103°56'56.39"	411.20	272.141455
	9,533.00	8.76	285.17	9,501.15	-0.84	18.94	-424.95	6,405.35	0.37	419,166.86	660,266.72	N 32°9'6.42"	W 103°56'56.55"	425.37	272.551351
	9,627.00	8.91	281.57	9,594.04	-3.58	22.27	-438.99	6,498.24	0.61	419,170.20	660,252.68	N 32°9'6.46"	W 103°56'56.72"	439.56	272.903927
	9,722.00	8.78	276.58	9,687.91	-5.27	24.58	-453.40	6,592.11	0.82	419,172.50	660,238.27	N 32°9'6.48"	W 103°56'56.88"	454.07	273.102463
	9,816.00	8.70	275.72	9,780.82	-6.19	26.11	-467.60	6,685.02	0.16	419,174.03	660,224.07	N 32°9'6.50"	W 103°56'57.05"	468.33	273.195421
	9,847.00	8.88	275.21	9,811.46	-6.44	26.56	-472.32	6,715.66	0.63	419,174.48	660,219.36	N 32°9'6.50"	W 103°56'57.10"	473.07	273.218116
Actual KOP	9,909.00	8.74	254.87	9,872.74	-5.25	25.76	-481.64	6,776.94	5.01	419,173.69	660,210.04	N 32°9'6.49"	W 103°56'57.21"	482.33	273.061571
	9,942.00	9.11	244.47	9,905.34	-3.27	23.98	-486.42	6,809.54	5.01	419,171.91	660,205.26	N 32°9'6.48"	W 103°56'57.27"	487.01	272.822316
	10,037.00	12.37	171.77	9,999.04	10.31	10.61	-491.77	6,903.24	13.64	419,158.54	660,199.91	N 32°9'6.34"	W 103°56'57.33"	491.88	271.236035
FTP / 100ft FNL Cross	10,131.00	25.18	156.18	10,088.43	36.98	-16.46	-482.79	6,992.63	12.59	419,131.47	660,208.89	N 32°9'6.08"	W 103°56'57.23"	483.07	268.047608
	10,147.00	25.14	156.00	10,103.02	42.86	-22.46	-480.13	7,007.22	11.53	419,125.47	660,211.55	N 32°9'6.02"	W 103°56'57.20"	480.65	267.321905
	10,226.00	25.25	155.37	10,171.57	77.76	-58.07	-464.00	7,075.77	11.53	419,089.86	660,227.67	N 32°9'5.66"	W 103°56'57.01"	467.62	262.86606
Exit Lateral Window	10,241.00	35.45	157.31	10,183.98	85.45	-65.92	-460.56	7,088.08	10.86	419,082.01	660,231.11	N 32°9'5.59"	W 103°56'56.97"	465.26	261.854172
	10,320.00	42.16	165.87	10,245.46	131.69	-112.86	-445.23	7,149.66	10.86	419,035.08	660,246.45	N 32°9'5.12"	W 103°56'56.80"	459.31	255.776257
	10,414.00	49.21	174.57	10,311.15	197.32	-179.02	-434.13	7,215.35	9.99	418,968.92	660,257.54	N 32°9'4.47"	W 103°56'56.67"	469.60	247.590524
Wolfcamp A Intersection	10,490.59	55.38	181.05	10,358.00	257.64	-239.49	-431.96	7,262.20	10.47	418,908.46	660,259.71	N 32°9'3.87"	W 103°56'56.65"	493.91	240.995315
	10,509.00	56.91	182.46	10,368.26	272.93	-254.77	-432.43	7,272.46	10.47	418,893.18	660,259.24	N 32°9'3.72"	W 103°56'56.65"	501.90	239.495201
	10,603.00	58.91	186.88	10,418.21	352.47	-334.11	-438.95	7,322.41	4.52	418,813.85	660,252.73	N 32°9'2.93"	W 103°56'56.29"	551.64	232.723219
	10,697.00	64.32	184.50	10,462.89	435.00	-416.36	-447.10	7,367.09	6.17	418,731.60	660,244.57	N 32°9'2.12"	W 103°56'56.73"	610.95	227.038626
	10,792.00	71.15	182.29	10,498.86	522.85	-504.07	-452.26	7,403.06	7.50	418,643.90	660,239.41	N 32°9'1.25"	W 103°56'56.89"	677.22	221.899055
	10,886.00	84.16	179.27	10,518.92	614.43	-595.68	-453.45	7,423.12	14.19	418,552.29	660,238.23	N 32°9'0.34"	W 103°56'56.91"	748.63	217.27939
	10,980.00	89.59	178.71	10,524.05	708.08	-699.49	-451.79	7,428.25	5.81	418,458.49	660,239.88	N 32°9'59.42"	W 103°56'56.90"	824.33	213.235093
Enter Lateral Window	11,073.00	88.18	181.82	10,525.04	801.00	-782.47	-452.22	7,429.24	3.37	418,365.52	660,239.45	N 32°9'58.50"	W 103°56'56.90"	903.75	210.025397
	11,147.00	89.46	184.72	10,525.92	874.98	-856.34	-456.45	7,430.12	3.94	418,291.66	660,235.23	N 32°9'57.76"	W 103°56'56.96"	970.39	208.058551
	11,166.00	89.53	185.47	10,526.09	893.96	-875.26	-458.13	7,430.29	3.94	418,272.73	660,233.54	N 32°9'57.58"	W 103°56'56.98"	987.91	207.628689
	11,259.00	89.47	188.85	10,526.90	986.62	-967.52	-469.72	7,431.10	3.63	418,180.48	660,221.95	N 32°9'56.67"	W 103°56'57.12"	1075.52	205.896221
	11,354.00	91.13	188.96	10,526.41	1,081.01	-1,061.37	-484.43	7,430.61	1.75	418,086.64	660,207.25	N 32°9'55.74"	W 103°56'57.29"	1166.70	204.532813
	11,448.00	91.61	188.13	10,524.16	1,174.45	-1,154.30	-498.39	7,428.36	1.02	417,993.72	660,193.29	N 32°9'54.82"	W 103°56'57.46"	1257.30	203.533232
	11,542.00	90.81	183.12	10,522.50	1,268.26	-1,247.80	-507.60	7,426.70	5.48	417,900.22	660,184.08	N 32°9'53.89"	W 103°56'57.57"	1347.10	202.136283
	11,637.00	91.23	178.79	10,521.14	1,363.20	-1,342.76	-509.18	7,425.34	4.64	417,805.28	660,182.50	N 32°9'52.95"	W 103°56'57.59"	1436.06	200.767129
	11,731.00	90.87	174.21	10,519.42	1,456.65	-1,436.54	-503.45	7,423.62	4.89	417,711.50	660,188.23	N 32°9'52.03"	W 103°56'57.53"	1522.20	199.313445
	11,825.00	92.38	172.62	10,516.75	1,549.44	-1,529.88	-492.67	7,420.95	2.33	417,618.17	660,199.00	N 32°9'51.10"	W 103°56'57.41"	1607.25	197.850362
	11,919.00	91.24	170.63	10,513.78	1,641.72	-1,622.82	-478.99	7,417.98	2.44	417,525.23	660,212.69	N 32°9'50.18"	W 103°56'57.25"	1692.03	196.444408
	12,014.00	90.47	172.58	10,512.36	1,735.02	-1,716.79	-465.12	7,416.56	2.21	417,431.27	660,226.55	N 32°9'49.25"	W 103°56'57.09"	1778.68	195.159005
Exit Lateral Window	12,108.00	90.85	174.47	10,511.28	1,827.87	-1,810.18	-454.52	7,415.48	2.05	417,337.89	660,237.15	N 32°9'48.33"	W 103°56'56.97"	1866.37	194.095168
	12,148.00	90.33	176.51	10,510.87	1,867.57	-1,850.05	-451.38	7,415.07	5.26	417,298.02	660,240.30	N 32°9'47.93"	W 103°56'56.94"	1904.32	193.711224
	12,202.00	89.63	179.26	10,510.89	1,921.40	-1,904.01	-449.38	7,415.09	5.26	417,244.07	660,242.29	N 32°9'47.40"	W 103°56'56.92"	1956.32	193.279928
	12,297.00	93.03	178.80	10,508.68	2,016.19	-1,998.95	-447.78	7,412.88	3.61	417,149.13	660,243.90	N 32°9'46.46"	W 103°56'56.90"	2048.49	192.626138
Enter Lateral Window	12,391.00	92.14	180.50	10,504.44	2,109.98	-2,092.85	-447.20	7,408.64	2.04	417,055.24	660,244.47	N 32°9'45.53"	W 103°56'56.90"	2140.10	192.061649
	12,464.00	92.19	183.43	10,501.68	2,182.91	-2,165.75	-449.71	7,405.88	4.01	416,982.35	660,241.97	N 32°9'44.81"	W 103°56'56.93"	2211.94	191.730449
	12,579.00	92.26	188.05	10,497.21	2,297.61	-2,280.05	-461.20	7,401.41	4.01	416,868.05	660,230.48	N 32°9'43.68"	W 103°56'57.07"	2326.23	191.43518
	12,674.00	91.39	190.03	10,494.19	2,391.92	-2,373.82	-476.12	7,398.39	2.28	416,774.29	660,215.56	N 32°9'42.75"	W 103°56'57.25"	2421.10	191.341287
	12,768.00	89.88	191.88	10,493.80	2,484.87	-2,466.10	-493.98	7,398.00	3.15	416,682.02	660,197.70	N 32°9'41.84"	W 103°56'57.46"	2515.08	191.326854
	12,862.00	89.24	190.65	10,495.18	2,577.75	-2,558.27	-512.34	7,399.38	1.32	416,589.85	660,179.34	N 32°9'40.93"	W 103°56'57.68"	2609.07	191.324625
	12,957.00	88.80	187.16	10,497.64	2,672.10	-2,652.08	-527.04	7,401.84	3.97	416,496.05	660,164.64	N 32°9'40.00"	W 103°56'57.85"	2703.94	191.239703
	13,051.00	84.87	180.48	10,503.65	2,765.81	-2,745.62	-533.29	7,407.85	7.75	416,402.53	660,158.39	N 32°9'39.07"	W 103°56'57.93"	2796.93	190.991895
	13,146.00	89.58	179.19	10,508.25	2,860.57	-2,840.47	-533.02	7,412.45	5.14	416,307.67	660,158.67	N 32°9'38.13"	W 103°56'57.93"	2890.05	190.627959
	13,240.00	89.27	178.45	10,509.19	2,954.38	-2,934.45	-531.08	7,413.39	0.85	416,213.71	660,160.60	N 32°9'37.20"	W 103°56'57.91"	2982.12	190.258406
Exit Lateral Window	13,334.00	90.43	180.75	10,509.44	3,048.26	-3,028.44	-530.42	7,413.64	2.74	416,119.72	660,161.26	N 32°9'36.27"	W 103°56'57.91"	3074.54	189.934443
	13,429.00	90.06	184.76	10,509.03	3,143.24	-3,123.31	-534.99	7,413.23	4.24	416,024.86	660,156.69	N 32°9'35.34"	W 103°56'57.96"	3168.80	189.719814
	13,502.00	90.08	190.27	10,508.94	3,215.92	-3,195.65	-544.53	7,413.14	7.55	415,952.52	660,147.15	N 32°9'34.62"	W 103°56'58.08"	3241.72	189.670239
	13,523.00	90.09	191.86	10,508.91	3,236.68	-3,216.26	-548.57	7,413.11	7.55	415,931.91	660,143.12	N 32°9'34.42"	W 103°56'58.13"	3262.71	189.679227
	13,617.00	90.82	193.10	10,508.98	3,329.24	-3,308.04	-568.88	7,413.18	1.35	415,840.14	660,122.81	N 32°9'33.51"	W 103°56'58.37"	3356.60	189.757628
	13,712.00	89.48	188.82	10,509.56	3,423.17	-3,401.28	-586.94	7,413.76	4.52	415,746.91	660,104.75	N 32°9'32.59"	W 103°56'58.58"	3451.55	189.790713
	13,806.														

	19,456.00	90.28	179.44	10,506.50	9,147.44	-9,134.94	-488.41	7,410.70	2.73	410,013.69	660,203.27	N 32°7'35.85"	W 103°56'57.67"	9147.99	183.06044
	19,550.00	90.45	178.79	10,505.91	9,241.28	-9,228.92	-486.95	7,410.11	0.71	409,919.71	660,204.72	N 32°7'34.92"	W 103°56'57.66"	9241.76	183.020343
	19,645.00	90.53	178.87	10,505.09	9,336.09	-9,323.90	-485.01	7,409.29	0.12	409,824.74	660,206.66	N 32°7'33.98"	W 103°56'57.64"	9336.51	182.977745
	19,739.00	90.01	179.53	10,504.65	9,429.94	-9,417.89	-483.70	7,408.85	0.89	409,730.76	660,207.98	N 32°7'33.05"	W 103°56'57.63"	9430.30	182.940117
	19,834.00	90.00	178.04	10,504.64	9,524.75	-9,512.87	-481.69	7,408.84	1.57	409,635.79	660,209.99	N 32°7'32.11"	W 103°56'57.61"	9525.05	182.898713
	19,928.00	89.80	178.08	10,504.81	9,618.47	-9,606.81	-478.50	7,409.01	0.22	409,541.85	660,213.17	N 32°7'31.18"	W 103°56'57.58"	9618.72	182.851482
	20,023.00	89.71	177.89	10,505.21	9,713.18	-9,701.75	-475.16	7,409.41	0.22	409,446.92	660,216.51	N 32°7'30.24"	W 103°56'57.54"	9713.38	182.803944
	20,117.00	89.56	177.42	10,505.81	9,806.85	-9,795.67	-471.32	7,410.01	0.52	409,353.01	660,220.36	N 32°7'29.31"	W 103°56'57.50"	9807.00	182.754659
	20,211.00	89.91	177.60	10,506.25	9,900.51	-9,889.58	-467.23	7,410.45	0.42	409,259.11	660,224.44	N 32°7'28.38"	W 103°56'57.46"	9900.61	182.704935
	20,400.00	89.70	177.82	10,506.89	10,088.86	-10,078.43	-459.68	7,411.09	0.16	409,070.27	660,231.99	N 32°7'26.51"	W 103°56'57.38"	10088.91	182.611482
	20,494.00	89.94	178.16	10,507.18	10,182.58	-10,172.37	-456.39	7,411.38	0.44	408,976.34	660,235.29	N 32°7'25.58"	W 103°56'57.34"	10182.60	182.568865
	20,589.00	89.83	178.32	10,507.38	10,277.32	-10,267.33	-453.47	7,411.58	0.20	408,881.39	660,238.21	N 32°7'24.64"	W 103°56'57.31"	10277.34	182.528889
LTP / 100ft FSL Cross	20,767.00	89.92	178.13	10,507.76	10,454.84	-10,445.24	-447.96	7,411.96	0.12	408,703.49	660,243.72	N 32°7'22.88"	W 103°56'57.26"	10454.84	182.455687
Last SLB Survey	20,777.00	89.93	178.12	10,507.77	10,464.81	-10,455.23	-447.63	7,411.97	0.12	408,693.50	660,244.05	N 32°7'22.78"	W 103°56'57.25"	10464.81	182.451553
Total Depth Projection	20,811.00	89.93	178.12	10,507.81	10,498.72	-10,489.22	-446.51	7,412.01	0.00	408,659.52	660,245.16	N 32°7'22.45"	W 103°56'57.24"	10498.72	182.437539

Survey Type: DefinitiveSurvey

Survey Error Model: ISCWSA0 2.795 sigma
Survey Program:

Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Expected Max Inclination (deg)	Survey Tool Code	Borehole / Survey
	1	0.000	607.000	Act Stns		A009Mb_MWD+IFR1+SAG	Corral Bluff 11-14 Fed Com 37H / Oxy Corral Bluff 11-14 Fed Com 37H IFR1+MWD to 20811ft
	1	607.000	20,811.000	Act Stns		A010Mb_MWD+IFR1+SAG+MS	Corral Bluff 11-14 Fed Com 37H / Oxy Corral Bluff 11-14 Fed Com 37H IFR1+MWD to 20811ft

EOU Geometry:

End MD (ft)	Hole Size (in)	Casing Size (in)	Name
20,811.000	26.400	26.400	

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Well Name: CORRAL BLUFF 11_14 FEDERAL COM	Well Location: T25S / R29E / SEC 11 / NENE / 32.151729 / -103.94767	County or Parish/State: EDDY / NM
Well Number: 37H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM15303	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001548025	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2764638

Type of Submission: Subsequent Report

Type of Action: Workover Operations

Date Sundry Submitted: 12/05/2023

Time Sundry Submitted: 02:58

Date Operation Actually Began: 09/04/2023

Actual Procedure: RUPU 09/04/23, RIH & clean out to PBTD @ 20767', pressure test casing to 6000# for 30 min, good test. RIH & perf @ 10364-20671' Total 1239 holes. Frac in 41 stages w/ 366452BBL Produced Water + 97330BBL Brackish Water (> 1,000 mg/I TDS and 10,000 mg/I TDS) w/ 26046844# sand, RD Liberty 10/01/23. Well ready to produce 10/05/23. OXY USA Inc. requests a tubing exception while continuing to flow back this well. The estimated date of tubing install is 01/15/2024.

Well Name: CORRAL BLUFF 11_14
FEDERAL COM

Well Location: T25S / R29E / SEC 11 /
NENE / 32.151729 / -103.94767

County or Parish/State: EDDY /
NM

Well Number: 37H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM15303

Unit or CA Name:

Unit or CA Number:

US Well Number: 3001548025

Well Status: Producing Oil Well

Operator: OXY USA
INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JANA MENDIOLA

Signed on: DEC 05, 2023 02:53 PM

Name: OXY USA INCORPORATED

Title: Regulatory Coordinator

Street Address: PO BOX 50250

City: Midland

State: TX

Phone: (432) 685-5936

Email address: Janalyn_mendiola@oxy.com

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 01/10/2024

Signature: Jonathon Shepard

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
1. WELL API NO. 30-015-48025										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name CORRAL BLUFF 11-14 FEDERAL COM				
						6. Well Number: 37H				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator: OXY USA INC.						9. OGRID: 16696				
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710						11. Pool name or Wildcat PURPLE SAGE WOLFCAMP				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	A	11	25S	29E		79	NORTH	329	EAST	EDDY
BH:	P	14	25S	29E		55	SOUTH	829	EAST	EDDY
13. Date Spudded 06/20/23		14. Date T.D. Reached 08/01/2023		15. Date Rig Released 08/04/2023		16. Date Completed (Ready to Produce) 10/05/2023		17. Elevations (DF and RKB, RT, GR, etc.) 3070' GL		
18. Total Measured Depth of Well 20811'M 10508'V				19. Plug Back Measured Depth 20767'M 10508'V		20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 10364-20671' WOLFCAMP										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
10.75" J55		45.5		697'		14.75"		570sx-surf circ		
7.625" HCL80		26.4		9863'		9.875"		2250sx-surf circ		
5.5" P110 ICY		20		20791'		6.75"		842sx-TOC@8493'		
24. LINER RECORD										
SIZE	TOP	BOTTOM		SACKS CEMENT	SCREEN		25. TUBING RECORD			
							SIZE	DEPTH SET		PACKER SET
26. Perforation record (interval, size, and number) 10364-20671' Total 1239 holes, Hole Size=0.42						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						10364-20671'		366452BBL Produced Water + 97330BBL Brackish Water (> 1,000 mg/l TDS and 10,000 mg/l TDS) w/ 26046844# sand		
28. PRODUCTION										
Date First Production 10/08/2023		Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING				Well Status (Prod. or Shut-in) Prod.				
Date of Test 10/14/2023	Hours Tested 24 hrs.	Choke Size 57	Prod'n For Test Period	Oil - Bbl 2479	Gas - MCF 7903	Water - Bbl. 4609	Gas - Oil Ratio 3188			
Flow Tubing Press.	Casing Pressure 1908	Calculated 24- Hour Rate	Oil - Bbl. 2479	Gas - MCF 7903	Water - Bbl. 4609	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By			
31. List Attachments WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Printed										
Signature: <i>Jana Mendiola</i> Name: <u>Jana Mendiola</u> Title: <u>Sr. Regulatory Analyst</u> Date: <u>01/23/2024</u>										
E-mail Address: <u>janalyn_mendiola@oxy.com</u>										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 337'	T. Bell Canyon 3118'	T. Ojo Alamo	T. Penn A"
T. Salado 842'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 1675'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 3095'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 4026'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 5066'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Spring 6923'	T. Todilto	
T. Abo	T. 1st Bone Spring 7872'	T. Entrada	
T. Wolfcamp 10243'	T. 2nd Bone Spring 8725'	T. Wingate	
T. Penn	T. 3rd Bone Spring 9868'	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.


No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

(Attach additional sheets if necessary)

From	To	Thickness In Feet	Lithology

OXY USA Inc.
CORRAL BLUFF 11-14 FEDERAL COM 37H
API No. 30-015-48025



Perfs @ 10364-20671'

TD- 20811'M 10508'V

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 307004

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 307004
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 307004

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 307004
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 within 10 days of BLM approval.	1/26/2024