Office	Appropriate Distr	<b>g:3</b> 7.	PM	State of	f New M	exico			Form C-103
<u>District I</u> – (575) 3			Energ	y, Mineral	s and Nat	ural Resources	WELL AND		ised July 18, 2013
1625 N. French Di District II – (575)	r., Hobbs, NM 882 748-1283	40					WELL API N	30-025-4	2640
811 S. First St., A			_		. –	N DIVISION	5. Indicate T		5040
$\frac{\text{District III}}{1000 \text{ Pig Prozes F}} - (505)$	334-6178 Rd., Aztec, NM 874	10		1220 Sout	th St. Fra	ncis Dr.	STAT		EE
$\frac{\text{District IV}}{\text{District IV}} - (505)$		10		Santa F	Fe, NM 8	7505	6. State Oil	& Gas Lease N	0.
1220 S. St. Francis 87505	s Dr., Santa Fe, NM	1							
87303	SUNDRY	NOTIO	CES AND F	REPORTS C	ON WELL	5	7. Lease Nat	ne or Unit Agr	eement Name
(DO NOT USE TH	HIS FORM FOR P	ROPOS	ALS TO DRII	LL OR TO DE	EPEN OR PL	UG BACK TO A		8-	
DIFFERENT RES PROPOSALS.)	ERVOIR. USE "A	APPLIC	ATION FOR I	PERMIT" (FOI	RM C-101) F	OR SUCH	SD V	<u>VE 15 FED</u>	P9
1. Type of We	ell: Oil Well		Gas Well	Other			8. Well Num	<sup>iber</sup> 5H	
2. Name of Op							9. OGRID N	umber	
		VRO	N USA INC	ORPORA	TED			432	3
3. Address of	Operator						10. Pool nan	ne or Wildcat	
		OX 1	635, HOU	STON, TX	77251		JENNING	S/UPPER BN	SPR SHALE
4. Well Locati	on								
Unit I	.etterO	:_	<u>12</u> f	eet from the	eSOUT	H line and $\_1$	<u>471</u> fee	t from the <u>E</u>	AST line
Sectio	on 15			Township			NMPM	County	LEA
			11. Elevat			R, RKB, RT, GR, etc	.)		
				31	157 GL				
PERFORM RE TEMPORARIL PULL OR ALTI DOWNHOLE (	<mark>Y ABANDON</mark> ER CASING COMMINGLE		CHANGE MULTIPLE			COMMENCE DR CASING/CEMEN			IG CASING
CLOSED-LOO	P SYSTEM				_				—
OTHER: 13 Descrit	e proposed or	romnl	eted operati	ons (Clear	lv state all	OTHER: pertinent details, ar	d give pertinent	dates includi	ng estimated date
of start		ed wor	rk). SEE R			C. For Multiple Co			
CH	IEVRON REQ	UEST	S THE FOL	LOWNG:					
CH		INC I	SPEOLIES	ΤΙΝΟ ΤΟ Τ		RILY ABANDON	THE ABOVE I	VELI	
						RARY ABANDON			G UNECONOMI
						CTION OF HYDRO			
AL	LOWS FURTI				) PLANNI	NG ON HOW TO	RETURN WEL	L TO PRESER	VE WELLBORF
		T T O	CONON						
SH	OULD A WAY	Y TO I	ECONOMI	CALLY PR	ODUCE E	MERGES TO PRO			
						MERGES TO PRO	GRESS TO PL	UG AND ABA	NDONMENT.
PR	OCEDURE TO	) TA:	RIG UP, KI	ILL WEL, A	AND PULI	MERGES TO PRO LOUT OF HOLE V	GRESS TO PL	UG AND ABA ENT. TOP PEI	NDONMENT. RF IS AT 9,337',
PR RU	OCEDURE TO IN IN AND SE	) TA: T CIB	RIG UP, KI 3P AT 9,237	ILL WEL, A ". DUMP B.	AND PULI Ail 35' oi	MERGES TO PRO L OUT OF HOLE V F CLASS H CEME	GRESS TO PLI VITH EQUIPMI NT. CIRCULAT	UG AND ABA ENT. TOP PEI TE WELLBOR	NDONMENT. RF IS AT 9,337', E CLEAN WITH
PR RU BR	OCEDURE TO IN IN AND SE INE WATER I	) TA: T CIB	RIG UP, KI 3P AT 9,237	ILL WEL, A ". DUMP B. Iocide. Te	AND PULI AIL 35' OF EST TO 50	MERGES TO PRO L OUT OF HOLE V F CLASS H CEME 0#'S, NIPPLE UP V	GRESS TO PLI VITH EQUIPMI NT. CIRCULAT	UG AND ABA ENT. TOP PEI TE WELLBOR	NDONMENT. RF IS AT 9,337', E CLEAN WITH
PR RU BR	OCEDURE TO IN IN AND SE	) TA: T CIB	RIG UP, KI 3P AT 9,237	ILL WEL, A ". DUMP B. Iocide. Te	AND PULI Ail 35' oi	MERGES TO PRO L OUT OF HOLE V F CLASS H CEME 0#'S, NIPPLE UP V	GRESS TO PLI VITH EQUIPMI NT. CIRCULAT	UG AND ABA ENT. TOP PEI TE WELLBOR	NDONMENT. RF IS AT 9,337', E CLEAN WITH
PR RU BR AT	OCEDURE TO IN IN AND SE INE WATER I	) TA: T CIB	RIG UP, KI 3P AT 9,237	ILL WEL, A ". DUMP B. IOCIDE. TE Lil	AND PULI AIL 35' OF EST TO 50	MERGES TO PRO L OUT OF HOLE V F CLASS H CEME 0#'S, NIPPLE UP V from BLM	GRESS TO PLI VITH EQUIPMI NT. CIRCULAT	UG AND ABA ENT. TOP PEI TE WELLBOR	NDONMENT. RF IS AT 9,337', E CLEAN WITH
PR RU BR AT	OCEDURE TO IN IN AND SE INE WATER I	) TA: T CIB	RIG UP, KI 3P AT 9,237	ILL WEL, A ". DUMP B. IOCIDE. TE Lil	AND PULI AIL 35' OI EST TO 50 Ke approval f	MERGES TO PRO L OUT OF HOLE V F CLASS H CEME 0#'S, NIPPLE UP V from BLM	GRESS TO PLI VITH EQUIPMI NT. CIRCULAT	UG AND ABA ENT. TOP PEI TE WELLBOR	NDONMENT. RF IS AT 9,337', E CLEAN WITH
PR RU BR AT	OCEDURE TO IN IN AND SE INE WATER I	) TA: T CIB	RIG UP, KI 3P AT 9,237	ILL WEL, A ". DUMP B. IOCIDE. TE Lil	AND PULI AIL 35' OI EST TO 50 Ke approval f	MERGES TO PRO L OUT OF HOLE V F CLASS H CEME 0#'S, NIPPLE UP V from BLM	GRESS TO PLI VITH EQUIPMI NT. CIRCULAT	UG AND ABA ENT. TOP PEI TE WELLBOR	NDONMENT. RF IS AT 9,337', E CLEAN WITH
PR RU BR AT Spud Date:	OCEDURE TO IN IN AND SE INE WATER I TACHED.	) TA: T CIB MIXE	RIG UP, KI P AT 9,237 D WITH BI	ILL WEL, A ". DUMP B. IOCIDE. TE Lil Rig	AND PULI AIL 35' OI EST TO 50 ce approval Release D	MERGES TO PRO L OUT OF HOLE V F CLASS H CEME 0#'S, NIPPLE UP V from BLM	GRESS TO PL VITH EQUIPMI NT. CIRCULA VELLHEAD AI	UG AND ABA ENT. TOP PEI TE WELLBOR	NDONMENT. RF IS AT 9,337', E CLEAN WITH
PR RU BR AT Spud Date:	OCEDURE TO IN IN AND SE INE WATER I TACHED.	) TA: T CIB MIXE	RIG UP, KI P AT 9,237 D WITH BI	ILL WEL, A ". DUMP B. IOCIDE. TE Lil Rig	AND PULI AIL 35' OI EST TO 50 ce approval Release D	MERGES TO PRO L OUT OF HOLE V F CLASS H CEME 0#'S, NIPPLE UP V from BLM ate:	GRESS TO PL VITH EQUIPMI NT. CIRCULA VELLHEAD AI	UG AND ABA ENT. TOP PEI TE WELLBOR	NDONMENT. RF IS AT 9,337', E CLEAN WITH
PR RU BR AT Spud Date:	OCEDURE TO IN IN AND SE INE WATER I TACHED.	) TA: T CIB MIXE	RIG UP, KI P AT 9,237 D WITH BI	ILL WEL, A ". DUMP B. IOCIDE. TE Lil Rig	AND PULI AIL 35' OI EST TO 50 Release D ete to the b	MERGES TO PRO L OUT OF HOLE V F CLASS H CEME 0#'S, NIPPLE UP V from BLM ate:	GRESS TO PL VITH EQUIPMI NT. CIRCULAT VELLHEAD AN ge and belief.	UG AND ABA ENT. TOP PEI TE WELLBOR	NDONMENT. RF IS AT 9,337', E CLEAN WITH N. WELLBORE I
PR RU BR AT Spud Date:	OCEDURE TO IN IN AND SE INE WATER I TACHED. that the inform	TA: T CIB MIXE	RIG UP, KI P AT 9,237 D WITH BI	ILL WEL, A ". DUMP B. OCIDE. TE Lil Rig	AND PULI AIL 35' OI EST TO 50 Release D ete to the b	MERGES TO PRO	GRESS TO PL VITH EQUIPMI NT. CIRCULAT VELLHEAD AN ge and belief.	UG AND ABA ENT. TOP PEH TE WELLBOR ND RIG DOW	NDONMENT. RF IS AT 9,337', E CLEAN WITH N. WELLBORE I

•

even by WCD: 1/25/2024 2:59:57 PM .S. Department of the Interior UREAU OF LAND MANAGEMENT		Sundry Print Repo
Well Name: SD WE 15 FED P9	Well Location: T26S / R32E / SEC 15 / SESE / 32.035506 / -103.658475	County or Parish/State: LEA / NM
Well Number: 5H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM118722	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254364000S1	Well Status: Producing Oil Well	<b>Operator:</b> CHEVRON USA INCORPORATED

**Notice of Intent** 

Sundry ID: 2759013

ed for Record Only

Type of Submission: Notice of Intent

Date Sundry Submitted: 11/01/2023

Date proposed operation will begin: 11/01/2023

Type of Action: Temporary Abandonment

Time Sundry Submitted: 08:41

Procedure Description: CHEVRON USA INC IS REQUESTING TO TEMPORARY ABANDON THE ABOVE WELL. THIS WELLBORE IS BEING PROPOSES FOR TEMPORARY ABANDONMENT DUE TO BECOMING UNECONOMIC FROM WATER INFLUX PROHIBITING THE PRODUCTION OF HYDROCARBONS. THE TA OF THIS WELLBORE ALLOWS FURTHER INVESTIGATION AND PLANNING ON HOW TO RETURN WELL TO PRESERVE WELLBORE SHOULD A WAY TO ECONOMICALLY PRODUCE EMERGES TO PROGRESS TO PLUG AND ABANDONMENT. PROCEDURE TO TA: RIG UP, KILL WEL, AND PULL OUT OF HOLE WITH EQUIPMENT. TOP PERF IS AT 9,337', RUN IN AND SET CIBP AT 9,237'. DUMP BAIL 35' OF CLASS H CEMENT. CIRCULATE WELLBORE CLEAN WITH BRINE WATER MIXED WITH BIOCIDE. TEST TO 500#'S, NIPPLE UP WELLHEAD AND RIG DOWN. WELLBORE IS ATTACHED.

**Surface Disturbance** 

Is any additional surface disturbance proposed?: No

**NOI Attachments** 

**Procedure Description** 

SD\_wE\_15\_FED\_P9\_5h\_TA\_WBD\_20231101084136.pdf

eceived by OCD: 1/25/2024 2:59:57 PM Well Name: SD WE 15 FED P9	Well Location: T26S / R32E / SEC 15 / SESE / 32.035506 / -103.658475	County or Parish/State: LEC 3 of NM
Well Number: 5H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM118722	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254364000S1	Well Status: Producing Oil Well	<b>Operator:</b> CHEVRON USA INCORPORATED
Conditions of Approv	al	
Specialist Review		

TA\_COA\_20240125130728.pdf

## **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature	CINDY HERRERA-MURILLO	Signed on: NOV 01, 2023 08:41 AM
Name: CHEVRON USA INCORI	PORATED	
Title: Permitting Specialist		
Street Address: 1616 W. Bende	er Blvd	
City: Hobbs	State: NM	
Phone: (575) 263-0431		
Email address: EEOF@CHEVF	CON.COM	
Field		
Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		
<b>BLM Point of Contact</b>		

BLM POC Name: JONATHON W SHEPARDBLM POC Phone: 5752345972Disposition: ApprovedSignature: Jonathon Shepard

BLM POC Title: Petroleum Engineer BLM POC Email Address: jshepard@blm.gov

Disposition Date: 01/25/2024

#### R

Received by OCD: 1/25/2	024 2::	59:57 PM			Page 4 of
Form 3160-5 (June 2019)		UNITED STATI ARTMENT OF THE I EAU OF LAND MAN	INTERIOR	E 5. Lease Serial No.	FORM APPROVED OMB No. 1004-0137 xpires: October 31, 2021 NMNM118723
Do not use	this f		ORTS ON WELLS to drill or to re-enter an APD) for such proposals.	6. If Indian, Allottee	
SUB	MIT IN T	RIPLICATE - Other instr	uctions on page 2	7. If Unit of CA/Ag	reement, Name and/or No.
1. Type of Well   Image: Oil Well	Gas W	/ell Other		8. Well Name and N	<sup>0.</sup> SD WE 15 FED P9/5H
2. Name of Operator CHEVRO	ON USA	INCORPORATED		9. API Well No. 300	2543640
3a. Address POBOX 1635,			3b. Phone No. <i>(include area code)</i> (661) 654-7256	10. Field and Pool o	
4. Location of Well <i>(Footage, S</i> SEC 15/T26S/R32E/NMP	Sec., T.,R	.,M., or Survey Description,	)	11. Country or Paris LEA/NM	h, State
1	12. CHE	CK THE APPROPRIATE B	OX(ES) TO INDICATE NATURE O	F NOTICE, REPORT OR O	THER DATA
TYPE OF SUBMISSIO	N		ТҮРЕ	OF ACTION	
✓ Notice of Intent		Acidize	Deepen [ Hydraulic Fracturing	Production (Start/Resume Reclamation	) Water Shut-Off Well Integrity
Subsequent Report		Casing Repair	New Construction     Plug and Abandon	Recomplete	Other
Final Abandonment Not	ice	Convert to Injection	Plug Back	Water Disposal	
the proposal is to deepen d the Bond under which the v completion of the involved completed. Final Abandom is ready for final inspection CHEVRON USA INC I	irectional work will operatio ment Not i.) S REQU	Ily or recomplete horizontal l be perfonned or provide th ons. If the operation results i cices must be filed only after JESTING TO TEMPORA	ly, give subsurface locations and mease e Bond No. on file with BLM/BIA. R n a multiple completion or recompleti	sured and true vertical depth equired subsequent reports n ion in a new interval, a Form ion, have been completed and L. THIS WELLBORE IS B	3160-4 must be filed once testing has been the operator has detennined that the site
			IS WELLBORE ALLOWS FURTH		
PROGRESS TO PLUG			E SHOULD A WAY TO ECONOMI	CALLY PRODUCE EMER	GES 10

PROCEDURE TO TA: RIG UP, KILL WEL, AND PULL OUT OF HOLE WITH EQUIPMENT. TOP PERF IS AT 9,337', RUN IN AND SET CIBP AT 9,237'. DUMP BAIL 35' OF CLASS H CEMENT. CIRCULATE WELLBORE CLEAN WITH BRINE WATER MIXED WITH BIOCIDE. TEST TO 500#'S, NIPPLE UP WELLHEAD AND RIG DOWN. WELLBORE IS ATTACHED.

14. I hereby certify that the foregoing is true and correct. Name ( <i>Printed/Typed</i> ) CINDY HERRERA-MURILLO / Ph: (575) 263-0431	Permitting Specialist Title		
(Electronic Submission) Signature	Date	11/01/	2023
THE SPACE FOR FEI	DERAL OR STATE	OFICE USE	
Approved by JONATHON W SHEPARD / Ph: (575) 234-5972 / Approved	Petroleum	n Engineer	01/25/2024

JONATHON W SHEPARD / Ph: (575) 234-5972 / Approved	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office CARLSBAD	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

#### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

#### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

*Item 13:* Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

#### NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240


## **Additional Information**

### Location of Well

0. SHL: SESE / 12 FSL / 1471 FEL / TWSP: 26S / RANGE: 32E / SECTION: 15 / LAT: 32.035506 / LONG: -103.658475 (TVD: 0 feet, MD: 0 feet) PPP: NWNE / 180 FNL / 2310 FEL / TWSP: 26S / RANGE: 32E / SECTION: 15 / LAT: 32.049673 / LONG: -103.661126 (TVD: 9001 feet, MD: 9151 feet) BHL: NWNE / 180 FSL / 2310 FEL / TWSP: 26S / RANGE: 32E / SECTION: 15 / LAT: 32.049673 / LONG: -103.661126 (TVD: 9048 feet, MD: 14005 feet)

# SD WE 15 FED P9 5H


API#:	30-025-43640	Spud	4/21/2017
Chevno:	PK8755	Complete	10/30/2017
Field:	Jennings	Elevation	3157
County	Lea County, Nm	KB	33



<u>Surface Casing</u> 13-3/8" 54.5#/ft J-55 Set @ 689'

Intermediate Casing: 9-5/8" L-80 40#/ft Set @ 4533'





Set @ 13,985'

Delement de Les maines 1/20/2024 11.44.54 434

## **BUREAU OF LAND MANAGEMENT**

### Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

## **Conditions of Approval for Temporary Abandonment of Wells**

**Definition:** A temporarily abandoned well is a completion that is not capable of production in paying quantities, but which may have future value. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.


- 1. TA status will be effective for a period of up to one year from the date of sundry approval and can be renewed annually thereafter per IM NM-2016-017.
- 2. A bridge plug (CIBP) must be installed 50 to 100 feet above any open perforations/open hole/kick off point. The CIBP must be capped with either a minimum of 25 sacks of cement if placed with tubing or 35 feet of cement if placed with a bailer. The top of the cement must be verified by tagging.
- 3. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes. If the well does not pass the casing integrity test, then the operator shall, within 30 days, submit a procedure to either repair the casing or to plug and abandon the well.
- 4. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-393-3612.
- 5. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if it is not isolated by a packer.
- 6. A bradenhead test must be conducted. If the test indicates a problem, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
- 7. Submit a subsequent Sundry Notice (Form 3160-5) with the following information:
  - a. A well bore diagram with all perforations, CIBP's, and tops of cement on CIBP's.
  - b. A description of the temporary abandonment procedure.
  - c. A clear copy or the original of the pressure test chart.

NOI TA- (API # 30-025-43640)

THIS WELLBORE IS BEING PROPOSES FOR TEMPORARY ABANDONMENT DUE TO BECOMING UNECONOMIC FROM WATER INFLUX PROHIBITING THE PRODUCTION OF HYDROCARBONS. THE TA OF THIS WELLBORE ALLOWS FURTHER INVESTIGATION AND PLANNING ON HOW TO RETURN WELL TO PRESERVE WELLBORE SHOULD A WAY TO ECONOMICALLY PRODUCE EMERGES TO PROGRESS TO PLUG AND ABANDONMENT. PROCEDURE TO TA: RIG UP, KILL WEL, AND PULL OUT OF HOLE WITH EQUIPMENT. TOP PERF IS AT 9,337', RUN IN AND SET CIBP AT 9,237'. DUMP BAIL 35' OF CLASS H CEMENT. CIRCULATE WELLBORE CLEAN WITH BRINE WATER MIXED WITH BIOCIDE. TEST TO 500#'S, NIPPLE UP WELLHEAD AND RIG DOWN. WELLBORE IS ATTACHED.


# SD WE 15 FED P9 5H

API#:	30-025-43640	Spud	4/21/2017
Chevno:	PK8755	Complete	10/30/2017
Field:	Jennings	Elevation	3157
County	Lea County, Nm	КВ	33



Surface Casing 13-3/8" 54.5#/ft J-55 Set @ 689'

Intermediate Casing: 9-5/8" L-80 40#/ft Set @ 4533'



5-1/2" 20#/ft P-110 Set @ 13,985'

Delement to Increase 1/20/2024 11.44.54 434


# SD WE 15 FED P9 5H

API#:	30-025-43640	Spud	4/21/2017
Chevno:	PK8755	Complete	10/30/2017
Field:	Jennings	Elevation	3157
County	Lea County, Nm	КВ	33

Surface Casing 13-3/8" 54.5#/ft J-55 Set @ 689'

Intermediate Casing: 9-5/8" L-80 40#/ft Set @ 4533'





Set @ 13,985'

Delement de Les maines 1/20/2024 11.44.54 434

District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

## **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
CHEVRON U S A INC	4323
6301 Deauville Blvd	Action Number:
Midland, TX 79706	308099
	Action Type:
	[C-103] NOI Temporary Abandonment (C-103I)

#### CONDITIONS

Created By		Condition Date
kfortner	Like approval from BLM	1/30/2024

CONDITIONS

Action 308099