

Well Name: TEA OLIVE FED COM 25 36 33	Well Location: T26S / R36E / SEC 4 / NWNE / 32.0789478 / -103.2692425	County or Parish/State: LEA / NM
Well Number: 115H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM136233	Unit or CA Name:	Unit or CA Number:
US Well Number: 300255074200X1	Well Status: Drilling Well	Operator: AMEREDEV OPERATING LLC

Notice of Intent

Sundry ID: 2741830

Type of Submission: Notice of Intent	Type of Action: APD Change
Date Sundry Submitted: 07/19/2023	Time Sundry Submitted: 01:36
Date proposed operation will begin: 09/15/2023	

Procedure Description: As per correspondence with Allison Morency with verbal agreement, this should serve as official communication to change current APDs as we are requesting the removal of the DV Tool on intermediate strings. In the event that we do not get cement back to surface on the Intermediate string, we will remediate by performing a Bradenhead squeeze to top out the cement on Intermediate. Please see attached procedure.

NOI Attachments

Procedure Description

ADEV_PROCEDURE_LETTER_20231127_20231127102628.pdf

Received by OCD: 1/2/2024 12:48:43 PM

Page 2 of 8

Well Name: TEA OLIVE FED COM 25 36 33	Well Location: T26S / R36E / SEC 4 / NWNE / 32.0789478 / -103.2692425	County or Parish/State: LEA / NM
Well Number: 115H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM136233	Unit or CA Name:	Unit or CA Number:
US Well Number: 300255074200X1	Well Status: Drilling Well	Operator: AMEREDEV OPERATING LLC

Conditions of Approval

Additional
DV_tool_to_Bradenhead__Sundry_2741830__20231219153543.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: CHRISTIE HANNA	Signed on: NOV 27, 2023 10:26 AM
Name: AMEREDEV OPERATING LLC	
Title: Senior Engineering Technician	
Street Address: 2901 VIA FORTUNA, SUITE 600	
City: AUSTIN	State: TX
Phone: (737) 300-4723	
Email address: CHANNA@AMEREDEV.COM	

Field

Representative Name: Joel Kaufman	
Street Address: 2901 Via Fortuna, Ste. 600	
City: Austin	State: TX
Phone: (737)300-4700	Zip: 78746
Email address: drillingengineering@ameredev.com	

BLM Point of Contact

BLM POC Name: CHRISTOPHER WALLS	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752342234	BLM POC Email Address: cwalls@blm.gov
Disposition: Approved	Disposition Date: 12/20/2023
Signature: Chris Walls	

Form 3160-5
(June 2019)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.	
6. If Indian, Allottee or Tribe Name	
7. If Unit of CA/Agreement, Name and/or No.	
8. Well Name and No.	
9. API Well No.	
10. Field and Pool or Exploratory Area	
11. Country or Parish, State	

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)	Title
Signature	Date

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: NWNE / 230 FNL / 2380 FEL / TWSP: 26S / RANGE: 36E / SECTION: 4 / LAT: 32.0789478 / LONG: -103.2692425 (TVD: 0 feet, MD: 0 feet)

PPP: SWSE / 100 FSL / 2318 FEL / TWSP: 25S / RANGE: 36E / SECTION: 33 / LAT: 32.0798549 / LONG: -103.2690431 (TVD: 11648 feet, MD: 12226 feet)

PPP: SWNE / 2640 FSL / 2399 FEL / TWSP: 25S / RANGE: 36E / SECTION: 28 / LAT: 32.1013494 / LONG: -103.2690453 (TVD: 11666 feet, MD: 20037 feet)

PPP: SWSE / 0 FSL / 2372 FEL / TWSP: 25S / RANGE: 36E / SECTION: 28 / LAT: 32.0940927 / LONG: -103.2690422 (TVD: 11666 feet, MD: 17396 feet)

BHL: NWNE / 50 FNL / 2318 FEL / TWSP: 25S / RANGE: 36E / SECTION: 28 / LAT: 32.1084626 / LONG: -103.2690482 (TVD: 11666 feet, MD: 22624 feet)

The following language is substituted on the below wells (WOC and other requirements remain the same) per Sundry 2741830:

- TEA OLIVE FED COM 25 36 33 115H (3002550742)

REMOVING THE DV TOOL LANGUAGE:

Operator has proposed a DV tool, the depth may be adjusted as long as the cement is changed proportionally. The DV tool may be cancelled if cement circulates to surface on the first stage.

- a. First stage to DV tool: Cement to circulate. If cement does not circulate off the DV tool, contact the appropriate BLM office before proceeding with second stage cement job.
- b. Second stage above DV tool:
 - Cement to surface. If cement does not circulate, contact the appropriate BLM office.

REPLACE WITH CONTINGENCY BRADENHEAD SQUEEZE:

Operator has proposed to cement in two stages by conventionally cementing the first stage and performing a bradenhead squeeze on the second stage, contingent upon no returns to surface.

- a. First stage: Operator will cement with intent to reach the top of the **Capitan Reef**
- b. Second stage:
 - Operator will perform bradenhead squeeze and top-out. Cement to surface. If cement does not reach surface, the appropriate BLM office shall be notified.

Operator must run a CBL from TD of the intermediate casing to surface after the second stage BH to verify TOC. Submit results to the BLM. No displacement fluid/wash out shall be utilized at the top of the cement slurry between second stage BH and top out.

Operator must use a limited flush fluid volume of 1 bbl following backside cementing procedures.



November 27, 2023

ATTN: Chris Walls/Allison Morency
BLM Carlsbad
620 E. Greene St.
Carlsbad, NM 88220

Ameredev is proposing removal of the DV tool on intermediate casing strings. In the event Ameredev does not get cement back to surface on the intermediate string, we will remediate following the procedure below:

If cement does not reach surface, Ameredev will conduct the following steps:

- 1) Conduct CBL to locate cement top.
- 2) Notify BLM engineer of cement top.
- 3) If cement does not meet the requirements with CBL, call and discuss the process for remediation as required with BLM on-call engineer, to determine if Bradenhead squeeze or perf & circulate will be required.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 298960

CONDITIONS

Operator: AMEREDEV OPERATING, LLC 2901 Via Fortuna Austin, TX 78746	OGRID: 372224
	Action Number: 298960
	Action Type: [C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created By	Condition	Condition Date
pkautz	Must bring cement to the surface on Intermediate casing string.	2/2/2024
pkautz	IF ON ANY STRING CEMENT DOES NOT CIRCULATE, A CBL MUST BE RUN ON THAT STRING OF CASING.	2/2/2024
pkautz	WHEN PERFORMING A BRADENHEAD CEMENT JOB A CBL MUST BE RUN BEFORE AND AFTER THE BRADENEAD CEMENT JOB.	2/2/2024