

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. PO BOX 50250 MIDLAND, TX 79710		² OGRID Number 16696
		³ Reason for Filing Code/ Effective Date NW - 05/20/2023
⁴ API Number 30 - 015-47625	⁵ Pool Name WC 22S31E13; WOLFCAMP	
	⁶ Pool Code 98351	
⁷ Property Code 329719	⁸ Property Name Top Spot 12 13 Federal Com	
	⁹ Well Number 313H	

II. ¹⁰ Surface Location

UL or lot no. P	Section 13	Township 22S	Range 31E	Lot Idn	Feet from the 311	North/South Line South	Feet from the 1310	East/West line East	County Eddy
--------------------	---------------	-----------------	--------------	---------	----------------------	---------------------------	-----------------------	------------------------	----------------

¹¹ Bottom Hole Location

UL or lot no. A	Section 12	Township 22S	Range 31E	Lot Idn	Feet from the 45	North/South line North	Feet from the 1216	East/West line East	County Eddy
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 5/23/2023	¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
237722	Centurion Pipeline L.P.	O
248749	DCP Midstream, L.P.	G

IV. Well Completion Data

²¹ Spud Date 11/23/2022	²² Ready Date 05/20/2023	²³ TD 22475' MD, 11953' TVD	²⁴ PBTD 22430' MD, 11953' TVD	²⁵ Perforations 12,109' – 22,334'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
14 3/4"		10 3/4" 45.5# J55 BTC		893'	855sx - TOC 0'
9 7/8"		7 5/8" 26.4# HCL80		11168'	1268sx - TOC 0'
6 3/4"		5 1/2" 20# P110		22455'	872sx - TOC 8922'

V. Well Test Data

³¹ Date New Oil 05/23/2023	³² Gas Delivery Date 05/23/2023	³³ Test Date 05/29/2023	³⁴ Test Length 24 Hours	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 2525
³⁷ Choke Size 0	³⁸ Oil 5105	³⁹ Water 8046	⁴⁰ Gas 7174		⁴¹ Test Method Flowing

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 	OIL CONSERVATION DIVISION	
Printed name: Sarah McKinney	Approved by:	
Title: Regulatory Analyst Sr.	Title:	
E-mail Address: sarah_mckinney@oxy.com	Approval Date:	
Date: 06/27/2023	Phone: 713-215-7295	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102 Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

As-Drilled Plat

WELL LOCATION AND ACERAGE DEDICATION PLAT

¹ API Number 30-015-47625	² Pool Code 98351	³ Pool Name WC 22S31E13, WOLFCAMP
⁴ Property Code 329719	⁵ Property Name TOP SPOT 12 13 FEDERAL COM	⁶ Well Number 313H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁹ Elevation 3581'


¹⁰ Surface Location

UL or lot no. P	Section 13	Township 22S	Range 31E	Lot Idn	Feet from the 311	North/South line South	Feet from the 1310	East/West line East	County EDDY
--------------------	---------------	-----------------	--------------	---------	----------------------	---------------------------	-----------------------	------------------------	----------------

¹¹ Bottom Hole Location If Different From Surface

UL or lot no. A	Section 12	Township 22S	Range 31E	Lot Idn	Feet from the 45	North/South line North	Feet from the 1216	East/West line East	County EDDY
¹² Dedicated Acres 640.00	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.





Oxy Top Spot 12_13 Federal Com 313H Gyro+Corrected MWD to 22475ft Survey Geodetic Report (Def Survey)



Report Date: February 24, 2023 - 08:30 AM Client: OXY Field: NM Eddy County (NAD 83) Structure / Slot: Oxy Top Spot 12_13 Federal Com Pad (Patterson 882) / Top Spot 12_13 Federal Com 313H Well: Top Spot 12_13 Federal Com 313H Borehole: Top Spot 12_13 Federal Com 313H UWI / API#: Unknown / 30-015-47625 Survey Name: Oxy Top Spot 12_13 Federal Com 313H Gyro+Corrected MWD to 22475ft Survey Date: December 18, 2022 Tort / AHD / DDI / ERD Ratio: 354.371 ° / 11394.811 ft / 6.880 / 0.953 Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet Location Lat / Long: N 32° 23' 6.35804", W 103° 43' 37.88766" Location Grid N/E Y/X: N 504360.800 ftUS, E 728446.300 ftUS CRS Grid Convergence Angle: 0.3247 ° Grid Scale Factor: 0.99994919 Version / Patch: 2.10.834.0	Survey / DLS Computation: Minimum Curvature / Lubinski Vertical Section Azimuth: 0.369 ° (Grid North) Vertical Section Origin: 0.000 ft, 0.000 ft TVD Reference Datum: RKB TVD Reference Elevation: 3605.600 ft above MSL Seabed / Ground Elevation: 3580.600 ft above MSL Magnetic Declination: 6.690 ° Total Gravity Field Strength: 998.4583mgn (9.80665 Based) Gravity Model: GARM Total Magnetic Field Strength: 47769.800 nT Magnetic Dip Angle: 60.128 ° Declination Date: February 13, 2023 Magnetic Declination Model: IFR1 North Reference: Grid North Grid Convergence Used: 0.3300 ° Total Corr Mag North->Grid 6.3600 ° Local Coord Referenced To: Well Head	
--	---	--

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (ft/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S °)	Longitude (E/W °)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	504360.80	728446.30	N 32.385099	W 103.727191
First Gyro Survey	25.00	0.00	0.00	25.00	0.00	0.00	0.00	0.00	0.00	0.00	504360.74	728446.30	N 32.385099	W 103.727191
	101.43	0.30	252.73	101.43	-0.06	-0.06	-0.19	0.39	0.20	252.73	504360.74	728446.11	N 32.385099	W 103.727192
	159.61	0.32	142.12	159.61	-0.23	-0.23	-0.24	0.88	0.33	225.48	504360.57	728446.06	N 32.385099	W 103.727192
	243.32	0.30	227.23	243.32	-0.57	-0.57	-0.25	0.50	0.62	204.17	504360.23	728446.05	N 32.385098	W 103.727192
	339.67	0.51	217.35	339.67	-1.08	-1.08	-0.70	0.23	1.29	212.97	504359.72	728445.60	N 32.385097	W 103.727193
Last Gyro Survey First SLB Survey	433.94	0.69	215.87	433.93	-1.88	-1.87	-1.29	0.19	2.27	214.50	504358.93	728445.01	N 32.385094	W 103.727195
	528.12	0.64	216.13	528.10	-2.77	-2.76	-1.93	0.05	3.36	214.99	504358.04	728444.37	N 32.385092	W 103.727197
	622.24	0.76	197.19	622.22	-3.79	-3.78	-2.42	0.28	4.49	212.68	504357.02	728443.88	N 32.385089	W 103.727199
	716.55	0.70	199.06	716.52	-4.94	-4.92	-2.80	0.07	5.66	209.62	504355.88	728443.50	N 32.385086	W 103.727200
	810.88	0.62	203.03	810.84	-5.95	-5.93	-3.18	0.10	6.73	208.22	504354.87	728443.12	N 32.385083	W 103.727201
	889.18	0.55	210.31	889.14	-6.67	-6.65	-3.54	0.13	7.53	208.03	504354.15	728442.76	N 32.385081	W 103.727203
	985.00	0.19	188.75	984.96	-7.23	-7.20	-3.80	0.40	8.14	207.79	504353.60	728442.50	N 32.385080	W 103.727203
	1079.00	0.24	152.10	1078.96	-7.55	-7.53	-3.73	0.15	8.40	206.34	504353.27	728442.57	N 32.385079	W 103.727203
	1172.00	0.24	185.16	1171.96	-7.92	-7.90	-3.65	0.15	8.70	204.83	504352.90	728442.65	N 32.385078	W 103.727203
	1265.00	0.11	103.46	1264.96	-8.13	-8.11	-3.58	0.27	8.87	203.84	504352.69	728442.72	N 32.385077	W 103.727203
	1358.00	0.25	101.26	1357.96	-8.19	-8.17	-3.30	0.15	8.81	201.98	504352.63	728443.00	N 32.385077	W 103.727202
	1451.00	0.23	14.77	1450.95	-8.05	-8.03	-3.05	0.35	8.59	200.81	504352.77	728443.25	N 32.385077	W 103.727201
	1544.00	0.23	339.70	1543.95	-7.69	-7.67	-3.07	0.15	8.27	201.80	504353.13	728443.23	N 32.385078	W 103.727201
	1638.00	0.23	284.32	1637.95	-7.47	-7.45	-3.32	0.23	8.16	204.00	504353.35	728442.98	N 32.385079	W 103.727202
	1701.00	0.23	179.45	1700.95	-7.57	-7.55	-3.44	0.58	8.29	204.50	504353.25	728442.86	N 32.385079	W 103.727202
	1795.00	0.17	211.71	1794.95	-7.88	-7.85	-3.51	0.13	8.60	204.08	504352.95	728442.79	N 32.385078	W 103.727203
	1890.00	0.10	179.83	1889.95	-8.08	-8.06	-3.58	0.11	8.82	203.98	504352.74	728442.72	N 32.385077	W 103.727203
	1985.00	0.18	114.68	1984.95	-8.22	-8.20	-3.45	0.17	8.90	202.80	504352.60	728442.85	N 32.385077	W 103.727202
	2080.00	0.17	136.92	2079.95	-8.39	-8.37	-3.22	0.07	8.96	201.93	504352.43	728443.08	N 32.385077	W 103.727202
	2175.00	0.17	170.74	2174.95	-8.63	-8.61	-3.10	0.10	9.15	199.79	504352.19	728443.20	N 32.385076	W 103.727201
	2269.00	0.12	16.92	2268.95	-8.67	-8.65	-3.05	0.30	9.17	199.40	504352.15	728443.25	N 32.385076	W 103.727201
	2364.00	0.14	172.89	2363.95	-8.69	-8.67	-3.00	0.27	9.18	199.10	504352.13	728443.30	N 32.385076	W 103.727201
	2459.00	0.17	23.28	2458.95	-8.68	-8.66	-2.93	0.32	9.14	198.71	504352.14	728443.37	N 32.385076	W 103.727201
	2553.00	0.14	184.47	2552.95	-8.66	-8.64	-2.89	0.33	9.11	198.47	504352.16	728443.41	N 32.385076	W 103.727201
	2648.00	0.14	217.49	2647.95	-8.87	-8.85	-2.97	0.08	9.34	198.53	504351.95	728443.33	N 32.385075	W 103.727201
2743.00	0.10	8.71	2742.95	-8.88	-8.86	-3.02	0.24	9.36	198.84	504351.94	728443.28	N 32.385075	W 103.727201	
2837.00	0.14	168.76	2836.95	-8.91	-8.89	-2.99	0.25	9.38	198.58	504351.91	728443.31	N 32.385075	W 103.727201	
2932.00	0.18	61.48	2931.95	-8.95	-8.94	-2.84	0.27	9.38	197.61	504351.86	728443.46	N 32.385075	W 103.727200	
3026.00	0.20	31.98	3025.95	-8.74	-8.73	-2.62	0.10	9.11	196.71	504352.07	728443.68	N 32.385076	W 103.727200	
3121.00	0.13	118.98	3120.95	-8.65	-8.64	-2.44	0.25	8.98	195.76	504352.16	728443.86	N 32.385076	W 103.727199	
3216.00	0.16	331.10	3215.95	-8.59	-8.57	-2.41	0.29	8.91	195.68	504352.23	728443.89	N 32.385076	W 103.727199	
3310.00	0.16	244.79	3309.95	-8.53	-8.52	-2.59	0.23	8.90	196.91	504352.29	728443.71	N 32.385076	W 103.727200	
3405.00	0.16	151.06	3404.95	-8.70	-8.69	-2.65	0.25	9.08	196.93	504352.11	728443.65	N 32.385076	W 103.727200	
3500.00	0.17	331.10	3499.95	-8.70	-8.68	-2.65	0.35	9.08	196.97	504352.12	728443.65	N 32.385076	W 103.727200	
3594.00	0.19	146.95	3593.95	-8.71	-8.69	-2.63	0.38	9.08	196.85	504352.11	728443.67	N 32.385076	W 103.727200	
3689.00	0.20	82.26	3688.95	-8.81	-8.80	-2.38	0.22	9.12	195.14	504352.00	728443.92	N 32.385075	W 103.727199	
3784.00	0.24	111.04	3783.95	-8.86	-8.85	-2.03	0.12	9.08	192.93	504351.95	728444.27	N 32.385075	W 103.727198	
3879.00	0.17	32.52	3878.95	-8.81	-8.80	-1.77	0.28	8.98	191.37	504352.00	728444.53	N 32.385075	W 103.727197	
3973.00	0.17	130.43	3972.95	-8.89	-8.87	-1.46	0.46	8.96	189.36	504351.92	728444.84	N 32.385075	W 103.727196	
4068.00	0.30	126.08	4067.94	-9.23	-9.23	-1.03	0.08	9.28	186.37	504351.58	728445.27	N 32.385074	W 103.727195	
4163.00	0.43	96.22	4162.94	-9.41	-9.41	-0.47	0.24	9.42	182.88	504351.39	728445.83	N 32.385074	W 103.727193	
4257.00	0.20	339.22	4256.94	-9.30	-9.30	-0.18	0.59	9.30	181.12	504351.51	728446.12	N 32.385074	W 103.727192	
4352.00	0.29	352.63	4351.94	-8.90	-8.90	-0.27	0.11	8.91	181.75	504351.90	728446.03	N 32.385075	W 103.727192	
4447.00	0.41	316.67	4446.94	-8.42	-8.42	-0.54	0.26	8.43	183.64	504352.38	728445.76	N 32.385076	W 103.727193	
4542.00	0.16	283.67	4541.94	-8.14	-8.14	-0.90	0.30	8.19	186.29	504352.66	728445.40	N 32.385077	W 103.727194	
4636.00	0.23	207.98	4635.94	-8.28	-8.27	-1.11	0.26	8.35	187.67	504352.53	728445.19	N 32.385077	W 103.727195	
4731.00	0.08	70.37	4730.94	-8.43	-8.42	-1.14	0.31	8.50	187.71	504352.38	728445.16	N 32.385076	W 103.727195	
4826.00	0.17	16.82	4825.94	-8.27	-8.26	-1.04	0.15	8.33	187.16	504352.54	728445.26	N 32.385077	W 103.727195	
4921.00	0.14	89.96	4920.94	-8.13	-8.13	-0.88	0.20	8.60	186.18	504352.67	728445.42	N 32.385077	W 103.727194	
5016.00	0.17	114.19	5015.94	-8.18	-8.18	-0.64	0.08	8.21	184.44	504352.82	728445.66	N 32.385077	W 103.727193	
5110.00	0.28	346.65	5109.94	-8.02	-8.02	-0.56	0.43	8.04	184.01	504352.78	728445.74	N 32.385077	W 103.727193	
5205.00	0.23	351.59	5204.93	-7.61	-7.60	-0.64	0.06	7.63	184.83	504353.20	728445.66	N 32.385079	W 103.727193	
5300.00	0.28	44.11	5299.93	-7.25	-7.25	-0.51	0.24	7.27	184.02	504353.55	728445.79	N 32.385080	W 103.727193	
5394.00	0.24	303.67	5393.93	-6.98	-6.97	-0.51	0.43	6.99	184.21	504353.83	728445.79	N 32.385080	W 103.727193	
5489.00	0.06	340.82	5488.93	-6.82	-6.82	-0.70	0.21	6.85	185.82	504353.98	728445.60	N 32.385081	W 103.727193	
5584.00	0.10	63.94	5583.93	-6.74	-6.73	-0.64	0.12	6.76	185.41	504354.07	728445.66	N 32.385081	W 103.727193	
5679.00	0.07	154.54	5678.93	-6.75	-6.75	-0.54	0.13	6.77	184.55	504354.05	728445.76	N 32.385081	W 103.727193	
5774.00	0.08	62.77	5773.93	-6.77	-6.77	-0.45	0.11	6.79	183.83	504354.03	728445.85	N 32.385081	W 103.727193	
5868.00	0.11	245.25	5867.93	-6.78	-6.78	-0.48	0.20	6.80	184.03	504354.02	728445.82	N 32.385081	W 103.727193	
5963.00	0.11	348.08	5962.93	-6.73	-6.73	-0.58	0.18	6.79	184.75	504354.07	728445.72	N 32.385081	W 103.727193	
6058.00	0.18	283.15	6057.93	-6.61	-6.61	-0.65	0.16	6.65	186.42	504354.20	728445.56	N 32.385081	W 103.727193	
6153.00	0.10	338.89	6152.93	-6.50	-6.49	-0.92	0.16	6.56	188.05	504354.31	728445.38	N 32.385082	W 103.727194	
6247.00	0.18	261.22	6246.93	-6.45	-6.44	-1.09	0.20	6.53	189.64	504354.36	728445.21			

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (ft/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (NS °)	Longitude (EW °)
	8614.00	11.30	169.23	8599.08	-191.33	-191.52	28.37	1.04	193.61	171.57	504169.29	728474.67	N 32.384573	W 103.727103
	8709.00	11.24	170.23	8692.25	-209.58	-209.78	31.68	0.22	212.16	171.41	504151.03	728477.96	N 32.384522	W 103.727092
	8804.00	11.53	169.66	8785.38	-228.02	-228.25	34.95	0.33	230.91	171.29	504132.56	728481.25	N 32.384472	W 103.727058
	8898.00	11.20	167.20	8877.54	-246.14	-246.39	38.66	0.62	249.41	171.08	504114.96	728484.96	N 32.384422	W 103.727070
	8993.00	10.51	166.89	8970.84	-263.55	-263.83	42.67	0.73	267.26	170.81	504096.99	728488.97	N 32.384374	W 103.727058
	9088.00	9.59	167.13	9064.38	-279.68	-279.98	46.40	0.97	283.80	170.59	504080.83	728492.70	N 32.384329	W 103.727046
	9182.00	9.58	166.88	9157.07	-294.90	-295.23	49.92	0.05	299.42	170.40	504065.58	728496.22	N 32.384287	W 103.727035
	9277.00	9.12	164.48	9250.81	-309.83	-310.19	53.73	0.63	314.80	170.17	504050.63	728500.02	N 32.384246	W 103.727023
	9371.00	9.68	163.98	9343.54	-324.58	-324.96	57.90	0.60	330.08	169.90	504035.86	728504.20	N 32.384205	W 103.727009
	9466.00	9.28	163.37	9437.24	-339.57	-339.98	62.30	0.43	345.64	169.62	504020.84	728508.59	N 32.384164	W 103.726995
	9561.00	8.52	163.37	9531.10	-353.62	-354.06	66.50	0.80	360.25	169.36	504006.76	728512.80	N 32.384125	W 103.726982
	9655.00	8.38	172.35	9624.08	-367.07	-367.52	69.41	0.41	374.02	169.31	503993.30	728515.70	N 32.384098	W 103.726973
	9750.00	8.12	175.67	9718.10	-380.61	-381.07	70.84	0.57	387.60	169.47	503979.75	728517.13	N 32.384051	W 103.726969
	9845.00	8.17	183.76	9812.15	-394.03	-394.50	70.90	1.21	400.82	169.81	503966.32	728517.20	N 32.384014	W 103.726969
	9939.00	7.67	185.56	9905.25	-406.95	-407.41	69.85	0.59	413.35	170.27	503953.42	728516.15	N 32.383979	W 103.726972
	10034.00	7.49	183.69	9999.42	-419.44	-419.89	68.84	0.32	425.50	170.69	503940.93	728515.14	N 32.383944	W 103.726976
	10129.00	7.95	167.70	10093.57	-432.04	-432.49	69.84	2.30	438.10	170.83	503928.33	728516.14	N 32.383910	W 103.726973
	10223.00	9.85	160.77	10186.44	-445.95	-446.44	73.88	2.32	452.51	170.60	503914.39	728520.17	N 32.383871	W 103.726960
	10318.00	10.47	160.40	10279.95	-461.72	-462.24	79.45	0.66	469.02	170.25	503898.58	728525.74	N 32.383828	W 103.726942
	10413.00	8.79	161.44	10373.60	-476.70	-477.26	84.66	1.78	484.71	169.94	503883.57	728530.95	N 32.383786	W 103.726926
	10508.00	7.50	163.56	10467.64	-489.50	-490.08	88.72	1.39	498.05	169.74	503870.74	728535.02	N 32.383751	W 103.726913
	10602.00	6.58	168.57	10560.93	-500.65	-501.25	91.52	1.18	509.54	169.65	503859.58	728537.82	N 32.383720	W 103.726904
	10697.00	5.58	168.11	10655.40	-510.49	-511.10	93.55	1.05	519.59	169.63	503849.12	728539.85	N 32.383683	W 103.726897
	10791.00	6.30	165.02	10748.89	-519.93	-520.56	95.83	0.84	529.30	169.57	503840.27	728542.12	N 32.383667	W 103.726890
	10881.00	6.52	182.68	10937.72	-540.76	-541.41	98.02	1.04	550.21	169.74	503819.42	728544.31	N 32.383610	W 103.726883
	11076.00	6.40	182.11	11032.12	-551.44	-552.06	97.57	0.14	560.64	169.98	503808.75	728543.87	N 32.383581	W 103.726885
	11170.00	5.91	186.19	11125.58	-561.50	-562.13	96.86	0.70	570.41	170.22	503798.70	728543.15	N 32.383553	W 103.726888
	11272.00	3.90	199.72	11227.20	-569.99	-570.62	95.12	2.26	578.49	170.54	503790.21	728541.42	N 32.383530	W 103.726893
	11355.00	4.21	69.18	11310.14	-572.60	-573.22	94.31	4.87	580.93	170.66	503787.61	728540.60	N 32.383522	W 103.726886
	11364.00	0.60	36.79	11319.14	-572.56	-573.18	94.35	4.87	580.89	170.65	503787.65	728540.65	N 32.383523	W 103.726886
	11457.00	15.18	21.30	11411.01	-560.73	-561.38	99.09	1.70	570.06	169.99	503799.45	728545.39	N 32.383555	W 103.726880
	11551.00	26.88	17.90	11498.60	-528.86	-529.58	110.13	1.25	540.91	169.25	503831.25	728556.43	N 32.383642	W 103.726894
	11644.00	33.75	10.82	11578.87	-483.34	-484.13	121.46	8.32	499.14	165.92	503876.69	728561.76	N 32.383767	W 103.726806
	11730.06	33.38	4.24	11650.60	-436.19	-437.02	127.71	4.24	455.30	163.71	503923.80	728574.00	N 32.383896	W 103.726785
	11737.00	33.37	3.71	11656.39	-432.38	-433.21	127.97	4.24	451.72	163.54	503927.61	728574.26	N 32.383907	W 103.726784
	11832.00	39.65	353.98	11732.78	-376.07	-376.89	126.48	8.97	397.55	161.45	503983.93	728577.77	N 32.384062	W 103.726788
	11927.00	51.49	350.36	11799.17	-309.10	-309.86	117.04	12.75	331.23	159.31	504050.96	728563.33	N 32.384246	W 103.726818
	12021.00	65.45	356.27	11848.24	-229.80	-230.50	108.05	15.78	254.56	154.88	504130.32	728554.34	N 32.384464	W 103.726845
	12044.00	66.76	356.87	11857.56	-208.81	-209.51	106.79	6.17	235.15	152.99	504151.31	728553.09	N 32.384522	W 103.726849
	12116.00	70.88	358.66	11883.56	-141.76	-142.44	104.19	6.17	176.47	143.82	504218.37	728550.48	N 32.384706	W 103.726856
	12211.00	78.83	358.72	11908.36	-50.18	-50.83	102.09	8.37	114.05	116.47	504309.97	728548.39	N 32.384958	W 103.726861
	12305.00	89.00	0.47	11918.32	-43.16	-43.15	104.15	10.98	109.99	67.27	504403.31	728547.74	N 32.385015	W 103.726862
	12400.00	89.14	359.47	11919.86	138.14	137.49	101.40	1.06	170.84	36.41	504498.29	728547.69	N 32.385078	W 103.726860
	12495.00	89.61	1.40	11920.90	233.13	232.48	102.12	2.09	253.92	23.71	504593.27	728548.41	N 32.385377	W 103.726856
	12589.00	91.10	1.18	11920.31	327.12	326.45	104.23	1.60	342.69	17.71	504687.24	728550.53	N 32.385995	W 103.726847
	12684.00	91.27	359.39	11918.35	422.09	421.43	104.71	1.89	434.24	13.95	504782.21	728551.00	N 32.386256	W 103.726844
	12779.00	87.48	355.75	11919.38	516.94	516.30	100.68	5.53	526.03	11.03	504877.08	728546.98	N 32.386517	W 103.726855
	12873.00	90.22	2.10	11921.27	610.83	610.21	98.92	7.36	618.18	9.21	504970.98	728545.22	N 32.386775	W 103.726859
	12968.00	89.96	1.30	11921.12	705.81	705.17	101.74	0.89	712.47	8.21	505065.93	728548.04	N 32.387036	W 103.726849
	13062.00	90.02	0.28	11921.14	799.80	799.16	103.04	1.09	805.77	7.35	505159.92	728549.33	N 32.387294	W 103.726843
	13157.00	89.95	359.98	11921.16	894.80	894.16	103.25	0.32	900.10	6.59	505254.91	728549.55	N 32.387555	W 103.726840
	13252.00	89.86	359.77	11921.32	989.80	989.16	103.04	0.24	994.51	5.95	505349.30	728549.34	N 32.387817	W 103.726839
	13347.00	90.10	4.66	11921.36	1084.72	1084.06	106.72	5.15	1089.30	5.62	505444.80	728553.01	N 32.388077	W 103.726825
	13441.00	89.46	355.81	11921.72	1178.63	1177.96	107.10	9.44	1182.82	5.20	505538.70	728553.39	N 32.388335	W 103.726822
	13536.00	89.84	357.76	11922.30	1273.43	1272.81	101.77	2.09	1276.87	4.57	505633.54	728548.07	N 32.388596	W 103.726838
	13631.00	89.71	356.04	11922.67	1368.26	1367.66	96.64	1.82	1371.07	4.04	505728.39	728542.93	N 32.388857	W 103.726853
	13726.00	90.01	356.95	11922.90	1463.04	1462.48	90.83	1.01	1465.30	3.55	505823.21	728537.12	N 32.389118	W 103.726870
	13820.00	88.57	358.11	11924.07	1556.91	1556.38	86.78	1.97	1558.80	3.19	505917.10	728533.07	N 32.389376	W 103.726881
	13915.00	89.81	0.52											

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (%100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (NS °)	Longitude (EW °)
	20439.00	89.92	0.45	11941.26	8170.73	8170.31	91.75	0.66	8170.82	0.64	512530.68	728538.04	N 32.407554	W 103.726744
	20628.00	90.52	359.57	11940.54	8359.72	8359.30	91.78	0.56	8359.81	0.63	512719.66	728538.07	N 32.408074	W 103.726740
	20723.00	90.24	358.72	11939.91	8454.70	8454.29	90.36	0.94	8454.77	0.61	512814.64	728536.66	N 32.408335	W 103.726743
	20817.00	89.47	358.72	11940.14	8548.66	8548.26	88.26	0.82	8548.72	0.59	512908.61	728534.56	N 32.408593	W 103.726748
	20912.00	89.64	358.93	11940.88	8643.62	8643.24	86.31	0.28	8643.67	0.57	513003.59	728532.61	N 32.408854	W 103.726753
	21007.00	90.70	359.03	11940.60	8738.59	8738.23	84.62	1.12	8738.63	0.55	513098.56	728530.92	N 32.409115	W 103.726756
	21197.00	89.49	357.95	11940.29	8928.48	8928.15	79.62	0.85	8928.51	0.51	513288.48	728525.91	N 32.409638	W 103.726769
	21292.00	89.20	358.00	11941.37	9023.39	9023.09	76.26	0.31	9023.41	0.48	513383.41	728522.55	N 32.409899	W 103.726778
	21386.00	89.43	358.16	11942.50	9117.31	9117.03	73.11	0.30	9117.32	0.46	513477.35	728519.41	N 32.410157	W 103.726787
	21481.00	89.93	358.97	11943.03	9212.26	9212.00	70.73	1.00	9212.27	0.44	513572.31	728517.03	N 32.410418	W 103.726793
	21575.00	89.48	358.53	11943.51	9306.22	9305.97	68.68	0.67	9306.22	0.42	513666.28	728514.98	N 32.410676	W 103.726798
	21670.00	89.55	358.11	11944.31	9401.16	9400.93	65.90	0.45	9401.16	0.40	513761.23	728512.19	N 32.410937	W 103.726805
	21765.00	89.32	358.23	11945.25	9496.08	9495.87	62.86	0.27	9496.08	0.38	513856.17	728509.16	N 32.411198	W 103.726813
	21860.00	89.48	358.39	11946.25	9591.01	9590.83	60.06	0.24	9591.01	0.36	513951.12	728506.36	N 32.411459	W 103.726820
	21954.00	89.39	358.41	11947.17	9684.95	9684.79	57.44	0.10	9684.96	0.34	514045.07	728503.73	N 32.411717	W 103.726827
	22049.00	89.12	357.84	11948.41	9779.87	9779.73	54.33	0.66	9779.88	0.32	514140.01	728500.62	N 32.411978	W 103.726835
	22144.00	89.32	358.16	11949.70	9874.78	9874.66	51.01	0.40	9874.79	0.30	514234.94	728497.31	N 32.412239	W 103.726844
	22239.00	89.36	358.14	11950.80	9969.71	9969.60	47.95	0.05	9969.72	0.28	514329.88	728494.24	N 32.412500	W 103.726853
	22333.00	89.44	358.18	11951.78	10063.63	10063.55	44.93	0.10	10063.65	0.26	514423.82	728491.23	N 32.412759	W 103.726861
LTP / 100ft Hardline Cross	22421.00	89.25	357.80	11952.78	10151.55	10151.49	41.84	0.48	10151.58	0.24	514511.75	728488.14	N 32.413000	W 103.726869
	22428.00	89.24	357.77	11952.87	10158.54	10158.48	41.57	0.48	10158.57	0.23	514518.75	728487.87	N 32.413020	W 103.726870
Final Survey	22446.00	89.38	357.95	11953.09	10176.52	10176.47	40.90	1.27	10176.55	0.23	514536.73	728487.20	N 32.413069	W 103.726872
Projection to Total Depth	22475.00	89.38	357.95	11953.40	10205.49	10205.45	39.86	0.00	10205.53	0.22	514565.71	728486.16	N 32.413149	W 103.726874

Survey Type: Def Survey


Survey Error Model: ISCSWA Rev 3 *** 3-D 95.000% Confidence 2.7955 sigma
Survey Program:

Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Hole Size	Casing Diameter (in)	Survey Tool Type	Borehole / Survey
	1	0.000	25.000	1/98.425	26.400	26.400	GYD_GC+DROP+OH-Depth Only	Top Spot 12_13 Federal Com 313H / Oxy Top Spot 12_13 Federal Com 313H Gyro+Corrected MWD to
	1	25.000	25.000	Act Stns	26.400	26.400	GYD_GC+DROP+OH-Depth Only	Top Spot 12_13 Federal Com 313H / Oxy Top Spot 12_13 Federal Com 313H Gyro+Corrected MWD to
	1	25.000	889.180	Act Stns	26.400	26.400	GYD_GC+DROP+OH	Top Spot 12_13 Federal Com 313H / Oxy Top Spot 12_13 Federal Com 313H
	1	889.180	22475.000	Act Stns	26.400	26.400	A010Mb_MWD+IFR1+SAG+MS	Top Spot 12_13 Federal Com 313H / Oxy Top Spot 12_13 Federal Com 313H Gyro+Corrected MWD to



Borehole:				Well:				Field:				Structure:													
Top Spot 12_13 Federal Com 313H				Top Spot 12_13 Federal Com 313H				NM Eddy County (NAD 83)				Oxy Top Spot 12_13 Federal Com Pad (Patterson 882)													
Gravity & Magnetic Parameters								Surface Location				NAD83 New Mexico State Plane, Eastern Zone, US Feet				Miscellaneous									
Model:		IFR1		Dip:		60.128°		Date:		13-Feb-2023		Lat:		N 32 23 6.36		Northing:		504360.8HUS		Grid Conv:		0.3247*			
MagDec:		6.89°		FS:		47769.8nT		Gravity FS:		998.458mgN (9.80665 Based)		Lon:		W 103 43 37.89		Easting:		728446.3HUS		Scale Fact:		0.99994919			
																Plan:		Oxy Top Spot 12_13 Federal Com 313H		TVD Ref:		RKB(3605.6ft above MSL)			
																								Gyro+Corrected MWD to 22475ft	

Critical Points								
Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)/S(-)	E(+)/W(-)	DLS
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00	0.00
First Gyro Survey	101.43	0.30	252.73	101.43	-0.06	-0.06	-0.19	0.39
Last Gyro Survey	889.18	0.55	210.31	889.14	-6.67	-6.65	-3.54	0.13
First SLB Survey	985.00	0.19	188.75	984.96	-7.23	-7.20	-3.80	0.40
Actual KOP	11355.00	0.21	69.18	11310.14	-572.60	-573.22	94.31	4.87
Wolfcamp Intersection	11730.06	33.38	4.24	11650.60	-436.19	-437.02	127.71	4.24
FTP / 100ft Hardline Cross	12044.00	66.76	356.87	11857.56	-208.81	-209.51	106.79	6.17
Section 13-12 Line Cross	17238.00	89.85	1.93	11933.45	4970.63	4970.21	80.66	0.97
LTP / 100ft Hardline Cross	22421.00	89.25	357.80	11952.78	10151.55	10151.49	41.84	0.48
Final Survey	22446.00	89.38	357.95	11953.09	10176.52	10176.47	40.90	1.27
Projection to Total Depth	22475.00	89.38	357.95	11953.40	10205.49	10205.45	39.86	0.00



Intent ☐ As Drilled ☒

API # 30-015-47625		
Operator Name: OXY USA INC.	Property Name: Top Spot 12 13 Federal Com	Well Number 313H

Kick Off Point (KOP)

UL A	Section 24	Township 22S	Range 31E	Lot	Feet 263	From N/S North	Feet 1219	From E/W East	County Eddy
Latitude 32.38352238					Longitude -103.72689604			NAD Nad83	

First Take Point (FTP)

UL P	Section 13	Township 22S	Range 31E	Lot	Feet 162	From N/S South	Feet 1206	From E/W East	County Eddy
Latitude 32.38468816					Longitude -103.72685572			NAD Nad83	

Last Take Point (LTP)

UL A	Section 12	Township 22S	Range 31E	Lot	Feet 186	From N/S North	Feet 1212	From E/W East	County Eddy
Latitude 32.41276294					Longitude -103.72686067			NAD Nad83	

Is this well the defining well for the Horizontal Spacing Unit? ☐ YesIs this well an infill well? ☐ No

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Well Name: TOP SPOT 12_13 FED COM	Well Location: T22S / R31E / SEC 13 / SESE / 32.3851 / -103.727191	County or Parish/State: EDDY / NM
Well Number: 313H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM29233	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547625	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2739800

Type of Submission: Subsequent Report

Date Sundry Submitted: 07/07/2023

Date Operation Actually Began: 04/21/2023

Type of Action: Hydraulic Fracturing

Time Sundry Submitted: 10:03

Actual Procedure: RUPU 4/21/23, RIH & clean out to PBTD @ 22430' , pressure test csg to 6000# for 30 min, good test. RIH & perf @ 12,109' – 22,334' Total 1230 holes. Frac in 41 stages 25,705,778 #'s 100 Mesh Proppant and 363,122 bbls clean frac fluid, RD Frac Crew 5/14/2023. Rig Down Coil Tubing Clean Out Crew and Well ready to produce 5/20/2023. OXY USA Inc. requests a tubing exception while continuing to flow back this well. The estimated date of tubing install is 08/20/2023.

Received by OCD: 2/6/2024 8:20:20 AM

Page 9 of 14

Well Name: TOP SPOT 12_13 FED COM	Well Location: T22S / R31E / SEC 13 / SESE / 32.3851 / -103.727191	County or Parish/State: EDDY / NM
Well Number: 313H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM29233	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547625	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SARAH MCKINNEY	Signed on: JUL 07, 2023 10:02 AM
Name: OXY USA INCORPORATED	
Title: Regulatory Analyst Sr	
Street Address: 5 GREENWAY PLAZA SUITE 110	
City: HOUSTON	State: TX
Phone: (713) 215-7295	
Email address: SARAH_MCKINNEY@OXY.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 07/11/2023
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
1. WELL API NO. 30-015-47625										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No. 329719										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name Top Spot 12 13 Federal Com				
						6. Well Number: 313H				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator OXY USA INC.						9. OGRID 16696				
10. Address of Operator PO Box 50250, MIDLAND, TX 79710						11. Pool name or Wildcat WC 22S31E13; WOLFCAMP				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	P	13	22S	31E		311	South	1310	East	Eddy
BH:	A	12	22S	31E		45	North	1216	East	Eddy
13. Date Spudded 11/23/2022	14. Date T.D. Reached 02/25/2023	15. Date Rig Released 02/25/2023			16. Date Completed (Ready to Produce) 05/20/2023			17. Elevations (DF and RKB, RT, GR, etc.) 3581' GR		
18. Total Measured Depth of Well 22475' MD, 11953' TVD			19. Plug Back Measured Depth 22430' MD, 11953' TVD			20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run CBL/Gamma		
22. Producing Interval(s), of this completion - Top, Bottom, Name 12,109' - 22,334', Wolfcamp										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
10 3/4"		45.5# J55 BTC		893'		14 3/4"		855sx - TOC 0'		
7 5/8"		26.4# HCL80		11168'		9 7/8"		1268sx - TOC 0'		
5 1/2"		20# P110		22455'		6 3/4"		872sx - TOC 8922'		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET		PACKER SET	
26. Perforation record (interval, size, and number) 12,109' - 22,334', 0.42", 1230 Holes						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						12,109' - 22,334'		25,705,778 # 100 mesh sand, 363,122 bbls		
								Clean Frac Fluid.		
28. PRODUCTION										
Date First Production 05/23/2023		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 05/29/2023	Hours Tested 24 Hours	Choke Size 0	Prod'n For Test Period	Oil - Bbl 5105	Gas - MCF 7174	Water - Bbl. 8046	Gas - Oil Ratio 1405			
Flow Tubing Press.	Casing Pressure 2525	Calculated 24-Hour Rate	Oil - Bbl. 5105	Gas - MCF 7174	Water - Bbl. 8046	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By			
31. List Attachments C103, C104c, C102, WBD, Directional Survey, Log										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 		Printed Name Sarah McKinney		Title Regulatory Analyst Sr.			Date 06/27/2023			
E-mail Address sarah_mckinney@oxy.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 830'	T. Bell Canyon	T. Ojo Alamo	T. Penn A"
T. Salado 1127'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 2862'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 4489'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 5420'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 6601'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 8394'	T. Todilto	
T. Abo	T. 1 st Bone Springs 9451'	T. Entrada	
T. Wolfcamp	T. 2 nd Bone Springs 10176'	T. Wingate	
T. Penn	T. 3 rd Bone Springs 11112'	T. Chinle	
T. Cisco (Bough C)	T. Wolfcamp 11649'	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....


No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

OXY USA Inc.
Top Spot 12 13 Fed Com 313H
API No. 30-015-47625



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 311645

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 311645
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 311645

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 311645
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
smcgrath	File 3160-4 within 10 days of BLM Approval.	2/7/2024