

**District I**1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720**District II**811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720**District III**1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170**District IV**1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

Form C-101  
August 1, 2011

Permit 359031

**APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE**

|                                                                                                       |                                    |                               |
|-------------------------------------------------------------------------------------------------------|------------------------------------|-------------------------------|
| 1. Operator Name and Address<br>Franklin Mountain Energy 3, LLC<br>44 Cook Street<br>Denver, CO 80206 |                                    | 2. OGRID Number<br>331595     |
|                                                                                                       |                                    | 3. API Number<br>30-025-52510 |
| 4. Property Code<br>334169                                                                            | 5. Property Name<br>GOLD STATE COM | 6. Well No.<br>504H           |

**7. Surface Location**

|               |               |                 |              |              |                   |               |                  |               |               |
|---------------|---------------|-----------------|--------------|--------------|-------------------|---------------|------------------|---------------|---------------|
| UL - Lot<br>A | Section<br>35 | Township<br>18S | Range<br>34E | Lot Idn<br>A | Feet From<br>1131 | N/S Line<br>N | Feet From<br>975 | E/W Line<br>E | County<br>Lea |
|---------------|---------------|-----------------|--------------|--------------|-------------------|---------------|------------------|---------------|---------------|

**8. Proposed Bottom Hole Location**

|               |               |                 |              |              |                  |               |                  |               |               |
|---------------|---------------|-----------------|--------------|--------------|------------------|---------------|------------------|---------------|---------------|
| UL - Lot<br>A | Section<br>23 | Township<br>18S | Range<br>34E | Lot Idn<br>A | Feet From<br>130 | N/S Line<br>N | Feet From<br>360 | E/W Line<br>E | County<br>Lea |
|---------------|---------------|-----------------|--------------|--------------|------------------|---------------|------------------|---------------|---------------|

**9. Pool Information**

|                            |     |
|----------------------------|-----|
| AIRSTIP:BONE SPRING        | 960 |
| AIRSTIP:BONE SPRING, NORTH | 962 |

**Additional Well Information**

|                           |                             |                                        |                         |                                    |
|---------------------------|-----------------------------|----------------------------------------|-------------------------|------------------------------------|
| 11. Work Type<br>New Well | 12. Well Type<br>OIL        | 13. Cable/Rotary                       | 14. Lease Type<br>State | 15. Ground Level Elevation<br>3976 |
| 16. Multiple<br>Y         | 17. Proposed Depth<br>21149 | 18. Formation<br>2nd Bone Spring Sand  | 19. Contractor          | 20. Spud Date<br>5/3/2024          |
| Depth to Ground water     |                             | Distance from nearest fresh water well |                         | Distance to nearest surface water  |

☒ We will be using a closed-loop system in lieu of lined pits**21. Proposed Casing and Cement Program**

| Type | Hole Size | Casing Size | Casing Weight/ft | Setting Depth | Sacks of Cement | Estimated TOC |
|------|-----------|-------------|------------------|---------------|-----------------|---------------|
| Surf | 17.5      | 13.375      | 54.5             | 1861          | 1431            | 0             |
| Int1 | 12.25     | 9.625       | 40               | 4070          | 861             | 0             |
| Prod | 8.75      | 7           | 32               | 9213          | 427             | 3070          |
| Prod | 8.75      | 5.5         | 20               | 21149         | 2979            | 9213          |

**Casing/Cement Program: Additional Comments**

|                                                               |
|---------------------------------------------------------------|
| Please see attached 14 point plan for additional information. |
|---------------------------------------------------------------|

**22. Proposed Blowout Prevention Program**

| Type       | Working Pressure | Test Pressure | Manufacturer |
|------------|------------------|---------------|--------------|
| Double Ram | 10000            | 5000          | Cactus       |

|                                                                                                                                                                                                                                                                                                      |                                  |                                 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|---------------------------------|
| 23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief.<br>I further certify I have complied with 19.15.14.9 (A) NMAC <input checked="" type="checkbox"/> and/or 19.15.14.9 (B) NMAC <input checked="" type="checkbox"/> , if applicable. | <b>OIL CONSERVATION DIVISION</b> |                                 |
| Signature:                                                                                                                                                                                                                                                                                           |                                  |                                 |
| Printed Name: Electronically filed by Rachael A Overbey                                                                                                                                                                                                                                              | Approved By: Paul F Kautz        |                                 |
| Title: Project Manager                                                                                                                                                                                                                                                                               | Title: Geologist                 |                                 |
| Email Address: roverbey@fmellc.com                                                                                                                                                                                                                                                                   | Approved Date: 2/7/2024          | Expiration Date: 2/7/2026       |
| Date: 2/6/2024                                                                                                                                                                                                                                                                                       | Phone: 303-570-4057              | Conditions of Approval Attached |

District I  
1625 N. French Dr., Hobbs, NM 88240  
Phone: (575) 393-6161 Fax: (575) 393-0720  
District II  
811 S. First St., Artesia, NM 88210  
Phone: (575) 748-1283 Fax: (575) 748-9720  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
Phone: (505) 334-6178 Fax: (505) 334-6170  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505  
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico  
Energy, Minerals & Natural Resources Department  
OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-102  
Revised August 1, 2011  
Submit one copy to appropriate  
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

|                                  |                                                               |                               |                                                |
|----------------------------------|---------------------------------------------------------------|-------------------------------|------------------------------------------------|
| <sup>1</sup> API Number          |                                                               | <sup>2</sup> Pool Code<br>960 | <sup>3</sup> Pool Name<br>AIRSTRIP; BONESPRING |
| <sup>4</sup> Property Code       | <sup>5</sup> Property Name<br>GOLD STATE COM                  |                               | <sup>6</sup> Well Number<br>504H               |
| <sup>7</sup> OGRID No.<br>331595 | <sup>8</sup> Operator Name<br>FRANKLIN MOUNTAIN ENERGY 3, LLC |                               | <sup>9</sup> Elevation<br>3976.4'              |


<sup>10</sup> Surface Location

|                    |               |                 |              |         |                       |                           |                      |                        |               |
|--------------------|---------------|-----------------|--------------|---------|-----------------------|---------------------------|----------------------|------------------------|---------------|
| UL or lot no.<br>A | Section<br>35 | Township<br>18S | Range<br>34E | Lot Idn | Feet from the<br>1131 | North/South line<br>NORTH | Feet from the<br>975 | East/West line<br>EAST | County<br>LEA |
|--------------------|---------------|-----------------|--------------|---------|-----------------------|---------------------------|----------------------|------------------------|---------------|

<sup>11</sup> Bottom Hole Location If Different From Surface

|                                      |               |                               |                                  |         |                         |                           |                      |                        |               |
|--------------------------------------|---------------|-------------------------------|----------------------------------|---------|-------------------------|---------------------------|----------------------|------------------------|---------------|
| UL or lot no.<br>A                   | Section<br>23 | Township<br>18S               | Range<br>34E                     | Lot Idn | Feet from the<br>130    | North/South line<br>NORTH | Feet from the<br>360 | East/West line<br>EAST | County<br>LEA |
| <sup>12</sup> Dedicated Acres<br>280 |               | <sup>13</sup> Joint or Infill | <sup>14</sup> Consolidation Code |         | <sup>15</sup> Order No. |                           |                      |                        |               |

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



<sup>17</sup> OPERATOR  
CERTIFICATION  
I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Signature: *Rachael Overbey* Date: 11/30/2023  
Rachael Overbey  
Printed Name  
roverbey@fmellc.com  
E-mail Address

<sup>18</sup> SURVEYOR  
CERTIFICATION  
I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

September 29, 2023  
Date of Survey  
Signature and Seal of Professional Surveyor:

23782  
10-17-23  
PAUL BUCHELE  
NEW MEXICO  
PROFESSIONAL SURVEYOR

Certificate Number:

District I  
1625 N. French Dr., Hobbs, NM 88240  
Phone: (575) 393-6161 Fax: (575) 393-0720  
District II  
811 S. First St., Artesia, NM 88210  
Phone: (575) 748-1283 Fax: (575) 748-9720  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
Phone: (505) 334-6178 Fax: (505) 334-6170  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505  
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico  
Energy, Minerals & Natural Resources Department  
OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-102  
Revised August 1, 2011  
Submit one copy to appropriate  
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

|                                  |                                                               |                               |                                                       |
|----------------------------------|---------------------------------------------------------------|-------------------------------|-------------------------------------------------------|
| <sup>1</sup> API Number          |                                                               | <sup>2</sup> Pool Code<br>962 | <sup>3</sup> Pool Name<br>AIRSTrip; BONESPRING, NORTH |
| <sup>4</sup> Property Code       | <sup>5</sup> Property Name<br>GOLD STATE COM                  |                               | <sup>6</sup> Well Number<br>504H                      |
| <sup>7</sup> OGRID No.<br>331595 | <sup>8</sup> Operator Name<br>FRANKLIN MOUNTAIN ENERGY 3, LLC |                               | <sup>9</sup> Elevation<br>3976.4'                     |


<sup>10</sup> Surface Location

|                    |               |                 |              |         |                       |                           |                      |                        |               |
|--------------------|---------------|-----------------|--------------|---------|-----------------------|---------------------------|----------------------|------------------------|---------------|
| UL or lot no.<br>A | Section<br>35 | Township<br>18S | Range<br>34E | Lot Idn | Feet from the<br>1131 | North/South line<br>NORTH | Feet from the<br>975 | East/West line<br>EAST | County<br>LEA |
|--------------------|---------------|-----------------|--------------|---------|-----------------------|---------------------------|----------------------|------------------------|---------------|

<sup>11</sup> Bottom Hole Location If Different From Surface

|                                     |               |                               |                                  |         |                         |                           |                      |                        |               |
|-------------------------------------|---------------|-------------------------------|----------------------------------|---------|-------------------------|---------------------------|----------------------|------------------------|---------------|
| UL or lot no.<br>A                  | Section<br>23 | Township<br>18S               | Range<br>34E                     | Lot Idn | Feet from the<br>130    | North/South line<br>NORTH | Feet from the<br>360 | East/West line<br>EAST | County<br>LEA |
| <sup>12</sup> Dedicated Acres<br>80 |               | <sup>13</sup> Joint or Infill | <sup>14</sup> Consolidation Code |         | <sup>15</sup> Order No. |                           |                      |                        |               |

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



<sup>17</sup> OPERATOR  
CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

*Rachael Overbey* 11/30/2023  
Signature Date

Rachael Overbey  
Printed Name

roverbey@fmellc.com  
E-mail Address

<sup>18</sup> SURVEYOR  
CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

September 29, 2023  
Date of Survey

Signature and Seal of Professional Surveyor:

*Paul Buchele*  
23782  
10-17-23  
PROFESSIONAL SURVEYOR

Certificate Number:

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

Form APD Conditions  
Permit 359031

PERMIT CONDITIONS OF APPROVAL

|                                                                                                              |                               |
|--------------------------------------------------------------------------------------------------------------|-------------------------------|
| Operator Name and Address:<br>Franklin Mountain Energy 3, LLC [331595]<br>44 Cook Street<br>Denver, CO 80206 | API Number:<br>30-025-52510   |
|                                                                                                              | Well:<br>GOLD STATE COM #504H |

|                 |                                                                                                                                                                                                                                                                      |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCD<br>Reviewer | Condition                                                                                                                                                                                                                                                            |
| pkautz          | Notify OCD 24 hours prior to casing & cement                                                                                                                                                                                                                         |
| pkautz          | Will require a File As Drilled C-102 and a Directional Survey with the C-104                                                                                                                                                                                         |
| pkautz          | Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string |
| pkautz          | Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud, drilling fluids and solids must be contained in a steel closed loop system                  |
| pkautz          | Cement is required to circulate on both surface and intermediate1 strings of casing                                                                                                                                                                                  |
| pkautz          | If cement does not circulate on any string, a CBL is required for that string of casing                                                                                                                                                                              |
| pkautz          | The Operator is to notify NMOCD by sundry (Form C-103) within ten (10) days of the well being spud                                                                                                                                                                   |



# **Franklin Mountain Energy LLC**

**PV\_Lea County, NM(N83-NME3001)**

**Gold\_Para Pad 4**

**(B05) Gold State Com 504H - Slot (B05) Gold 504H**

**504H**

**Plan: APD-Rev01**

## **Standard Planning Report**

**19 December, 2023**



## Planning Report

|                  |                                |                                     |                                                       |
|------------------|--------------------------------|-------------------------------------|-------------------------------------------------------|
| <b>Database:</b> | TZ USA 17.2                    | <b>Local Co-ordinate Reference:</b> | Well (B05) Gold State Com 504H - Slot (B05) Gold 504H |
| <b>Company:</b>  | Franklin Mountain Energy LLC   | <b>TVD Reference:</b>               | 3975+30 @ 4005.00usft                                 |
| <b>Project:</b>  | PV_Lea County, NM(N83-NME3001) | <b>MD Reference:</b>                | 3975+30 @ 4005.00usft                                 |
| <b>Site:</b>     | Gold_Para Pad 4                | <b>North Reference:</b>             | Grid                                                  |
| <b>Well:</b>     | (B05) Gold State Com 504H      | <b>Survey Calculation Method:</b>   | Minimum Curvature                                     |
| <b>Wellbore:</b> | 504H                           |                                     |                                                       |
| <b>Design:</b>   | APD-Rev01                      |                                     |                                                       |

|                    |                                |                      |                |
|--------------------|--------------------------------|----------------------|----------------|
| <b>Project</b>     | PV_Lea County, NM(N83-NME3001) |                      |                |
| <b>Map System:</b> | US State Plane 1983            | <b>System Datum:</b> | Mean Sea Level |
| <b>Geo Datum:</b>  | North American Datum 1983      |                      |                |
| <b>Map Zone:</b>   | New Mexico Eastern Zone        |                      |                |

|                              |                 |                     |                 |
|------------------------------|-----------------|---------------------|-----------------|
| <b>Site</b>                  | Gold_Para Pad 4 |                     |                 |
| <b>Site Position:</b>        |                 | <b>Northing:</b>    | 622,485.26 usft |
| <b>From:</b>                 | Map             | <b>Easting:</b>     | 789,663.87 usft |
| <b>Position Uncertainty:</b> | 0.00 usft       | <b>Slot Radius:</b> | 13-3/16 "       |
|                              |                 | <b>Latitude:</b>    | 32.70865432     |
|                              |                 | <b>Longitude:</b>   | -103.52598961   |

|                             |                                                  |           |                            |                 |
|-----------------------------|--------------------------------------------------|-----------|----------------------------|-----------------|
| <b>Well</b>                 | (B05) Gold State Com 504H - Slot (B05) Gold 504H |           |                            |                 |
| <b>Well Position</b>        | <b>+N/-S</b>                                     | 0.00 usft | <b>Northing:</b>           | 622,386.37 usft |
|                             | <b>+E/-W</b>                                     | 0.00 usft | <b>Easting:</b>            | 789,799.65 usft |
| <b>Position Uncertainty</b> |                                                  | 0.00 usft | <b>Wellhead Elevation:</b> | usft            |
| <b>Grid Convergence:</b>    |                                                  | 0.44 °    | <b>Ground Level:</b>       | 3,975.00 usft   |

|                  |                   |                    |                        |                      |                            |
|------------------|-------------------|--------------------|------------------------|----------------------|----------------------------|
| <b>Wellbore</b>  | 504H              |                    |                        |                      |                            |
| <b>Magnetics</b> | <b>Model Name</b> | <b>Sample Date</b> | <b>Declination (°)</b> | <b>Dip Angle (°)</b> | <b>Field Strength (nT)</b> |
|                  | IGRF2020          | 10/18/2023         | 6.29                   | 60.27                | 47,535.95872064            |

|                          |                                |                     |                      |                      |
|--------------------------|--------------------------------|---------------------|----------------------|----------------------|
| <b>Design</b>            | APD-Rev01                      |                     |                      |                      |
| <b>Audit Notes:</b>      |                                |                     |                      |                      |
| <b>Version:</b>          | <b>Phase:</b>                  | PLAN                | <b>Tie On Depth:</b> | 0.00                 |
| <b>Vertical Section:</b> | <b>Depth From (TVD) (usft)</b> | <b>+N/-S (usft)</b> | <b>+E/-W (usft)</b>  | <b>Direction (°)</b> |
|                          | 0.00                           | 0.00                | 0.00                 | 359.51               |

|                                 |                        |                            |                            |                |
|---------------------------------|------------------------|----------------------------|----------------------------|----------------|
| <b>Plan Survey Tool Program</b> | <b>Date</b>            | 12/19/2023                 |                            |                |
| <b>Depth From (usft)</b>        | <b>Depth To (usft)</b> | <b>Survey (Wellbore)</b>   | <b>Tool Name</b>           | <b>Remarks</b> |
| 1                               | 0.00                   | 21,149.62 APD-Rev01 (504H) | MWD+IFR1+MS                |                |
|                                 |                        |                            | OWSG MWD + IFR1 + Multi-SI |                |



Planning Report

|           |                                |                              |                                                          |
|-----------|--------------------------------|------------------------------|----------------------------------------------------------|
| Database: | TZ USA 17.2                    | Local Co-ordinate Reference: | Well (B05) Gold State Com 504H - Slot (B05)<br>Gold 504H |
| Company:  | Franklin Mountain Energy LLC   | TVD Reference:               | 3975+30 @ 4005.00usft                                    |
| Project:  | PV_Lea County, NM(N83-NME3001) | MD Reference:                | 3975+30 @ 4005.00usft                                    |
| Site:     | Gold_Para Pad 4                | North Reference:             | Grid                                                     |
| Well:     | (B05) Gold State Com 504H      | Survey Calculation Method:   | Minimum Curvature                                        |
| Wellbore: | 504H                           |                              |                                                          |
| Design:   | APD-Rev01                      |                              |                                                          |

| Plan Sections               |                    |                |                             |                 |                 |                               |                              |                             |            |                   |
|-----------------------------|--------------------|----------------|-----------------------------|-----------------|-----------------|-------------------------------|------------------------------|-----------------------------|------------|-------------------|
| Measured<br>Depth<br>(usft) | Inclination<br>(°) | Azimuth<br>(°) | Vertical<br>Depth<br>(usft) | +N/-S<br>(usft) | +E/-W<br>(usft) | Dogleg<br>Rate<br>(°/100usft) | Build<br>Rate<br>(°/100usft) | Turn<br>Rate<br>(°/100usft) | TFO<br>(°) | Target            |
| 0.00                        | 0.00               | 0.00           | 0.00                        | 0.00            | 0.00            | 0.00                          | 0.00                         | 0.00                        | 0.00       |                   |
| 1,500.00                    | 0.00               | 0.00           | 1,500.00                    | 0.00            | 0.00            | 0.00                          | 0.00                         | 0.00                        | 0.00       |                   |
| 1,876.58                    | 5.65               | 93.41          | 1,875.97                    | -1.10           | 18.52           | 1.50                          | 1.50                         | 0.00                        | 93.41      |                   |
| 7,664.76                    | 5.65               | 93.41          | 7,636.05                    | -34.99          | 587.23          | 0.00                          | 0.00                         | 0.00                        | 0.00       |                   |
| 8,229.63                    | 0.00               | 0.00           | 8,200.00                    | -36.64          | 615.00          | 1.00                          | -1.00                        | 0.00                        | 180.00     |                   |
| 9,212.67                    | 0.00               | 0.00           | 9,183.04                    | -36.64          | 615.00          | 0.00                          | 0.00                         | 0.00                        | 0.00       |                   |
| 10,112.67                   | 90.00              | 359.51         | 9,756.00                    | 536.30          | 610.12          | 10.00                         | 10.00                        | -0.05                       | 359.51     |                   |
| 21,149.70                   | 90.00              | 359.51         | 9,756.00                    | 11,572.93       | 516.10          | 0.00                          | 0.00                         | 0.00                        | 0.00       | 02-PBHL(GSC-504H) |



## Planning Report

|                  |                                |                                     |                                                          |
|------------------|--------------------------------|-------------------------------------|----------------------------------------------------------|
| <b>Database:</b> | TZ USA 17.2                    | <b>Local Co-ordinate Reference:</b> | Well (B05) Gold State Com 504H - Slot (B05)<br>Gold 504H |
| <b>Company:</b>  | Franklin Mountain Energy LLC   | <b>TVD Reference:</b>               | 3975+30 @ 4005.00usft                                    |
| <b>Project:</b>  | PV_Lea County, NM(N83-NME3001) | <b>MD Reference:</b>                | 3975+30 @ 4005.00usft                                    |
| <b>Site:</b>     | Gold_Para Pad 4                | <b>North Reference:</b>             | Grid                                                     |
| <b>Well:</b>     | (B05) Gold State Com 504H      | <b>Survey Calculation Method:</b>   | Minimum Curvature                                        |
| <b>Wellbore:</b> | 504H                           |                                     |                                                          |
| <b>Design:</b>   | APD-Rev01                      |                                     |                                                          |

| Planned Survey              |                 |             |                       |              |              |                         |                         |                        |                       |
|-----------------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft)       | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 0.00                        | 0.00            | 0.00        | 0.00                  | 0.00         | 0.00         | 0.00                    | 0.00                    | 0.00                   | 0.00                  |
| 30.00                       | 0.00            | 0.00        | 30.00                 | 0.00         | 0.00         | 0.00                    | 0.00                    | 0.00                   | 0.00                  |
| Cenozoic Alluvium (surface) |                 |             |                       |              |              |                         |                         |                        |                       |
| 100.00                      | 0.00            | 0.00        | 100.00                | 0.00         | 0.00         | 0.00                    | 0.00                    | 0.00                   | 0.00                  |
| 200.00                      | 0.00            | 0.00        | 200.00                | 0.00         | 0.00         | 0.00                    | 0.00                    | 0.00                   | 0.00                  |
| 300.00                      | 0.00            | 0.00        | 300.00                | 0.00         | 0.00         | 0.00                    | 0.00                    | 0.00                   | 0.00                  |
| 400.00                      | 0.00            | 0.00        | 400.00                | 0.00         | 0.00         | 0.00                    | 0.00                    | 0.00                   | 0.00                  |
| 500.00                      | 0.00            | 0.00        | 500.00                | 0.00         | 0.00         | 0.00                    | 0.00                    | 0.00                   | 0.00                  |
| 600.00                      | 0.00            | 0.00        | 600.00                | 0.00         | 0.00         | 0.00                    | 0.00                    | 0.00                   | 0.00                  |
| 700.00                      | 0.00            | 0.00        | 700.00                | 0.00         | 0.00         | 0.00                    | 0.00                    | 0.00                   | 0.00                  |
| 800.00                      | 0.00            | 0.00        | 800.00                | 0.00         | 0.00         | 0.00                    | 0.00                    | 0.00                   | 0.00                  |
| 900.00                      | 0.00            | 0.00        | 900.00                | 0.00         | 0.00         | 0.00                    | 0.00                    | 0.00                   | 0.00                  |
| 1,000.00                    | 0.00            | 0.00        | 1,000.00              | 0.00         | 0.00         | 0.00                    | 0.00                    | 0.00                   | 0.00                  |
| 1,100.00                    | 0.00            | 0.00        | 1,100.00              | 0.00         | 0.00         | 0.00                    | 0.00                    | 0.00                   | 0.00                  |
| 1,200.00                    | 0.00            | 0.00        | 1,200.00              | 0.00         | 0.00         | 0.00                    | 0.00                    | 0.00                   | 0.00                  |
| 1,300.00                    | 0.00            | 0.00        | 1,300.00              | 0.00         | 0.00         | 0.00                    | 0.00                    | 0.00                   | 0.00                  |
| 1,400.00                    | 0.00            | 0.00        | 1,400.00              | 0.00         | 0.00         | 0.00                    | 0.00                    | 0.00                   | 0.00                  |
| 1,500.00                    | 0.00            | 0.00        | 1,500.00              | 0.00         | 0.00         | 0.00                    | 0.00                    | 0.00                   | 0.00                  |
| 1,600.00                    | 1.50            | 93.41       | 1,599.99              | -0.08        | 1.31         | -0.09                   | 1.50                    | 1.50                   | 0.00                  |
| 1,700.00                    | 3.00            | 93.41       | 1,699.91              | -0.31        | 5.23         | -0.36                   | 1.50                    | 1.50                   | 0.00                  |
| 1,800.00                    | 4.50            | 93.41       | 1,799.69              | -0.70        | 11.75        | -0.80                   | 1.50                    | 1.50                   | 0.00                  |
| 1,811.34                    | 4.67            | 93.41       | 1,811.00              | -0.75        | 12.66        | -0.86                   | 1.50                    | 1.50                   | 0.00                  |
| Rustler                     |                 |             |                       |              |              |                         |                         |                        |                       |
| 1,876.58                    | 5.65            | 93.41       | 1,875.97              | -1.10        | 18.52        | -1.26                   | 1.50                    | 1.50                   | 0.00                  |
| 1,900.00                    | 5.65            | 93.41       | 1,899.28              | -1.24        | 20.82        | -1.42                   | 0.00                    | 0.00                   | 0.00                  |
| 2,000.00                    | 5.65            | 93.41       | 1,998.79              | -1.83        | 30.64        | -2.09                   | 0.00                    | 0.00                   | 0.00                  |
| 2,100.00                    | 5.65            | 93.41       | 2,098.31              | -2.41        | 40.47        | -2.76                   | 0.00                    | 0.00                   | 0.00                  |
| 2,107.73                    | 5.65            | 93.41       | 2,106.00              | -2.46        | 41.23        | -2.81                   | 0.00                    | 0.00                   | 0.00                  |
| Salado                      |                 |             |                       |              |              |                         |                         |                        |                       |
| 2,200.00                    | 5.65            | 93.41       | 2,197.82              | -3.00        | 50.29        | -3.43                   | 0.00                    | 0.00                   | 0.00                  |
| 2,300.00                    | 5.65            | 93.41       | 2,297.33              | -3.58        | 60.12        | -4.10                   | 0.00                    | 0.00                   | 0.00                  |
| 2,400.00                    | 5.65            | 93.41       | 2,396.85              | -4.17        | 69.94        | -4.77                   | 0.00                    | 0.00                   | 0.00                  |
| 2,500.00                    | 5.65            | 93.41       | 2,496.36              | -4.75        | 79.77        | -5.43                   | 0.00                    | 0.00                   | 0.00                  |
| 2,600.00                    | 5.65            | 93.41       | 2,595.88              | -5.34        | 89.59        | -6.10                   | 0.00                    | 0.00                   | 0.00                  |
| 2,700.00                    | 5.65            | 93.41       | 2,695.39              | -5.92        | 99.42        | -6.77                   | 0.00                    | 0.00                   | 0.00                  |
| 2,800.00                    | 5.65            | 93.41       | 2,794.91              | -6.51        | 109.25       | -7.44                   | 0.00                    | 0.00                   | 0.00                  |
| 2,900.00                    | 5.65            | 93.41       | 2,894.42              | -7.09        | 119.07       | -8.11                   | 0.00                    | 0.00                   | 0.00                  |
| 3,000.00                    | 5.65            | 93.41       | 2,993.94              | -7.68        | 128.90       | -8.78                   | 0.00                    | 0.00                   | 0.00                  |
| 3,100.00                    | 5.65            | 93.41       | 3,093.45              | -8.26        | 138.72       | -9.45                   | 0.00                    | 0.00                   | 0.00                  |
| 3,200.00                    | 5.65            | 93.41       | 3,192.96              | -8.85        | 148.55       | -10.12                  | 0.00                    | 0.00                   | 0.00                  |
| 3,296.50                    | 5.65            | 93.41       | 3,289.00              | -9.41        | 158.03       | -10.77                  | 0.00                    | 0.00                   | 0.00                  |
| Base Salt                   |                 |             |                       |              |              |                         |                         |                        |                       |
| 3,300.00                    | 5.65            | 93.41       | 3,292.48              | -9.44        | 158.37       | -10.79                  | 0.00                    | 0.00                   | 0.00                  |
| 3,400.00                    | 5.65            | 93.41       | 3,391.99              | -10.02       | 168.20       | -11.46                  | 0.00                    | 0.00                   | 0.00                  |
| 3,500.00                    | 5.65            | 93.41       | 3,491.51              | -10.61       | 178.02       | -12.13                  | 0.00                    | 0.00                   | 0.00                  |
| 3,596.96                    | 5.65            | 93.41       | 3,588.00              | -11.17       | 187.55       | -12.78                  | 0.00                    | 0.00                   | 0.00                  |
| Yates                       |                 |             |                       |              |              |                         |                         |                        |                       |
| 3,600.00                    | 5.65            | 93.41       | 3,591.02              | -11.19       | 187.85       | -12.80                  | 0.00                    | 0.00                   | 0.00                  |
| 3,700.00                    | 5.65            | 93.41       | 3,690.54              | -11.78       | 197.67       | -13.47                  | 0.00                    | 0.00                   | 0.00                  |
| 3,800.00                    | 5.65            | 93.41       | 3,790.05              | -12.36       | 207.50       | -14.14                  | 0.00                    | 0.00                   | 0.00                  |
| 3,869.29                    | 5.65            | 93.41       | 3,859.00              | -12.77       | 214.31       | -14.60                  | 0.00                    | 0.00                   | 0.00                  |
| Seven Rivers                |                 |             |                       |              |              |                         |                         |                        |                       |



## Planning Report



|                  |                                |                                     |                                                          |
|------------------|--------------------------------|-------------------------------------|----------------------------------------------------------|
| <b>Database:</b> | TZ USA 17.2                    | <b>Local Co-ordinate Reference:</b> | Well (B05) Gold State Com 504H - Slot (B05)<br>Gold 504H |
| <b>Company:</b>  | Franklin Mountain Energy LLC   | <b>TVD Reference:</b>               | 3975+30 @ 4005.00usft                                    |
| <b>Project:</b>  | PV_Lea County, NM(N83-NME3001) | <b>MD Reference:</b>                | 3975+30 @ 4005.00usft                                    |
| <b>Site:</b>     | Gold_Para Pad 4                | <b>North Reference:</b>             | Grid                                                     |
| <b>Well:</b>     | (B05) Gold State Com 504H      | <b>Survey Calculation Method:</b>   | Minimum Curvature                                        |
| <b>Wellbore:</b> | 504H                           |                                     |                                                          |
| <b>Design:</b>   | APD-Rev01                      |                                     |                                                          |

| Planned Survey        |                 |             |                       |              |              |                         |                         |                        |                       |  |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|--|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |  |
| 3,900.00              | 5.65            | 93.41       | 3,889.56              | -12.95       | 217.32       | -14.81                  | 0.00                    | 0.00                   | 0.00                  |  |
| 4,000.00              | 5.65            | 93.41       | 3,989.08              | -13.53       | 227.15       | -15.48                  | 0.00                    | 0.00                   | 0.00                  |  |
| 4,100.00              | 5.65            | 93.41       | 4,088.59              | -14.12       | 236.98       | -16.14                  | 0.00                    | 0.00                   | 0.00                  |  |
| 4,200.00              | 5.65            | 93.41       | 4,188.11              | -14.70       | 246.80       | -16.81                  | 0.00                    | 0.00                   | 0.00                  |  |
| 4,300.00              | 5.65            | 93.41       | 4,287.62              | -15.29       | 256.63       | -17.48                  | 0.00                    | 0.00                   | 0.00                  |  |
| 4,400.00              | 5.65            | 93.41       | 4,387.14              | -15.87       | 266.45       | -18.15                  | 0.00                    | 0.00                   | 0.00                  |  |
| 4,500.00              | 5.65            | 93.41       | 4,486.65              | -16.46       | 276.28       | -18.82                  | 0.00                    | 0.00                   | 0.00                  |  |
| 4,600.00              | 5.65            | 93.41       | 4,586.17              | -17.05       | 286.10       | -19.49                  | 0.00                    | 0.00                   | 0.00                  |  |
| 4,700.00              | 5.65            | 93.41       | 4,685.68              | -17.63       | 295.93       | -20.16                  | 0.00                    | 0.00                   | 0.00                  |  |
| 4,725.44              | 5.65            | 93.41       | 4,711.00              | -17.78       | 298.43       | -20.33                  | 0.00                    | 0.00                   | 0.00                  |  |
| Queen                 |                 |             |                       |              |              |                         |                         |                        |                       |  |
| 4,800.00              | 5.65            | 93.41       | 4,785.19              | -18.22       | 305.75       | -20.83                  | 0.00                    | 0.00                   | 0.00                  |  |
| 4,900.00              | 5.65            | 93.41       | 4,884.71              | -18.80       | 315.58       | -21.50                  | 0.00                    | 0.00                   | 0.00                  |  |
| 5,000.00              | 5.65            | 93.41       | 4,984.22              | -19.39       | 325.40       | -22.17                  | 0.00                    | 0.00                   | 0.00                  |  |
| 5,100.00              | 5.65            | 93.41       | 5,083.74              | -19.97       | 335.23       | -22.84                  | 0.00                    | 0.00                   | 0.00                  |  |
| 5,200.00              | 5.65            | 93.41       | 5,183.25              | -20.56       | 345.05       | -23.51                  | 0.00                    | 0.00                   | 0.00                  |  |
| 5,300.00              | 5.65            | 93.41       | 5,282.77              | -21.14       | 354.88       | -24.18                  | 0.00                    | 0.00                   | 0.00                  |  |
| 5,400.00              | 5.65            | 93.41       | 5,382.28              | -21.73       | 364.71       | -24.85                  | 0.00                    | 0.00                   | 0.00                  |  |
| 5,500.00              | 5.65            | 93.41       | 5,481.80              | -22.31       | 374.53       | -25.52                  | 0.00                    | 0.00                   | 0.00                  |  |
| 5,600.00              | 5.65            | 93.41       | 5,581.31              | -22.90       | 384.36       | -26.19                  | 0.00                    | 0.00                   | 0.00                  |  |
| 5,700.00              | 5.65            | 93.41       | 5,680.82              | -23.48       | 394.18       | -26.85                  | 0.00                    | 0.00                   | 0.00                  |  |
| 5,800.00              | 5.65            | 93.41       | 5,780.34              | -24.07       | 404.01       | -27.52                  | 0.00                    | 0.00                   | 0.00                  |  |
| 5,900.00              | 5.65            | 93.41       | 5,879.85              | -24.65       | 413.83       | -28.19                  | 0.00                    | 0.00                   | 0.00                  |  |
| 6,000.00              | 5.65            | 93.41       | 5,979.37              | -25.24       | 423.66       | -28.86                  | 0.00                    | 0.00                   | 0.00                  |  |
| 6,100.00              | 5.65            | 93.41       | 6,078.88              | -25.83       | 433.48       | -29.53                  | 0.00                    | 0.00                   | 0.00                  |  |
| 6,200.00              | 5.65            | 93.41       | 6,178.40              | -26.41       | 443.31       | -30.20                  | 0.00                    | 0.00                   | 0.00                  |  |
| 6,276.98              | 5.65            | 93.41       | 6,255.00              | -26.86       | 450.87       | -30.72                  | 0.00                    | 0.00                   | 0.00                  |  |
| Delaware Mtn Group    |                 |             |                       |              |              |                         |                         |                        |                       |  |
| 6,300.00              | 5.65            | 93.41       | 6,277.91              | -27.00       | 453.13       | -30.87                  | 0.00                    | 0.00                   | 0.00                  |  |
| 6,400.00              | 5.65            | 93.41       | 6,377.43              | -27.58       | 462.96       | -31.54                  | 0.00                    | 0.00                   | 0.00                  |  |
| 6,500.00              | 5.65            | 93.41       | 6,476.94              | -28.17       | 472.78       | -32.21                  | 0.00                    | 0.00                   | 0.00                  |  |
| 6,600.00              | 5.65            | 93.41       | 6,576.45              | -28.75       | 482.61       | -32.88                  | 0.00                    | 0.00                   | 0.00                  |  |
| 6,700.00              | 5.65            | 93.41       | 6,675.97              | -29.34       | 492.44       | -33.55                  | 0.00                    | 0.00                   | 0.00                  |  |
| 6,800.00              | 5.65            | 93.41       | 6,775.48              | -29.92       | 502.26       | -34.22                  | 0.00                    | 0.00                   | 0.00                  |  |
| 6,900.00              | 5.65            | 93.41       | 6,875.00              | -30.51       | 512.09       | -34.89                  | 0.00                    | 0.00                   | 0.00                  |  |
| 7,000.00              | 5.65            | 93.41       | 6,974.51              | -31.09       | 521.91       | -35.56                  | 0.00                    | 0.00                   | 0.00                  |  |
| 7,100.00              | 5.65            | 93.41       | 7,074.03              | -31.68       | 531.74       | -36.23                  | 0.00                    | 0.00                   | 0.00                  |  |
| 7,200.00              | 5.65            | 93.41       | 7,173.54              | -32.26       | 541.56       | -36.90                  | 0.00                    | 0.00                   | 0.00                  |  |
| 7,300.00              | 5.65            | 93.41       | 7,273.06              | -32.85       | 551.39       | -37.56                  | 0.00                    | 0.00                   | 0.00                  |  |
| 7,400.00              | 5.65            | 93.41       | 7,372.57              | -33.44       | 561.21       | -38.23                  | 0.00                    | 0.00                   | 0.00                  |  |
| 7,500.00              | 5.65            | 93.41       | 7,472.08              | -34.02       | 571.04       | -38.90                  | 0.00                    | 0.00                   | 0.00                  |  |
| 7,600.00              | 5.65            | 93.41       | 7,571.60              | -34.61       | 580.86       | -39.57                  | 0.00                    | 0.00                   | 0.00                  |  |
| 7,664.76              | 5.65            | 93.41       | 7,636.05              | -34.99       | 587.23       | -40.01                  | 0.00                    | 0.00                   | 0.00                  |  |
| 7,700.00              | 5.30            | 93.41       | 7,671.12              | -35.19       | 590.58       | -40.23                  | 1.00                    | -1.00                  | 0.00                  |  |
| 7,800.00              | 4.30            | 93.41       | 7,770.77              | -35.68       | 598.93       | -40.80                  | 1.00                    | -1.00                  | 0.00                  |  |
| 7,900.00              | 3.30            | 93.41       | 7,870.55              | -36.08       | 605.54       | -41.25                  | 1.00                    | -1.00                  | 0.00                  |  |
| 7,962.53              | 2.67            | 93.41       | 7,933.00              | -36.27       | 608.79       | -41.47                  | 1.00                    | -1.00                  | 0.00                  |  |
| Bone Spring Lime      |                 |             |                       |              |              |                         |                         |                        |                       |  |
| 8,000.00              | 2.30            | 93.41       | 7,970.43              | -36.37       | 610.41       | -41.59                  | 1.00                    | -1.00                  | 0.00                  |  |
| 8,100.00              | 1.30            | 93.41       | 8,070.38              | -36.55       | 613.54       | -41.80                  | 1.00                    | -1.00                  | 0.00                  |  |
| 8,200.00              | 0.30            | 93.41       | 8,170.37              | -36.64       | 614.92       | -41.89                  | 1.00                    | -1.00                  | 0.00                  |  |
| 8,229.63              | 0.00            | 0.00        | 8,200.00              | -36.64       | 615.00       | -41.90                  | 1.00                    | -1.00                  | 0.00                  |  |



## Planning Report

|                  |                                |                                     |                                                       |
|------------------|--------------------------------|-------------------------------------|-------------------------------------------------------|
| <b>Database:</b> | TZ USA 17.2                    | <b>Local Co-ordinate Reference:</b> | Well (B05) Gold State Com 504H - Slot (B05) Gold 504H |
| <b>Company:</b>  | Franklin Mountain Energy LLC   | <b>TVD Reference:</b>               | 3975+30 @ 4005.00usft                                 |
| <b>Project:</b>  | PV_Lea County, NM(N83-NME3001) | <b>MD Reference:</b>                | 3975+30 @ 4005.00usft                                 |
| <b>Site:</b>     | Gold_Para Pad 4                | <b>North Reference:</b>             | Grid                                                  |
| <b>Well:</b>     | (B05) Gold State Com 504H      | <b>Survey Calculation Method:</b>   | Minimum Curvature                                     |
| <b>Wellbore:</b> | 504H                           |                                     |                                                       |
| <b>Design:</b>   | APD-Rev01                      |                                     |                                                       |

| Planned Survey                                    |                 |             |                       |              |              |                         |                         |                        |                       |  |
|---------------------------------------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|--|
| Measured Depth (usft)                             | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |  |
| 8,300.00                                          | 0.00            | 0.00        | 8,270.37              | -36.64       | 615.00       | -41.90                  | 0.00                    | 0.00                   | 0.00                  |  |
| 8,400.00                                          | 0.00            | 0.00        | 8,370.37              | -36.64       | 615.00       | -41.90                  | 0.00                    | 0.00                   | 0.00                  |  |
| 8,500.00                                          | 0.00            | 0.00        | 8,470.37              | -36.64       | 615.00       | -41.90                  | 0.00                    | 0.00                   | 0.00                  |  |
| 8,600.00                                          | 0.00            | 0.00        | 8,570.37              | -36.64       | 615.00       | -41.90                  | 0.00                    | 0.00                   | 0.00                  |  |
| 8,700.00                                          | 0.00            | 0.00        | 8,670.37              | -36.64       | 615.00       | -41.90                  | 0.00                    | 0.00                   | 0.00                  |  |
| 8,800.00                                          | 0.00            | 0.00        | 8,770.37              | -36.64       | 615.00       | -41.90                  | 0.00                    | 0.00                   | 0.00                  |  |
| 8,900.00                                          | 0.00            | 0.00        | 8,870.37              | -36.64       | 615.00       | -41.90                  | 0.00                    | 0.00                   | 0.00                  |  |
| 9,000.00                                          | 0.00            | 0.00        | 8,970.37              | -36.64       | 615.00       | -41.90                  | 0.00                    | 0.00                   | 0.00                  |  |
| 9,064.63                                          | 0.00            | 0.00        | 9,035.00              | -36.64       | 615.00       | -41.90                  | 0.00                    | 0.00                   | 0.00                  |  |
| <b>First Bone Spring Sand</b>                     |                 |             |                       |              |              |                         |                         |                        |                       |  |
| 9,100.00                                          | 0.00            | 0.00        | 9,070.37              | -36.64       | 615.00       | -41.90                  | 0.00                    | 0.00                   | 0.00                  |  |
| 9,200.00                                          | 0.00            | 0.00        | 9,170.37              | -36.64       | 615.00       | -41.90                  | 0.00                    | 0.00                   | 0.00                  |  |
| 9,212.67                                          | 0.00            | 0.00        | 9,183.04              | -36.64       | 615.00       | -41.90                  | 0.00                    | 0.00                   | 0.00                  |  |
| <b>KOP: 9212.67' MD/ -41.90' VS/9183.04' TVD</b>  |                 |             |                       |              |              |                         |                         |                        |                       |  |
| 9,213.63                                          | 0.10            | 359.51      | 9,184.00              | -36.64       | 615.00       | -41.90                  | 9.99                    | 9.99                   | 0.00                  |  |
| <b>Second Bone Spring Carbonate</b>               |                 |             |                       |              |              |                         |                         |                        |                       |  |
| 9,250.00                                          | 3.73            | 359.51      | 9,220.34              | -35.42       | 614.99       | -40.68                  | 10.00                   | 10.00                  | 0.00                  |  |
| 9,300.00                                          | 8.73            | 359.51      | 9,270.03              | -30.00       | 614.94       | -35.26                  | 10.00                   | 10.00                  | 0.00                  |  |
| 9,350.00                                          | 13.73           | 359.51      | 9,319.06              | -20.26       | 614.86       | -25.52                  | 10.00                   | 10.00                  | 0.00                  |  |
| 9,390.47                                          | 17.78           | 359.51      | 9,358.00              | -9.27        | 614.77       | -14.53                  | 10.00                   | 10.00                  | 0.00                  |  |
| <b>Second Bone Spring Sand</b>                    |                 |             |                       |              |              |                         |                         |                        |                       |  |
| 9,400.00                                          | 18.73           | 359.51      | 9,367.05              | -6.29        | 614.74       | -11.55                  | 10.00                   | 10.00                  | 0.00                  |  |
| 9,450.00                                          | 23.73           | 359.51      | 9,413.64              | 11.81        | 614.59       | 6.56                    | 10.00                   | 10.00                  | 0.00                  |  |
| 9,500.00                                          | 28.73           | 359.51      | 9,458.48              | 33.91        | 614.40       | 28.65                   | 10.00                   | 10.00                  | 0.00                  |  |
| 9,550.00                                          | 33.73           | 359.51      | 9,501.22              | 59.82        | 614.18       | 54.57                   | 10.00                   | 10.00                  | 0.00                  |  |
| 9,600.00                                          | 38.73           | 359.51      | 9,541.53              | 89.37        | 613.93       | 84.11                   | 10.00                   | 10.00                  | 0.00                  |  |
| 9,646.31                                          | 43.36           | 359.51      | 9,576.45              | 119.77       | 613.67       | 114.52                  | 10.00                   | 10.00                  | 0.00                  |  |
| <b>01-T98(GSC-504H)</b>                           |                 |             |                       |              |              |                         |                         |                        |                       |  |
| 9,650.00                                          | 43.73           | 359.51      | 9,579.12              | 122.31       | 613.65       | 117.06                  | 10.00                   | 10.00                  | 0.00                  |  |
| 9,700.00                                          | 48.73           | 359.51      | 9,613.70              | 158.40       | 613.34       | 153.15                  | 10.00                   | 10.00                  | 0.00                  |  |
| 9,750.00                                          | 53.73           | 359.51      | 9,645.00              | 197.38       | 613.01       | 192.13                  | 10.00                   | 10.00                  | 0.00                  |  |
| 9,800.00                                          | 58.73           | 359.51      | 9,672.78              | 238.93       | 612.65       | 233.68                  | 10.00                   | 10.00                  | 0.00                  |  |
| 9,850.00                                          | 63.73           | 359.51      | 9,696.83              | 282.74       | 612.28       | 277.49                  | 10.00                   | 10.00                  | 0.00                  |  |
| 9,900.00                                          | 68.73           | 359.51      | 9,716.98              | 328.48       | 611.89       | 323.24                  | 10.00                   | 10.00                  | 0.00                  |  |
| 9,950.00                                          | 73.73           | 359.51      | 9,733.06              | 375.81       | 611.49       | 370.57                  | 10.00                   | 10.00                  | 0.00                  |  |
| 10,000.00                                         | 78.73           | 359.51      | 9,744.96              | 424.35       | 611.07       | 419.11                  | 10.00                   | 10.00                  | 0.00                  |  |
| 10,050.00                                         | 83.73           | 359.51      | 9,752.57              | 473.75       | 610.65       | 468.51                  | 10.00                   | 10.00                  | 0.00                  |  |
| 10,100.00                                         | 88.73           | 359.51      | 9,755.86              | 523.63       | 610.23       | 518.39                  | 10.00                   | 10.00                  | 0.00                  |  |
| 10,112.67                                         | 90.00           | 359.51      | 9,756.00              | 536.30       | 610.12       | 531.06                  | 10.00                   | 10.00                  | 0.00                  |  |
| <b>EOC: 10112.67' MD/ 531.06' VS/9756.00' TVD</b> |                 |             |                       |              |              |                         |                         |                        |                       |  |
| 10,200.00                                         | 90.00           | 359.51      | 9,756.00              | 623.62       | 609.38       | 618.39                  | 0.00                    | 0.00                   | 0.00                  |  |
| 10,300.00                                         | 90.00           | 359.51      | 9,756.00              | 723.62       | 608.52       | 718.39                  | 0.00                    | 0.00                   | 0.00                  |  |
| 10,400.00                                         | 90.00           | 359.51      | 9,756.00              | 823.62       | 607.67       | 818.39                  | 0.00                    | 0.00                   | 0.00                  |  |
| 10,500.00                                         | 90.00           | 359.51      | 9,756.00              | 923.61       | 606.82       | 918.39                  | 0.00                    | 0.00                   | 0.00                  |  |
| 10,600.00                                         | 90.00           | 359.51      | 9,756.00              | 1,023.61     | 605.97       | 1,018.39                | 0.00                    | 0.00                   | 0.00                  |  |
| 10,700.00                                         | 90.00           | 359.51      | 9,756.00              | 1,123.60     | 605.12       | 1,118.39                | 0.00                    | 0.00                   | 0.00                  |  |
| 10,800.00                                         | 90.00           | 359.51      | 9,756.00              | 1,223.60     | 604.26       | 1,218.39                | 0.00                    | 0.00                   | 0.00                  |  |
| 10,900.00                                         | 90.00           | 359.51      | 9,756.00              | 1,323.60     | 603.41       | 1,318.39                | 0.00                    | 0.00                   | 0.00                  |  |
| 11,000.00                                         | 90.00           | 359.51      | 9,756.00              | 1,423.59     | 602.56       | 1,418.39                | 0.00                    | 0.00                   | 0.00                  |  |
| 11,100.00                                         | 90.00           | 359.51      | 9,756.00              | 1,523.59     | 601.71       | 1,518.39                | 0.00                    | 0.00                   | 0.00                  |  |
| 11,200.00                                         | 90.00           | 359.51      | 9,756.00              | 1,623.59     | 600.86       | 1,618.39                | 0.00                    | 0.00                   | 0.00                  |  |
| 11,300.00                                         | 90.00           | 359.51      | 9,756.00              | 1,723.58     | 600.00       | 1,718.39                | 0.00                    | 0.00                   | 0.00                  |  |



## Planning Report

|                  |                                |                                     |                                                          |
|------------------|--------------------------------|-------------------------------------|----------------------------------------------------------|
| <b>Database:</b> | TZ USA 17.2                    | <b>Local Co-ordinate Reference:</b> | Well (B05) Gold State Com 504H - Slot (B05)<br>Gold 504H |
| <b>Company:</b>  | Franklin Mountain Energy LLC   | <b>TVD Reference:</b>               | 3975+30 @ 4005.00usft                                    |
| <b>Project:</b>  | PV_Lea County, NM(N83-NME3001) | <b>MD Reference:</b>                | 3975+30 @ 4005.00usft                                    |
| <b>Site:</b>     | Gold_Para Pad 4                | <b>North Reference:</b>             | Grid                                                     |
| <b>Well:</b>     | (B05) Gold State Com 504H      | <b>Survey Calculation Method:</b>   | Minimum Curvature                                        |
| <b>Wellbore:</b> | 504H                           |                                     |                                                          |
| <b>Design:</b>   | APD-Rev01                      |                                     |                                                          |

| Planned Survey        |                 |             |                       |              |              |                         |                         |                        |                       |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 11,400.00             | 90.00           | 359.51      | 9,756.00              | 1,823.58     | 599.15       | 1,818.39                | 0.00                    | 0.00                   | 0.00                  |
| 11,500.00             | 90.00           | 359.51      | 9,756.00              | 1,923.58     | 598.30       | 1,918.39                | 0.00                    | 0.00                   | 0.00                  |
| 11,600.00             | 90.00           | 359.51      | 9,756.00              | 2,023.57     | 597.45       | 2,018.39                | 0.00                    | 0.00                   | 0.00                  |
| 11,700.00             | 90.00           | 359.51      | 9,756.00              | 2,123.57     | 596.60       | 2,118.39                | 0.00                    | 0.00                   | 0.00                  |
| 11,800.00             | 90.00           | 359.51      | 9,756.00              | 2,223.56     | 595.75       | 2,218.39                | 0.00                    | 0.00                   | 0.00                  |
| 11,900.00             | 90.00           | 359.51      | 9,756.00              | 2,323.56     | 594.89       | 2,318.39                | 0.00                    | 0.00                   | 0.00                  |
| 12,000.00             | 90.00           | 359.51      | 9,756.00              | 2,423.56     | 594.04       | 2,418.39                | 0.00                    | 0.00                   | 0.00                  |
| 12,100.00             | 90.00           | 359.51      | 9,756.00              | 2,523.55     | 593.19       | 2,518.39                | 0.00                    | 0.00                   | 0.00                  |
| 12,200.00             | 90.00           | 359.51      | 9,756.00              | 2,623.55     | 592.34       | 2,618.39                | 0.00                    | 0.00                   | 0.00                  |
| 12,300.00             | 90.00           | 359.51      | 9,756.00              | 2,723.55     | 591.49       | 2,718.39                | 0.00                    | 0.00                   | 0.00                  |
| 12,400.00             | 90.00           | 359.51      | 9,756.00              | 2,823.54     | 590.63       | 2,818.39                | 0.00                    | 0.00                   | 0.00                  |
| 12,500.00             | 90.00           | 359.51      | 9,756.00              | 2,923.54     | 589.78       | 2,918.39                | 0.00                    | 0.00                   | 0.00                  |
| 12,600.00             | 90.00           | 359.51      | 9,756.00              | 3,023.54     | 588.93       | 3,018.39                | 0.00                    | 0.00                   | 0.00                  |
| 12,700.00             | 90.00           | 359.51      | 9,756.00              | 3,123.53     | 588.08       | 3,118.39                | 0.00                    | 0.00                   | 0.00                  |
| 12,800.00             | 90.00           | 359.51      | 9,756.00              | 3,223.53     | 587.23       | 3,218.39                | 0.00                    | 0.00                   | 0.00                  |
| 12,900.00             | 90.00           | 359.51      | 9,756.00              | 3,323.53     | 586.38       | 3,318.39                | 0.00                    | 0.00                   | 0.00                  |
| 13,000.00             | 90.00           | 359.51      | 9,756.00              | 3,423.52     | 585.52       | 3,418.39                | 0.00                    | 0.00                   | 0.00                  |
| 13,100.00             | 90.00           | 359.51      | 9,756.00              | 3,523.52     | 584.67       | 3,518.39                | 0.00                    | 0.00                   | 0.00                  |
| 13,200.00             | 90.00           | 359.51      | 9,756.00              | 3,623.51     | 583.82       | 3,618.39                | 0.00                    | 0.00                   | 0.00                  |
| 13,300.00             | 90.00           | 359.51      | 9,756.00              | 3,723.51     | 582.97       | 3,718.39                | 0.00                    | 0.00                   | 0.00                  |
| 13,400.00             | 90.00           | 359.51      | 9,756.00              | 3,823.51     | 582.12       | 3,818.39                | 0.00                    | 0.00                   | 0.00                  |
| 13,500.00             | 90.00           | 359.51      | 9,756.00              | 3,923.50     | 581.26       | 3,918.39                | 0.00                    | 0.00                   | 0.00                  |
| 13,600.00             | 90.00           | 359.51      | 9,756.00              | 4,023.50     | 580.41       | 4,018.39                | 0.00                    | 0.00                   | 0.00                  |
| 13,700.00             | 90.00           | 359.51      | 9,756.00              | 4,123.50     | 579.56       | 4,118.39                | 0.00                    | 0.00                   | 0.00                  |
| 13,800.00             | 90.00           | 359.51      | 9,756.00              | 4,223.49     | 578.71       | 4,218.39                | 0.00                    | 0.00                   | 0.00                  |
| 13,900.00             | 90.00           | 359.51      | 9,756.00              | 4,323.49     | 577.86       | 4,318.39                | 0.00                    | 0.00                   | 0.00                  |
| 14,000.00             | 90.00           | 359.51      | 9,756.00              | 4,423.49     | 577.00       | 4,418.39                | 0.00                    | 0.00                   | 0.00                  |
| 14,100.00             | 90.00           | 359.51      | 9,756.00              | 4,523.48     | 576.15       | 4,518.39                | 0.00                    | 0.00                   | 0.00                  |
| 14,200.00             | 90.00           | 359.51      | 9,756.00              | 4,623.48     | 575.30       | 4,618.39                | 0.00                    | 0.00                   | 0.00                  |
| 14,300.00             | 90.00           | 359.51      | 9,756.00              | 4,723.47     | 574.45       | 4,718.39                | 0.00                    | 0.00                   | 0.00                  |
| 14,400.00             | 90.00           | 359.51      | 9,756.00              | 4,823.47     | 573.60       | 4,818.39                | 0.00                    | 0.00                   | 0.00                  |
| 14,500.00             | 90.00           | 359.51      | 9,756.00              | 4,923.47     | 572.75       | 4,918.39                | 0.00                    | 0.00                   | 0.00                  |
| 14,600.00             | 90.00           | 359.51      | 9,756.00              | 5,023.46     | 571.89       | 5,018.39                | 0.00                    | 0.00                   | 0.00                  |
| 14,700.00             | 90.00           | 359.51      | 9,756.00              | 5,123.46     | 571.04       | 5,118.39                | 0.00                    | 0.00                   | 0.00                  |
| 14,800.00             | 90.00           | 359.51      | 9,756.00              | 5,223.46     | 570.19       | 5,218.39                | 0.00                    | 0.00                   | 0.00                  |
| 14,900.00             | 90.00           | 359.51      | 9,756.00              | 5,323.45     | 569.34       | 5,318.39                | 0.00                    | 0.00                   | 0.00                  |
| 15,000.00             | 90.00           | 359.51      | 9,756.00              | 5,423.45     | 568.49       | 5,418.39                | 0.00                    | 0.00                   | 0.00                  |
| 15,100.00             | 90.00           | 359.51      | 9,756.00              | 5,523.45     | 567.63       | 5,518.39                | 0.00                    | 0.00                   | 0.00                  |
| 15,200.00             | 90.00           | 359.51      | 9,756.00              | 5,623.44     | 566.78       | 5,618.39                | 0.00                    | 0.00                   | 0.00                  |
| 15,300.00             | 90.00           | 359.51      | 9,756.00              | 5,723.44     | 565.93       | 5,718.39                | 0.00                    | 0.00                   | 0.00                  |
| 15,400.00             | 90.00           | 359.51      | 9,756.00              | 5,823.43     | 565.08       | 5,818.39                | 0.00                    | 0.00                   | 0.00                  |
| 15,500.00             | 90.00           | 359.51      | 9,756.00              | 5,923.43     | 564.23       | 5,918.39                | 0.00                    | 0.00                   | 0.00                  |
| 15,600.00             | 90.00           | 359.51      | 9,756.00              | 6,023.43     | 563.38       | 6,018.39                | 0.00                    | 0.00                   | 0.00                  |
| 15,700.00             | 90.00           | 359.51      | 9,756.00              | 6,123.42     | 562.52       | 6,118.39                | 0.00                    | 0.00                   | 0.00                  |
| 15,800.00             | 90.00           | 359.51      | 9,756.00              | 6,223.42     | 561.67       | 6,218.39                | 0.00                    | 0.00                   | 0.00                  |
| 15,900.00             | 90.00           | 359.51      | 9,756.00              | 6,323.42     | 560.82       | 6,318.39                | 0.00                    | 0.00                   | 0.00                  |
| 16,000.00             | 90.00           | 359.51      | 9,756.00              | 6,423.41     | 559.97       | 6,418.39                | 0.00                    | 0.00                   | 0.00                  |
| 16,100.00             | 90.00           | 359.51      | 9,756.00              | 6,523.41     | 559.12       | 6,518.39                | 0.00                    | 0.00                   | 0.00                  |
| 16,200.00             | 90.00           | 359.51      | 9,756.00              | 6,623.41     | 558.26       | 6,618.39                | 0.00                    | 0.00                   | 0.00                  |
| 16,300.00             | 90.00           | 359.51      | 9,756.00              | 6,723.40     | 557.41       | 6,718.39                | 0.00                    | 0.00                   | 0.00                  |
| 16,400.00             | 90.00           | 359.51      | 9,756.00              | 6,823.40     | 556.56       | 6,818.39                | 0.00                    | 0.00                   | 0.00                  |
| 16,500.00             | 90.00           | 359.51      | 9,756.00              | 6,923.39     | 555.71       | 6,918.39                | 0.00                    | 0.00                   | 0.00                  |
| 16,600.00             | 90.00           | 359.51      | 9,756.00              | 7,023.39     | 554.86       | 7,018.39                | 0.00                    | 0.00                   | 0.00                  |



## Planning Report

|                  |                                |                                     |                                                          |
|------------------|--------------------------------|-------------------------------------|----------------------------------------------------------|
| <b>Database:</b> | TZ USA 17.2                    | <b>Local Co-ordinate Reference:</b> | Well (B05) Gold State Com 504H - Slot (B05)<br>Gold 504H |
| <b>Company:</b>  | Franklin Mountain Energy LLC   | <b>TVD Reference:</b>               | 3975+30 @ 4005.00usft                                    |
| <b>Project:</b>  | PV_Lea County, NM(N83-NME3001) | <b>MD Reference:</b>                | 3975+30 @ 4005.00usft                                    |
| <b>Site:</b>     | Gold_Para Pad 4                | <b>North Reference:</b>             | Grid                                                     |
| <b>Well:</b>     | (B05) Gold State Com 504H      | <b>Survey Calculation Method:</b>   | Minimum Curvature                                        |
| <b>Wellbore:</b> | 504H                           |                                     |                                                          |
| <b>Design:</b>   | APD-Rev01                      |                                     |                                                          |

| Planned Survey                                                  |                 |             |                       |              |              |                         |                         |                        |                       |
|-----------------------------------------------------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft)                                           | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 16,700.00                                                       | 90.00           | 359.51      | 9,756.00              | 7,123.39     | 554.00       | 7,118.39                | 0.00                    | 0.00                   | 0.00                  |
| 16,800.00                                                       | 90.00           | 359.51      | 9,756.00              | 7,223.38     | 553.15       | 7,218.39                | 0.00                    | 0.00                   | 0.00                  |
| 16,900.00                                                       | 90.00           | 359.51      | 9,756.00              | 7,323.38     | 552.30       | 7,318.39                | 0.00                    | 0.00                   | 0.00                  |
| 17,000.00                                                       | 90.00           | 359.51      | 9,756.00              | 7,423.38     | 551.45       | 7,418.39                | 0.00                    | 0.00                   | 0.00                  |
| 17,100.00                                                       | 90.00           | 359.51      | 9,756.00              | 7,523.37     | 550.60       | 7,518.39                | 0.00                    | 0.00                   | 0.00                  |
| 17,200.00                                                       | 90.00           | 359.51      | 9,756.00              | 7,623.37     | 549.75       | 7,618.39                | 0.00                    | 0.00                   | 0.00                  |
| 17,300.00                                                       | 90.00           | 359.51      | 9,756.00              | 7,723.37     | 548.89       | 7,718.39                | 0.00                    | 0.00                   | 0.00                  |
| 17,400.00                                                       | 90.00           | 359.51      | 9,756.00              | 7,823.36     | 548.04       | 7,818.39                | 0.00                    | 0.00                   | 0.00                  |
| 17,500.00                                                       | 90.00           | 359.51      | 9,756.00              | 7,923.36     | 547.19       | 7,918.39                | 0.00                    | 0.00                   | 0.00                  |
| 17,600.00                                                       | 90.00           | 359.51      | 9,756.00              | 8,023.35     | 546.34       | 8,018.39                | 0.00                    | 0.00                   | 0.00                  |
| 17,700.00                                                       | 90.00           | 359.51      | 9,756.00              | 8,123.35     | 545.49       | 8,118.39                | 0.00                    | 0.00                   | 0.00                  |
| 17,800.00                                                       | 90.00           | 359.51      | 9,756.00              | 8,223.35     | 544.63       | 8,218.39                | 0.00                    | 0.00                   | 0.00                  |
| 17,900.00                                                       | 90.00           | 359.51      | 9,756.00              | 8,323.34     | 543.78       | 8,318.39                | 0.00                    | 0.00                   | 0.00                  |
| 18,000.00                                                       | 90.00           | 359.51      | 9,756.00              | 8,423.34     | 542.93       | 8,418.39                | 0.00                    | 0.00                   | 0.00                  |
| 18,100.00                                                       | 90.00           | 359.51      | 9,756.00              | 8,523.34     | 542.08       | 8,518.39                | 0.00                    | 0.00                   | 0.00                  |
| 18,200.00                                                       | 90.00           | 359.51      | 9,756.00              | 8,623.33     | 541.23       | 8,618.39                | 0.00                    | 0.00                   | 0.00                  |
| 18,300.00                                                       | 90.00           | 359.51      | 9,756.00              | 8,723.33     | 540.38       | 8,718.39                | 0.00                    | 0.00                   | 0.00                  |
| 18,400.00                                                       | 90.00           | 359.51      | 9,756.00              | 8,823.33     | 539.52       | 8,818.39                | 0.00                    | 0.00                   | 0.00                  |
| 18,500.00                                                       | 90.00           | 359.51      | 9,756.00              | 8,923.32     | 538.67       | 8,918.39                | 0.00                    | 0.00                   | 0.00                  |
| 18,600.00                                                       | 90.00           | 359.51      | 9,756.00              | 9,023.32     | 537.82       | 9,018.39                | 0.00                    | 0.00                   | 0.00                  |
| 18,700.00                                                       | 90.00           | 359.51      | 9,756.00              | 9,123.31     | 536.97       | 9,118.39                | 0.00                    | 0.00                   | 0.00                  |
| 18,800.00                                                       | 90.00           | 359.51      | 9,756.00              | 9,223.31     | 536.12       | 9,218.39                | 0.00                    | 0.00                   | 0.00                  |
| 18,900.00                                                       | 90.00           | 359.51      | 9,756.00              | 9,323.31     | 535.26       | 9,318.39                | 0.00                    | 0.00                   | 0.00                  |
| 19,000.00                                                       | 90.00           | 359.51      | 9,756.00              | 9,423.30     | 534.41       | 9,418.39                | 0.00                    | 0.00                   | 0.00                  |
| 19,100.00                                                       | 90.00           | 359.51      | 9,756.00              | 9,523.30     | 533.56       | 9,518.39                | 0.00                    | 0.00                   | 0.00                  |
| 19,200.00                                                       | 90.00           | 359.51      | 9,756.00              | 9,623.30     | 532.71       | 9,618.39                | 0.00                    | 0.00                   | 0.00                  |
| 19,300.00                                                       | 90.00           | 359.51      | 9,756.00              | 9,723.29     | 531.86       | 9,718.39                | 0.00                    | 0.00                   | 0.00                  |
| 19,400.00                                                       | 90.00           | 359.51      | 9,756.00              | 9,823.29     | 531.00       | 9,818.39                | 0.00                    | 0.00                   | 0.00                  |
| 19,500.00                                                       | 90.00           | 359.51      | 9,756.00              | 9,923.29     | 530.15       | 9,918.39                | 0.00                    | 0.00                   | 0.00                  |
| 19,600.00                                                       | 90.00           | 359.51      | 9,756.00              | 10,023.28    | 529.30       | 10,018.39               | 0.00                    | 0.00                   | 0.00                  |
| 19,700.00                                                       | 90.00           | 359.51      | 9,756.00              | 10,123.28    | 528.45       | 10,118.39               | 0.00                    | 0.00                   | 0.00                  |
| 19,800.00                                                       | 90.00           | 359.51      | 9,756.00              | 10,223.27    | 527.60       | 10,218.39               | 0.00                    | 0.00                   | 0.00                  |
| 19,900.00                                                       | 90.00           | 359.51      | 9,756.00              | 10,323.27    | 526.75       | 10,318.39               | 0.00                    | 0.00                   | 0.00                  |
| 20,000.00                                                       | 90.00           | 359.51      | 9,756.00              | 10,423.27    | 525.89       | 10,418.39               | 0.00                    | 0.00                   | 0.00                  |
| 20,100.00                                                       | 90.00           | 359.51      | 9,756.00              | 10,523.26    | 525.04       | 10,518.39               | 0.00                    | 0.00                   | 0.00                  |
| 20,200.00                                                       | 90.00           | 359.51      | 9,756.00              | 10,623.26    | 524.19       | 10,618.39               | 0.00                    | 0.00                   | 0.00                  |
| 20,300.00                                                       | 90.00           | 359.51      | 9,756.00              | 10,723.26    | 523.34       | 10,718.39               | 0.00                    | 0.00                   | 0.00                  |
| 20,400.00                                                       | 90.00           | 359.51      | 9,756.00              | 10,823.25    | 522.49       | 10,818.39               | 0.00                    | 0.00                   | 0.00                  |
| 20,500.00                                                       | 90.00           | 359.51      | 9,756.00              | 10,923.25    | 521.63       | 10,918.39               | 0.00                    | 0.00                   | 0.00                  |
| 20,600.00                                                       | 90.00           | 359.51      | 9,756.00              | 11,023.25    | 520.78       | 11,018.39               | 0.00                    | 0.00                   | 0.00                  |
| 20,700.00                                                       | 90.00           | 359.51      | 9,756.00              | 11,123.24    | 519.93       | 11,118.39               | 0.00                    | 0.00                   | 0.00                  |
| 20,800.00                                                       | 90.00           | 359.51      | 9,756.00              | 11,223.24    | 519.08       | 11,218.39               | 0.00                    | 0.00                   | 0.00                  |
| 20,900.00                                                       | 90.00           | 359.51      | 9,756.00              | 11,323.23    | 518.23       | 11,318.39               | 0.00                    | 0.00                   | 0.00                  |
| 21,000.00                                                       | 90.00           | 359.51      | 9,756.00              | 11,423.23    | 517.38       | 11,418.39               | 0.00                    | 0.00                   | 0.00                  |
| 21,100.00                                                       | 90.00           | 359.51      | 9,756.00              | 11,523.23    | 516.52       | 11,518.39               | 0.00                    | 0.00                   | 0.00                  |
| 21,149.70                                                       | 90.00           | 359.51      | 9,756.00              | 11,572.93    | 516.10       | 11,568.09               | 0.00                    | 0.00                   | 0.00                  |
| TD: 21149.70' MD/ 11568.09' VS/9756.00' TVD - 02-PBHL(GSC-504H) |                 |             |                       |              |              |                         |                         |                        |                       |



## Planning Report

|                  |                                |                                     |                                                          |
|------------------|--------------------------------|-------------------------------------|----------------------------------------------------------|
| <b>Database:</b> | TZ USA 17.2                    | <b>Local Co-ordinate Reference:</b> | Well (B05) Gold State Com 504H - Slot (B05)<br>Gold 504H |
| <b>Company:</b>  | Franklin Mountain Energy LLC   | <b>TVD Reference:</b>               | 3975+30 @ 4005.00usft                                    |
| <b>Project:</b>  | PV_Lea County, NM(N83-NME3001) | <b>MD Reference:</b>                | 3975+30 @ 4005.00usft                                    |
| <b>Site:</b>     | Gold_Para Pad 4                | <b>North Reference:</b>             | Grid                                                     |
| <b>Well:</b>     | (B05) Gold State Com 504H      | <b>Survey Calculation Method:</b>   | Minimum Curvature                                        |
| <b>Wellbore:</b> | 504H                           |                                     |                                                          |
| <b>Design:</b>   | APD-Rev01                      |                                     |                                                          |

| Design Targets                                                                                |           |          |          |           |        |            |            |             |               |
|-----------------------------------------------------------------------------------------------|-----------|----------|----------|-----------|--------|------------|------------|-------------|---------------|
| Target Name                                                                                   |           |          |          |           |        |            |            |             |               |
| - hit/miss target                                                                             | Dip Angle | Dip Dir. | TVD      | +N/-S     | +E/-W  | Northing   | Easting    | Latitude    | Longitude     |
| - Shape                                                                                       | (°)       | (°)      | (usft)   | (usft)    | (usft) | (usft)     | (usft)     |             |               |
| 02-PBHL(GSC-504H)                                                                             | 0.00      | 0.00     | 9,756.00 | 11,572.93 | 516.10 | 633,959.30 | 790,315.75 | 32.74017606 | -103.52358544 |
| - plan hits target center                                                                     |           |          |          |           |        |            |            |             |               |
| - Point                                                                                       |           |          |          |           |        |            |            |             |               |
| 01-T98(GSC-504H)                                                                              | 0.00      | 0.00     | 9,756.00 | -85.08    | 615.50 | 622,301.29 | 790,415.15 | 32.70813294 | -103.52355187 |
| - plan misses target center by 272.41usft at 9646.31usft MD (9576.45 TVD, 119.77 N, 613.67 E) |           |          |          |           |        |            |            |             |               |
| - Point                                                                                       |           |          |          |           |        |            |            |             |               |

| Formations     |                |                              |           |     |               |  |
|----------------|----------------|------------------------------|-----------|-----|---------------|--|
| Measured Depth | Vertical Depth | Name                         | Lithology | Dip | Dip Direction |  |
| (usft)         | (usft)         |                              |           | (°) | (°)           |  |
| 30.00          | 30.00          | Cenozoic Alluvium (surface)  |           |     |               |  |
| 1,811.34       | 1,811.00       | Rustler                      |           |     |               |  |
| 2,107.73       | 2,106.00       | Salado                       |           |     |               |  |
| 3,296.50       | 3,289.00       | Base Salt                    |           |     |               |  |
| 3,596.96       | 3,588.00       | Yates                        |           |     |               |  |
| 3,869.29       | 3,859.00       | Seven Rivers                 |           |     |               |  |
| 4,725.44       | 4,711.00       | Queen                        |           |     |               |  |
| 6,276.98       | 6,255.00       | Delaware Mtn Group           |           |     |               |  |
| 7,962.53       | 7,933.00       | Bone Spring Lime             |           |     |               |  |
| 9,064.63       | 9,035.00       | First Bone Spring Sand       |           |     |               |  |
| 9,213.63       | 9,184.00       | Second Bone Spring Carbonate |           |     |               |  |
| 9,390.47       | 9,358.00       | Second Bone Spring Sand      |           |     |               |  |

| Plan Annotations |                |                   |        |                                             |  |
|------------------|----------------|-------------------|--------|---------------------------------------------|--|
| Measured Depth   | Vertical Depth | Local Coordinates |        |                                             |  |
| (usft)           | (usft)         | +N/-S             | +E/-W  | Comment                                     |  |
| (usft)           | (usft)         | (usft)            | (usft) |                                             |  |
| 9,212.67         | 9,183.04       | -36.64            | 615.00 | KOP: 9212.67' MD/ -41.90' VS/9183.04' TVD   |  |
| 10,112.67        | 9,756.00       | 536.30            | 610.12 | EOC: 10112.67' MD/ 531.06' VS/9756.00' TVD  |  |
| 21,149.70        | 9,756.00       | 11,572.93         | 516.10 | TD: 21149.70' MD/ 11568.09' VS/9756.00' TVD |  |

State of New Mexico  
Energy, Minerals and Natural Resources Department

Submit Electronically  
Via E-permitting

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

## NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

### Section 1 – Plan Description

Effective May 25, 2021

**I. Operator:** Franklin Mountain Energy 3, LLC **OGRID:** 331595 **Date:** 1/2/2024

**II. Type:** ☒ Original ☐ Amendment due to ☐ 19.15.27.9.D(6)(a) NMAC ☐ 19.15.27.9.D(6)(b) NMAC ☐ Other.

If Other, please describe: \_\_\_\_\_

**III. Well(s):** Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

| Well Name              | API | ULSTR | Footages | Anticipated Oil BBL/D | Anticipated Gas MCF/D | Anticipated Produced Water BBL/D |
|------------------------|-----|-------|----------|-----------------------|-----------------------|----------------------------------|
| See Attached Well List |     |       |          |                       |                       |                                  |
|                        |     |       |          |                       |                       |                                  |

**IV. Central Delivery Point Name:** Gold/Parallel CTB [See 19.15.27.9(D)(1) NMAC]

**V. Anticipated Schedule:** Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

| Well Name              | API | Spud Date | TD Reached Date | Completion Commencement Date | Initial Flow Back Date | First Production Date |
|------------------------|-----|-----------|-----------------|------------------------------|------------------------|-----------------------|
| See Attached Well List |     |           |                 |                              |                        |                       |
|                        |     |           |                 |                              |                        |                       |

**VI. Separation Equipment:** ☒ Attach a complete description of how Operator will size separation equipment to optimize gas capture.

**VII. Operational Practices:** ☒ Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC.

**VIII. Best Management Practices:** ☒ Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.

## **Section 2 – Enhanced Plan**

### **EFFECTIVE APRIL 1, 2022**

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

☒ Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

#### **IX. Anticipated Natural Gas Production:**

| Well | API | Anticipated Average Natural Gas Rate MCF/D | Anticipated Volume of Natural Gas for the First Year MCF |
|------|-----|--------------------------------------------|----------------------------------------------------------|
|      |     |                                            |                                                          |
|      |     |                                            |                                                          |

#### **X. Natural Gas Gathering System (NGGS):**

| Operator | System | ULSTR of Tie-in | Anticipated Gathering Start Date | Available Maximum Daily Capacity of System Segment Tie-in |
|----------|--------|-----------------|----------------------------------|-----------------------------------------------------------|
|          |        |                 |                                  |                                                           |
|          |        |                 |                                  |                                                           |

**XI. Map.** ☒ Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

**XII. Line Capacity.** The natural gas gathering system ☐ will ☐ will not have capacity to gather 100% of the anticipated natural gas production volume from the well prior to the date of first production.

**XIII. Line Pressure.** Operator ☐ does ☐ does not anticipate that its existing well(s) connected to the same segment, or portion, of the natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s).

☐ Attach Operator's plan to manage production in response to the increased line pressure.

**XIV. Confidentiality:** ☐ Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided in Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information for which confidentiality is asserted and the basis for such assertion.



### **Section 3 - Certifications**

**Effective May 25, 2021**

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:

☒ Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or

☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system.

***If Operator checks this box, Operator will select one of the following:***

**Well Shut-In.** ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or

**Venting and Flaring Plan.** ☐ Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including:

- (a) power generation on lease;
- (b) power generation for grid;
- (c) compression on lease;
- (d) liquids removal on lease;
- (e) reinjection for underground storage;
- (f) reinjection for temporary storage;
- (g) reinjection for enhanced oil recovery;
- (h) fuel cell production; and
- (i) other alternative beneficial uses approved by the division.

### **Section 4 - Notices**

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:


(a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or

(b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.

2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.



I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

|                                                                                                  |
|--------------------------------------------------------------------------------------------------|
| Signature:      |
| Printed Name: Rachael Overbey                                                                    |
| Title: Director Operations Planning & Regulatory                                                 |
| E-mail Address: roverbey@fmelle.com                                                              |
| Date: 1/2/2024                                                                                   |
| Phone: 720-414-7868                                                                              |
| <b>OIL CONSERVATION DIVISION</b><br><b>(Only applicable when submitted as a standalone form)</b> |
| Approved By:                                                                                     |
| Title:                                                                                           |
| Approval Date:                                                                                   |
| Conditions of Approval:                                                                          |

**NATURAL GAS MANAGEMENT PLAN**

**III. Well(s):** Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

| Well Name               | API 14 Digit | ULSTR        | Surface Location FTG | Anticipated Oil BBL/D | Anticipated Gas MCF/D | Anticipated Produced Water BBL/D |
|-------------------------|--------------|--------------|----------------------|-----------------------|-----------------------|----------------------------------|
| Gold State Com 302H     | TBD          | C-35-18S-34E | 1087 FNL 1715 FWL    | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Gold State Com 303H     | TBD          | B-35-18S-34E | 1091 FNL 2475 FEL    | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Gold State Com 304H     | TBD          | A-35-18S-34E | 1131 FNL 1065 FEL    | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Gold State Com 501H     | TBD          | C-35-18S-34E | 1087 FNL 1685 FWL    | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Gold State Com 502H     | TBD          | C-35-18S-34E | 1087 FNL 1805 FWL    | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Gold State Com 503H     | TBD          | A-35-18S-34E | 1131 FNL 1095 FEL    | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Gold State Com 504H     | TBD          | A-35-18S-34E | 1131 FNL 975 FEL     | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Gold State Com 602H     | TBD          | C-35-18S-34E | 1087 FNL 1745 FWL    | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Gold State Com 603H     | TBD          | B-35-18S-34E | 1091 FNL 2445 FEL    | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Gold State Com 604H     | TBD          | A-35-18S-34E | 1131 FNL 1035 FEL    | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Gold State Com 702H     | TBD          | B-35-18S-34E | 1089 FNL 2565 FEL    | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Gold State Com 703H     | TBD          | B-35-18S-34E | 1089 FNL 2535 FEL    | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Gold State Com 704H     | TBD          | B-35-18S-34E | 1090 FNL 2505 FEL    | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Gold State Com 802H     | TBD          | C-35-18S-34E | 1087 FNL 1775 FWL    | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Gold State Com 803H     | TBD          | B-35-18S-34E | 1092 FNL 2415 FEL    | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Gold State Com 804H     | TBD          | A-35-18S-34E | 1131 FNL 1005 FEL    | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Parallel State Com 301H | TBD          | C-35-18S-34E | 987 FNL 1673 FWL     | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Parallel State Com 302H | TBD          | C-35-18S-34E | 987 FNL 1733 FWL     | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Parallel State Com 303H | TBD          | A-35-18S-34E | 1031 FNL 1110 FEL    | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Parallel State Com 304H | TBD          | A-35-18S-34E | 1031 FNL 1050 FEL    | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Parallel State Com 501H | TBD          | C-35-18S-34E | 987 FNL 1703 FWL     | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Parallel State Com 502H | TBD          | C-35-18S-34E | 987 FNL 1763 FWL     | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Parallel State Com 503H | TBD          | A-35-18S-34E | 1031 FNL 1080 FEL    | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Parallel State Com 504H | TBD          | A-35-18S-34E | 1031 FNL 1020 FEL    | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Parallel State Com 701H | TBD          | C-35-18S-34E | 987 FNL 1793 FWL     | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Parallel State Com 702H | TBD          | C-35-18S-34E | 987 FNL 1823 FWL     | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Parallel State Com 703H | TBD          | A-35-18S-34E | 1031 FNL 990 FEL     | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Parallel State Com 704H | TBD          | A-35-18S-34E | 1031 FNL 960 FEL     | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Parallel State Com 801H | TBD          | C-35-18S-34E | 987 FNL 1853 FWL     | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Parallel State Com 802H | TBD          | C-35-18S-34E | 987 FNL 1883 FWL     | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Parallel State Com 803H | TBD          | B-35-18S-34E | 990 FNL 2505 FEL     | 800 +/-               | 700 +/-               | 2500 +/-                         |
| Parallel State Com 804H | TBD          | B-35-18S-34E | 991 FNL 2475 FEL     | 800 +/-               | 700 +/-               | 2500 +/-                         |

**V. Anticipated Schedule:** Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be

| Well Name               | API 14 Digit | Spud Date (Batch Drilling) | TD Reached Date | Completion Commencement Date | Initial Flowback Date | First Production Date |
|-------------------------|--------------|----------------------------|-----------------|------------------------------|-----------------------|-----------------------|
| Gold State Com 302H     | TBD          | 5/1/2024                   | 11/12/2024      | 12/7/2024                    | 12/17/2024            | 12/19/2024            |
| Gold State Com 303H     | TBD          | 5/1/2024                   | 8/29/2024       | 9/23/2024                    | 10/3/2024             | 10/5/2024             |
| Gold State Com 304H     | TBD          | 5/1/2024                   | 10/13/2024      | 11/7/2024                    | 11/17/2024            | 11/19/2024            |
| Gold State Com 501H     | TBD          | 5/1/2024                   | 11/12/2024      | 12/7/2024                    | 12/17/2024            | 12/19/2024            |
| Gold State Com 502H     | TBD          | 5/1/2024                   | 11/12/2024      | 12/7/2024                    | 12/17/2024            | 12/19/2024            |
| Gold State Com 503H     | TBD          | 5/1/2024                   | 10/13/2024      | 11/7/2024                    | 11/17/2024            | 11/19/2024            |
| Gold State Com 504H     | TBD          | 5/1/2024                   | 10/13/2024      | 11/7/2024                    | 11/17/2024            | 11/19/2024            |
| Gold State Com 602H     | TBD          | 5/1/2024                   | 11/12/2024      | 12/7/2024                    | 12/17/2024            | 12/19/2024            |
| Gold State Com 603H     | TBD          | 5/1/2024                   | 8/29/2024       | 9/23/2024                    | 10/3/2024             | 10/5/2024             |
| Gold State Com 604H     | TBD          | 5/1/2024                   | 10/13/2024      | 11/7/2024                    | 11/17/2024            | 11/19/2024            |
| Gold State Com 702H     | TBD          | 5/1/2024                   | 8/29/2024       | 9/23/2024                    | 10/3/2024             | 10/5/2024             |
| Gold State Com 703H     | TBD          | 5/1/2024                   | 8/29/2024       | 9/23/2024                    | 10/3/2024             | 10/5/2024             |
| Gold State Com 704H     | TBD          | 5/1/2024                   | 8/29/2024       | 9/23/2024                    | 10/3/2024             | 10/5/2024             |
| Gold State Com 802H     | TBD          | 5/1/2024                   | 11/12/2024      | 12/7/2024                    | 12/17/2024            | 12/19/2024            |
| Gold State Com 803H     | TBD          | 5/1/2024                   | 8/29/2024       | 9/23/2024                    | 10/3/2024             | 10/5/2024             |
| Gold State Com 804H     | TBD          | 5/1/2024                   | 10/13/2024      | 11/7/2024                    | 11/17/2024            | 11/19/2024            |
| Parallel State Com 301H | TBD          | 5/1/2024                   | 11/12/2024      | 12/7/2024                    | 12/17/2024            | 12/19/2024            |
| Parallel State Com 302H | TBD          | 5/1/2024                   | 11/12/2024      | 12/7/2024                    | 12/17/2024            | 12/19/2024            |
| Parallel State Com 303H | TBD          | 5/1/2024                   | 10/13/2024      | 11/7/2024                    | 11/17/2024            | 11/19/2024            |
| Parallel State Com 304H | TBD          | 5/1/2024                   | 10/13/2024      | 11/7/2024                    | 11/17/2024            | 11/19/2024            |
| Parallel State Com 501H | TBD          | 5/1/2024                   | 11/12/2024      | 12/7/2024                    | 12/17/2024            | 12/19/2024            |
| Parallel State Com 502H | TBD          | 5/1/2024                   | 11/12/2024      | 12/7/2024                    | 12/17/2024            | 12/19/2024            |
| Parallel State Com 503H | TBD          | 5/1/2024                   | 10/13/2024      | 11/7/2024                    | 11/17/2024            | 11/19/2024            |
| Parallel State Com 504H | TBD          | 5/1/2024                   | 10/13/2024      | 11/7/2024                    | 11/17/2024            | 11/19/2024            |
| Parallel State Com 701H | TBD          | 5/1/2024                   | 11/12/2024      | 12/7/2024                    | 12/17/2024            | 12/19/2024            |
| Parallel State Com 702H | TBD          | 5/1/2024                   | 11/12/2024      | 12/7/2024                    | 12/17/2024            | 12/19/2024            |
| Parallel State Com 703H | TBD          | 5/1/2024                   | 10/13/2024      | 11/7/2024                    | 11/17/2024            | 11/19/2024            |
| Parallel State Com 704H | TBD          | 5/1/2024                   | 10/13/2024      | 11/7/2024                    | 11/17/2024            | 11/19/2024            |
| Parallel State Com 801H | TBD          | 5/1/2024                   | 11/12/2024      | 12/7/2024                    | 12/17/2024            | 12/19/2024            |
| Parallel State Com 802H | TBD          | 5/1/2024                   | 11/12/2024      | 12/7/2024                    | 12/17/2024            | 12/19/2024            |
| Parallel State Com 803H | TBD          | 5/1/2024                   | 8/29/2024       | 9/23/2024                    | 10/3/2024             | 10/5/2024             |
| Parallel State Com 804H | TBD          | 5/1/2024                   | 8/29/2024       | 9/23/2024                    | 10/3/2024             | 10/5/2024             |



## Natural Gas Management Plan

### Items VI-VIII

#### **VI. Separation Equipment: Attach a complete description of how Operator will size separation equipment to optimize gas capture.**

- Data from surrounding wells is used to generate type curves which provides the basis for expected gas rates during initial production, peak production and then the natural decline.
- Separation equipment will be sized to provide adequate separation for peak production.
- Facility design includes multiple stages of separation to minimize gas waste. Wells flow through a 3-phase separator to remove gas. Gas from the 3 Phase separators are then sent through a gas scrubber before being route to treatment and/or sales.
- Industry standard sizing calculations are used for gas-liquid separation and liquid-liquid separation.

#### **VII. Operational Practices: Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F 19.15.27.8 NMAC.**

- Drilling, completion and production setup is designed to minimize the waste of natural gas and to flare instead of vent.
- *Drilling Operations:*
  - Natural gas encountered will be flared instead of vented unless there is an equipment malfunction and/or to avoid risking safety or the environment.
  - Flares will be properly sized and placed at least 100' from the nearest surface hole on the pad.
- *Completions/Recompletions Operations:*
  - Flowback operations will not commence until connected to a properly sized gas gathering system.
  - During initial flowback wells are routed to the separation equipment as soon as technically feasible to minimize gas waste.
  - During separation flowback wells are routed to the separation equipment to minimize gas waste.
  - Gas sales is maximized. Gas will be flared instead of vented during an emergency or malfunction to avoid posing a risk to operations or personnel safety.
  - Flares are properly sized with a continuous pilot.
- *Production Operations:*
  - Gas sales will be maximized. Gas will be flared instead of vented during an emergency or malfunction to avoid posing a risk to operations or personnel safety.
  - After a well is stabilized from liquid unloading, the well will be turned back into the collection system.
- *Performance Standards:*
  - The facility will be designed to handle peak production rates and pressures.
  - All tanks will have automatic gauging equipment.
  - Flares will be designed to ensure proper combustion and will have continuous pilots. Flares will be located 100' from nearest surface hole on the pad and storage tanks.
  - Weekly AVOs will be performed, and any leaking thief hatches will be cleaned and properly re-sealed.
- *Measurement and Calibration:*



- All volume that is flared and vented that is not measured will be estimated.
- When metering is not practical due to low pressure/rate, all vented or flared volumes will be estimated.
- Measurement will conform to industry standards. Measurement will not be bypassed except for purposes of inspection or calibration.

**VIII. Best Management Practices: Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.**

- Venting will be minimized during active and planned maintenance.
- Systems and equipment requiring maintenance will be isolated and blown down to sales and then flare before any remaining gas is vented in an effort to minimize waste and venting.
- Downhole maintenance will use best management practices to minimize vent.



Gold/Parallel NGMP Map  
Nov 2023  
- Capacities reflected are FME's understanding of 3rd party midstream system capacities

