

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT Sundry Print Report

Well Name: SHINNERY OAK Well Location: T21S / R28E / SEC 12 / County or Parish/State: EDDY /

FEDERAL SWD NESE /

Well Number: 1 Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMLC067145 Unit or CA Name: Unit or CA Number:

US Well Number: 300152086600X1 Well Status: Water Disposal Well Operator: SAN MATEO

STEBBINS WATER

MANAGEMENT COMPANY LLC

Subsequent Report

Sundry ID: 2736306

Type of Submission: Subsequent Report

Type of Action: Workover Operations

Date Sundry Submitted: 07/11/2023 Time Sundry Submitted: 08:34

Date Operation Actually Began: 04/27/2023

Actual Procedure: 1. 4/25/23: Notified Barbara Lydick (NMOCD) & Jimmy Amos (BLM) and gave notice of intent to begin operations. 2. 4/27/23: Released packer, then pulled and laid down 3-1/2" P-110 IPC tubing and packer. 3. 4/28/23-5/1/23: Performed maintenance work on wellhead. 4. 5/2/23-5/4/23: Cleaned out open hole from 13,825'-14,800'. 5. 5/5/23: Paused operations and secured well. 6. 6/12/23-6/13/23: Ran in hole with packer and 3-1/2" 9.3# P-110 fiberglass lined tubing. Circulated packer fluid, set packer. 7. 6/15/23: Performed chart MIT on casing-tubing annulus to 530 psi for 30 minutes to ensure pressure integrity with NMOCD inspector Barbara Lydick directly witnessing. Please find attached the Passing MIT Chart and Wellbore Schematic.

SR Attachments

Actual Procedure

WBS.Passing_MIT_Test_20230711203415.pdf

FEDERAL SWD

Well Location: T21S / R28E / SEC 12 /

NESE /

County or Parish/State: EDD 200

Well Number: 1

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMLC067145

Unit or CA Name:

Unit or CA Number:

US Well Number: 300152086600X1

Well Status: Water Disposal Well

Operator: SAN MATEO STEBBINS WATER

MANAGEMENT COMPANY LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: NICKY FITZGERALD Signed on: JUL 11, 2023 08:34 PM

Name: SAN MATEO STEBBINS WATER MANAGEMENT COMPANY LLC

Title: Regulatory Consultant

Street Address: 5400 LBJ FREEWAY STE 1500

City: DALLAS State: TX

Phone: (972) 371-5448

Email address: nicky.fitzgerald@matadorresources.com

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

Signature: Jonathon Shepard

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted


Disposition Date: 07/11/2023

Shinnery Oak Federal SWD #1

API: 30-015-20866

Location: 12-21S-28E

Passing MIT 6/15/2023



WELL: Shinne	ery Oak	Federal S	WD #1 PROSPECT:	DevonianSWD)			API #: 3	30-015-20866
				GL ELEV : 33 RKB ELEV :	Surface Hole Location : 1980' FSL & 660' FEL Sec. 12, TWP 21-S, RGE 28-E Eddy County, NM				
Formation Tops (TVD @ 0' VS)			CASING DIAGRAM		Depth (MD)	oth D) Hole	Casing & Cement Details 20" Conductor @ ± 30' GL		
			Casing Test: 600psi			447'	15" V 11"	Surf. Csg Cmt: 14.0 ppg Total Sacks Cement: 450 sxs 11-3/4", 42#, H40, ST&C Int. Csg Cmt: 14.7 ppg Lead: Circulate to surface (1125sxs) 14.0 ppg Tail: (250 sxs)	
			Casing Test: 1500psi			2982'		8-5/8", 24#, K55, ST&C	
Deleware	@ 3017'			※			7-7/8"	Prod Csg Cmt: 12.6 ppg Lead: 650 sxs	
Bone Spring	@ 6547'							14.2 ppg 1 st Tail: 300 sxs 11.9 ppg 2 nd Tail: 640 sxs 15.6 ppg 3 rd Tail: 200 sxs 11.9 ppg 4 th Tail: 270 sxs	
1st Bone Spring Sand	@ 7584'			8	100			14.8 ppg 5 th Tail: 200 sxs	
2 nd Bone Spring Sand	@ 8362'			99 93 93				5-1/2", 20#, HCP110, BTC	
Wolfcamp	@ 10072'				ALCO AN				
Morrow	@ 11722'								
Mississippian	@ 12722'				13775'				
Woodford Devonian	@ 13657' @ 13765'		Casing Test: 2500psi			13,825			
Devonian Fusselman	@ 13940'		<u> </u>	{		10,020	4-5/8"	Tubing: Baker Hornet packer @ 13,775' 3-1/2", 9.3#, HCP-110, TTS-8 CIGL	
	.			\ \				Fiberglass Lined	
Montoya	@ 14710'				\$				
Prepared By: WMW -	6/15/2023					14,858	_ ▼		

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 243188

CONDITIONS

Operator:		OGRID:
San Mateo Stebbins Water Manageme	nt, LLC	328762
5400 LBJ Freeway		Action Number:
Dallas, TX 75240		243188
		Action Type:
		[C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
mgebremichae	None	2/16/2024