U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Repor
Well Name: LOS VAQUEROS FED	Well Location: T26S / R35E / SEC 30 / NENW / 32.0209799 / -103.4087924	County or Parish/State: LEA / NM
Well Number: 301H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM0629320	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002549579	Well Status: Drilling Well	Operator: EARTHSTONE OPERATING LLC

Notice of Intent

Sundry ID: 2757919

Type of Submission: Notice of Intent

Date Sundry Submitted: 10/24/2023

Date proposed operation will begin: 10/24/2023

Type of Action: APD Change Time Sundry Submitted: 02:53 g

Procedure Description: Los Vaqueros Fed 301H The Operator respectfully request permission to change the following intermediate casing & cement design from what was originally approved in the APD. Please see attached design change.

NOI Attachments

Procedure Description

Los_Vaqueros_Fed_301H_20231024145301.pdf

Received by OCD: U15/2024 10:18:33 AM Well Name: LOS VAQUEROS FED	Well Location: T26S / R35E / SEC 30 / NENW / 32.0209799 / -103.4087924	County or Parish/State: LEAT
Well Number: 301H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM0629320	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002549579	Well Status: Drilling Well	Operator: EARTHSTONE OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JENNIFER ELROD

Signed on: OCT 25, 2023 03:18 PM

Name: EARTHSTONE OPERATING LLC

Title: Senior Regulatory Analyst

Street Address: 300 N MARIENFIELD STREET SUITE 1000

City: MIDLAND

State: TX

Phone: (940) 452-6214

Email address: JENNIFER.ELROD@PERMIANRES.COM

Field

Representative Name: Street Address: City: State: Phone: Email address:

BLM Point of Contact

BLM POC Name: CHRISTOPHER WALLS BLM POC Phone: 5752342234 Disposition: Approved Signature: Chris Walls BLM POC Title: Petroleum Engineer BLM POC Email Address: cwalls@blm.gov Disposition Date: 11/08/2023

Zip:

K

eceived by OCD: 1/15/2024 10):18:33 AM	Page 3 of
	UNITED STATES ARTMENT OF THE INTERIOR EAU OF LAND MANAGEMENT	FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2021 5. Lease Serial No.
	IOTICES AND REPORTS ON WELLS	NMNM0629320
Do not use this f	form for proposals to drill or to re-enter an Use Form 3160-3 (APD) for such proposals.	6. If Indian, Allottee or Tribe Name
SUBMIT IN 1	TRIPLICATE - Other instructions on page 2	7. If Unit of CA/Agreement, Name and/or No.
1. Type of Well		-
✓ Oil Well Gas W		8. Well Name and No. LOS VAQUEROS FED/301H
2. Name of Operator EARTHSTONE	OPERATING LLC	9. API Well No. 3002549579
	STREET SUITE 1000, MIC 3b. Phone No. (include area code)	10. Field and Pool or Exploratory Area
	(432) 695-4222	WC-025 G08 S263412K/BONE SPRIING
4. Location of Well (Footage, Sec., T.,R	R., M., or Survey Description)	11. Country or Parish, State
SEC 30/T26S/R35E/NMP		LEA/NM
12. CHE	CK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NO	TICE, REPORT OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF A	CTION
✓ Notice of Intent	Acidize Deepen Pro	oduction (Start/Resume) Water Shut-Off
	Alter Casing Hydraulic Fracturing Re	clamation Well Integrity
Subsequent Report		complete Other
		mporarily Abandon
Final Abandonment Notice	Convert to Injection Plug Back Wa	iter Disposal
the proposal is to deepen directiona the Bond under which the work wil completion of the involved operation completed. Final Abandonment Not is ready for final inspection.) Los Vaqueros Fed 301H	peration: Clearly state all pertinent details, including estimated starting lly or recomplete horizontally, give subsurface locations and measured l be perfonned or provide the Bond No. on file with BLM/BIA. Require ons. If the operation results in a multiple completion or recompletion in tices must be filed only after all requirements, including reclamation, ha	and true vertical depths of all pertinent markers and zones. Attach ed subsequent reports must be filed within 30 days following a new interval, a Form 3160-4 must be filed once testing has been ave been completed and the operator has detennined that the site

(Electronic Submission)	Date	10/25/2023
14. I hereby certify that the foregoing is true and correct. Name (<i>Printed/Typed</i>) JENNIFER ELROD / Ph: (940) 452-6214	Senior Regulatory Analyst Title	

THE SPACE FOR	FEDERAL OR STATE OFICE USE	

Approved by		
CHRISTOPHER WALLS / Ph: (575) 234-2234 / Approved	Petroleum Engineer Title	11/08/2023 Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office CARLSBAD	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: NENW / 211 FNL / 1961 FWL / TWSP: 26S / RANGE: 35E / SECTION: 30 / LAT: 32.0209799 / LONG: -103.4087924 (TVD: 0 feet, MD: 0 feet) PPP: NENW / 100 FNL / 1100 FWL / TWSP: 26S / RANGE: 35E / SECTION: 30 / LAT: 32.0212888 / LONG: -103.4103245 (TVD: 12901 feet, MD: 12925 feet) BHL: LOT 3 / 0 FSL / 1100 FWL / TWSP: 26S / RANGE: 35E / SECTION: 31 / LAT: 32.0003166 / LONG: -103.4103238 (TVD: 13144 feet, MD: 20665 feet)

Page 6 of 9

Los Vaqueros Fed 301H

The Operator respectfully request permission to change the following intermediate casing & cement design to:

Hole	Casing	Interval	Csg. Size	Weight	Grade	Conn.	SF	SF Burst	SF Body	SF Joint
Size	From	То		(lbs)			Collapse		Tension	Tension
9.875"	0	8,000'	7.625"	29.7	L80 HC	BTC	2.23	2.41	2.87	2.87
8.75"	8000	11,328'	7.625"	29.7	ICY P110	MO-FXL	1.86	1.65	16.03	7.56

Casing	# Sks	Wt. Ib/ gal	Yld ft3/ sack	H₂0 gal/sk	500# Comp. Strength (hours)	Slurry Description
Intermediate	840	10.3	3.65	9.6	8	Lead: 35:65:6 C Blend
memediate	80	16.4	1.27	6.34	6	Tail: Class H



API 5CT Casing Performance Data Sheet

Manufactured to specifications of API 5CT 9th edition and bears the API monogram. Designed for enhanced performance through increased collapse resistance.

Grade	L80EHC
	Pipe Body Mechanical Properties
Minimum Yield Strength	80,000 psi
Maximum Yield Strength	95,000 psi
Minimum Tensile Strength	95,000 psi
Maximum Hardness	23.0 HRC
	Sizes
OD	7 5/8 in
Nominal Wall Thickness	0.275 in

עט	7 5/8 IN
Nominal Wall Thickness	0.375 in
Nominal Weight, T&C	29.70 lb/ft
Nominal Weight, PE	29.06 lb/ft
Nominal ID	6.875 in
Standard Drift	6.750 in
Alternate Drift	N/A

	Minimum Performance
Collapse Pressure	6,220 psi
Internal Pressure Yield	6,880 psi
Pipe body Tension Yield	683,000 lbs
Internal pressure leak resistance STC/LTC connections	6,880 psi
Internal pressure leak resistance BTC connections	6,880 psi

	Inspection and Testing
Visual	OD Longitidunal and independent 3rd party SEA
NDT	Independent 3rd party full body EMI after hydrotest Calibration notch sensitivity: 10% of specified wall thickness

	<u>Color code</u>		
Pipe ends	One white and two blue bands		
Couplings	Red with one brown band		

.

al One Corp.	MO-FXL		Page			
-	MO-FXL		Date			
Metal <mark>O</mark> ne	Connection Dat	a Shoot				
	Connection Data	a Sheet	Rev.	1		
	Geometry	Imperia	al	<u>S.I.</u>		
	Pipe Body		1			
	Grade *1	ICY P110		ICY P110		
	Pipe OD (D)	7 5/8	in	193.68	mm	
MO-FXL	Weight	29.70	lb/ft	44.25	kg/m	
	Actual weight	29.04		43.26	kg/m	
	Wall Thickness (t)	0.375	in	9.53	mm	
	Pipe ID (d)	6.875	in	174.63	mm	
	Pipe body cross section	8.537	in ²	5,508	mm ²	
	Drift Dia.	6.750	in	171.45	mm	
	Connection					
	Box OD (W)	7.625	in	193.68	mm	
	PIN ID	6.875	in	174.63	mm	
\leftarrow	Make up Loss	4.219	in	107.16	mm	
	Box Critical Area	5.714	in ²	3686	mm ²	
Box	Joint load efficiency	70	%	70	%	
area	Thread Taper			2" per ft)	/0	
	Number of Threads			TPI		
	Performance Properties	ог Pipe воду 1,067	kips	4,747	kN	
Pin	M.I.Y.P. *1	10,760	psi	74.21	MPa	
critical	Collapse Strength *1	7,360	psi	50.76	MPa	
area	Note S.M.Y.S.= Specif M.I.Y.P. = Minim *1 Based on Boon Performance Properties	um Internal Yiel nerang ICY P11	d Pressur 0		dy	
	Tensile Yield load	747 kip:		of S.M.Y.S.)		
	Min. Compression Yield	747 kip	s (70%	of S.M.Y.S.)		
	Internal Pressure		i (80%	of M.I.Y.P.)		
	External Pressure		100% c	of Collapse S	trength	
	Max. DLS (deg. /100ft)	31				
	Recommended Torque					
	Min.	15,500	ft-lb	21,000	N-m	
	Opti.	17,200	ft-lb	23,300	N-m	
	Max.	18,900	ft-lb	25,600	N-m	
	Operational Max.	23,600	ft-lb	32,000	N-m	
	Note : Operational Max. to			,		
n collectively referred to as "M nformational purposes only, a	reader/user's risk and no warranty is implied o etal One") with respect to the use of informatio nd was prepared by reference to engineering i	n contained herein. The nformation that is spec	ne information ific to the subj	provided on this Con ect products, without	nection Data regard to saf	
use of this information is at the ein collectively referred to as "M r informational purposes only, a	etal One") with respect to the use of informatio	n contained herein. The nformation that is spec	ne information ific to the subj	provided on this Con ect products, without	nection regard	

placed on Metal One products in standard well configurations. Such statements are not binding statements about the suitability of products for a particular application. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application

The products described in this Connection Data Sheet are not recommended for use in deep water offshore applications. For more information, please refer to <u>http://www.mtlo.co.jp/mo-con/_images/top/WebsiteTerms_Active_20333287_1.pdf</u> the contents of which are incorporated by reference into this Connection Data Sheet.

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
COLGATE OPERATING, LLC	371449
300 North Marienfeld Street	Action Number:
Midland, TX 79701	303453
	Action Type:
	[C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created	Condition	Condition
Ву		Date
pkautz	IF ON ANY STRING CEMENT DOES NOT CIRCULATE, A CBL MUST BE RUN ON THAT STRING OF CASING.	2/16/2024

Page 9 of 9