

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-015-28763
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Tweedy 9 SWD
8. Well Number 1
9. OGRID Number 14744
10. Pool name or Wildcat SWD: Devonian 96101

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other SWD ☒

2. Name of Operator
Mewbourne Oil Company

3. Address of Operator
PO Box 5270, Hobbs, NM 88241

4. Well Location
 Unit Letter J : 1980 feet from the South line and 1980 feet from the East line
 Section 9 Township 20S Range 25E NMPM Eddy County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
 3464 GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☒ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☐
 CASING/CEMENT JOB ☐
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

MIRU WS Rig & NU BOP
 Release pkr & POOH w/tbg.
 PU 5 1/2" RBP & RTTS packer
 RIH & set RBP @ 7600'. Dump 200# sand on top of RBP
 Circ hole w/FW. POOH & set packer @6600'. Test annulus to 500#
 Establish injection rate down tbg. MIRU cmt equipment & squeeze 5 1/2" csg w/Class C neat cmt
 Release pkr & reverse out cmt to pits. TOOH & WOC
 PU 4 1/2" bit & DC's. RIH & drill cmt.
 Test csg to 1000# for 30 min. POOH & LD BHA
 PU retrieving head & RIH. Reverse circ sand, latch onto & release RBP
 LD tbg. PU 5 1/2" packer & RIH w/tbg to 10375'
 Circ 120 bbls packer fluid down csg. Set packer w/30 pts compression
 Perform MIT to 500# for 30 min

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Jackie Lathan

TITLE

Regulatory

DATE *11-19-21*

Type or print name

Jackie Lathan

E-mail address:

jathan@mewbourne.com

PHONE:

575-393-5905

For State Use Only

APPROVED BY:

TITLE

DATE

Mewbourne Oil Company

Well Name: Tweedy 9 SWD #1
Updated by: J. Bryand

Spud Date: 1/26/96

Date Updated: 7/13/2012

Surface
17 1/2" x 13 3/8" 48# H40 ST&C
Set @ 343'
32 sxs to pit
Cmt to surf: Yes

Intermediate
12 1/4" x 8 5/8" 32# J-55 ST&C
Set @ 1255'
115 sxs to pit
Cmt to surf: Yes

DV Tool @ 6732'

KOP @ +/-6800'

Short Jts @ 8891'-8900'
8520'-8530'

5 1/2" 17# N80 Csg Set @ 10410'
1st Stage Did not Circ
2nd Stage Circ 140 sxs

Open hole 10431'-10597'
TD @ 10597'

TBG Detail:		
1	5 1/2" x 2 1/4" 1X pkr w/carbide slips (nickel plated)	6.89
1	2 1/4" T2 O/O tool w/2.313" XN (stainless)	1.58
1	2 1/4" x 3 1/2" X/O (nickel plated)	0.45
317	3 1/2" 9.3# EUE 8rd L-80 tbg (IPC w/TK99)	10353.96
Total Tbg		10362.88
KB Correction		14.00
Tbg set @		10376.88

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 62886

CONDITIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 62886
	Action Type: [C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
mgebremichael	Should tubing replacement be required, the same tube size shall be replaced as prescribed by the respective order. The packer shall be set not more than 100 ft above the top of the perforation or the top part of the injection zone.	2/22/2024