

Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-30832
5. Indicate Type of Lease STATE [X] FEE []
6. State Oil & Gas Lease No. L-6721
7. Lease Name or Unit Agreement Name State "8"
8. Well Number 003
9. OGRID Number 309777
10. Pool name or Wildcat Hume;Wolfcamp, North; Kemnitz; Cisco
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4142' GL

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)
1. Type of Well: Oil Well [X] Gas Well [] Other []
2. Name of Operator Ram Energy LLC
3. Address of Operator P. O. Box 52521, Tulsa, OK 74152
4. Well Location
Unit Letter D : 990 feet from the N line and 990 feet from the W line
Section 8 Township 16S Range 34E NMPM County Lea
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4142' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK [] PLUG AND ABANDON []
TEMPORARILY ABANDON [] CHANGE PLANS []
PULL OR ALTER CASING [] MULTIPLE COMPL []
DOWNHOLE COMMINGLE []
CLOSED-LOOP SYSTEM []
OTHER: []
SUBSEQUENT REPORT OF:
REMEDIAL WORK [] ALTERING CASING []
COMMENCE DRILLING OPNS. [] P AND A [X]
CASING/CEMENT JOB [] PNR
OTHER: []

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

5-24-22 MOVE ALL EQUIPMENT INTO LOCATION. SPOT EQUIPMENT OVER THE WELL.. RU UNIT. TIE RIG DOWN. SDON. ROAD CREW TO MOTEL
5-25-22 OPEN WELL UP. BLEED WELL DOWN. PU ON TBJ. NU BOP'S. PU ON TBJ TO RELEASE BHA. WORK BHA FOR 2 HRS. WORK BHA FREE. POOH W/ 308 JNTS 2 7/8" EUE 8 rd TBJ & 5 1/2" AS-1X PKR W/ ON OFF TOOL... PU MU 5 1/2" MECHANICAL CIBP. RIH W/ TBJ & PLUG TO 1800'. CWI. SDON. RCT MOTEL
5-26-22 HOLD SFTY MTG & JSA. OPEN WELL UP. NO PSI. CNT IN THE HOLE TO 9700'. SET CIBP @ 9700' + -. PUMP. 56 BBL FRESH WATER. PRESSURE UP ON CIBP.. RELEASE OFF CIBP. BREAK CIRC. CIRC 100 BBL FRESH WATER. MIX & SPOT 25 SXS CLASS "C" CMT @ 9500'-9700'. DISPLACE PLUG W/ 54 BBL. POOH TO 9100'. MIX & REVERSE WELL W/ MUD. POOH TO 6800'. BREAK CIRC. MIX & SPOT 25 SXS @ 6600'-6800'.. DISPLACE PLUG. WASH UP CMT EQUIPMENT. POOH TO 6000'. REVERSE OUT. CWI. SDON. RCT MOTEL.
5-27-22 HOLD SFTY MTG & JSA. OPEN WELL UP. POOH LEAVING 4650' PIPE IN DERRICK.. LD REMAINING TBJ. ND BOP'S.. ND HEAD. ND B-SECTION. MIRU WELDER. WELD ON 5 1/2" BELL NIPPLE.. RU 5 1/2" CSG TOOLS.. NU LIFT SUB. PU ON CSG TO 120,000# TO PULL TEST WELDS. (OK). RELEASE PULL ON CSG. MIRU WL. RU 5 1/2" JET CUTTER.. RIH W/ WL. FOUND COLLAR @ 4596'.. PU ON CSG TO 110,000#. WL AGAIN FINDS COLLAR @ 4596'. SET LOCATOR IN COLLAR @ 4596' W/ 10' OFFSET TO CUTTER PUTTING CUTTER @ 4606'.. CUT CSG @ 4606'.. PIPE COMES FREE. LAY BLOCKS OVER. POOH W/ WL. RD RELEASE WL. PU ON PIPE TO 130,000#. PIPE STUCK IN THE HEAD. WORK PIPE FREE.. CUT TOP JNT W/ LIFT SUB DOWN. RU TONGS. WRONG TONG HEADS SENT. RD TONGS. POOH W/ 25 JNTS CSG. CUTTING CSG DOWN. LAND CSG BACK ON WELL HEAD SLIPS. INSTALL 5 1/2" X 2" SWADGE.. CWI. SDON. RCT MOTEL.
5-28-22 HOLD SFTY MTG & JSA. OPEN WELL UP. PU ON CSG.. CNT PULLING CSG. CREW RAN OUT OF GAS TO CUT CSG DOWN. SBWO REPLACEMENT GAS. CNT PULLING CSG.. LD TOTAL OF 108 JNTS CSG. RD CSG EQUIP. RU TBJ EQUIP. NU B-SECTION. NU TBJ HEAD. NU BOP'S. RIH W/ 20 STANDS. CWI. SDON. RCT MOTEL.
5-29-22 HOLD SFTY MTG & JSA.. OPEN WELL UP.. RIH W/ TBJ TO 4650'. RU CMT EQUIP. BREAK CIRC.. MIX & SPOT 45 SXS @ 4450'-4650'.. DISPLACE PLUG.. WASH UP CMT EQUIP.. POOH TO 4200'.. REVERSE OUT.. CWI.. SBWOC.. WILL TAG IN THE AM. SDON. RCT MOTEL.
5-30-22 HOLD SFTY MTG & JSA.. OPEN WELL UP. RIH W/ TBJ. TAG PLUG @ 4440'.. POOH W/ TBJ TO 1705'.. RU CMT EQUIP. BREAK CIRC. MIX & SPOT 45 SXS @ 1605'-1705'. DISPLACE PLUG. WASH UP EQUIP. POOH TO 1050'. MIX & SPOT 45 SXS @ 900'-1050'.. DISPLACE PLUG. WASH UP EQUIP.. POOH TO 377'. MIRU WL. RIH W/ WL. PERF @ 477'.. POOH W/ WL.. RD RELEASE WL. RU PUMP. EIR.. NO PUMP IN RATE. RD PUMP. RIH W/ TBJ TO 527'.. MIX & SPOT 45 SXS @ 377'-527'. DISPLACE PLUG. WASH UP EQUIP. POOH W/ ALL TBJ. ND BOP'S. RIH W/ 2 JNTS TBJ TO 60'. MIX & SPOT 25 SXS @ 3'-60'. POOH W/ TBJ.. SDON. WILL RD IN THE MRNG DUE TO HIGH WINDS. RCT MOTEL.
5-31-22 HOLD SFTY MTG & JSA. RD CMT EQUIP. RD UNIT. EMPTY WORK TANK. DIG OUT CELLAR. CUT HEAD OFF. MOVE ALL PLUGGING EQUIP TO SHELL STATE #1 WELL. MOVE OFF WELL.. WILL REMOVE TBJ & CSG FROM LOCATION IN THE AM

Spud Date:

[Empty box for Spud Date]

Rig Release Date:

Approved for plugging of well bore only. Liability under bond is retained pending receipt of C-103 (Subsequent Report of Well Plugging) which may be found at OCD Web Page under Forms,

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Regulatory Administrator DATE 02/07/2024

Type or print name Connie Swan E-mail address: cswan@swanderlandok.com PHONE: 918-621-6533

For State Use Only

APPROVED BY: [Signature] TITLE Compliance Officer A DATE 2/28/224

Conditions of Approval (if any):

COTTON OILFIELD SERVICES, LLC

Calhoun, LA

DAILY ACTIVITY REPORT

RAM ENERGY LLC
STATE 8 # 3
LEA COUNTY, NM
API # 30-025-30832

5-24-22

MOVE ALL EQUIPMENT INTO LOCATION SPOT EQUIPMENT OVER THE WELL RU UNIT TIE RIG DOWN SDON ROAD CREW TO MOTEL

5-25-22

OPEN WELL UP BLEED WELL DOWN PU ON TBJ NU BOP'S PU ON TBJ TO RELEASE BHA WORK BHA FOR 2 HRS WORK BHA FREE POOH W/ 308 JNTS 2 7/8" EUE 8 RD TBJ & 5 1/2" AS-1X PKR W/ ON OFF TOOL. PU MU 5 1/2" MECHANICAL CIBP RIH W/ TBJ & PLUG TO 1800' CWI SDON RCT MOTEL

5-26-22

HOLD SFTY MTG & JSA OPEN WELL UP NO PSI CNT IN THE HOLE TO 9700' SET CIBP @ 9700' +- PUMP 56 BBL FRESH WATER PRESSURE UP ON CIBP RELEASE OFF CIBP BREAK CIRC CIRC 100 BBL FRESH WATER MIX & SPOT 25 SXS CLASS "C" CMT @ 9500'-9700' DISPLACE PLUG W/ 54 BBL POOH TO 9100' MIX & REVERSE WELL W/ MUD POOH TO 6800' BREAK CIRC MIX & SPOT 25 SXS @ 6600'-6800' DISPLACE PLUG WASH UP CMT EQUIPMENT POOH TO 6000' REVERSE OUT CWI SDON RCT MOTEL

5-27-22

HOLD SFTY MTG & JSA OPEN WELL UP POOH LEAVING 4650' PIPE IN DERRICK LD REMAINING TBJ ND BOP'S ND HEAD ND B-SECTION MIRU WELDER WELD ON 5 1/2" BELL NIPPLE RU 5 1/2" CSG TOOLS NU LIFT SUB PU ON CSG TO 120,000# TO PULL TEST WELDS (OK) RELEASE PULL ON CSG MIRU WL RU 5 1/2" JET CUTTER RIH W/ WL FOUND COLLAR @ 4596' PU ON CSG TO 110,000# WL AGAIN FINDS COLLAR @ 4596' SET LOCATOR IN COLLAR @ 4596' W/ 10' OFFSET TO CUTTER PUTTING CUTTER @ 4606' CUT CSG @ 4606' PIPE COMES FREE LAY BLOCKS OVER POOH W/ WL RD RELEASE WL PU ON PIPE TO 130,000# PIPE STUCK IN THE HEAD WORK PIPE FREE CUT TOP JNT W/ LIFT SUB DOWN RU TONGS WRONG TONG HEADS SENT RD TONGS POOH W/ 25 JNTS CSG CUTTING CSG DOWN LAND CSG BACK ON WELL HEAD SLIPS INSTALL 5 1/2" X 2" SWADGE CWI SDON RCT MOTEL

5-28-22

HOLD SFTY MTG & JSA OPEN WELL UP PU ON CSG CNT PULLING CSG CREW RAN OUT OF GAS TO CUT CSG DOWN SBWO REPLACEMENT GAS CNT PULLING CSG LD TOTAL OF 108 JNTS CSG RD CSG EQUIP RU TBJ EQUIP NU B-SECTION NU TBJ HEAD NU BOP'S RIH W/ 20 STANDS CWI SDON RCT MOTEL

5-29-22

HOLD SFTY MTG & JSA OPEN WELL UP RIH W/ TBJ TO 4650' RU CMT EQUIP BREAK CIRC MIX & SPOT 45 SXS @ 4450'-4650' DISPLACE PLUG WASH UP CMT EQUIP POOH TO 4200' REVERSE OUT CWI SBWOC WILL TAG IN THE AM SDON RCT MOTEL

5-30-22

HOLD SFTY MTG & JSA OPEN WELL UP RIH W/ TBJ TAG PLUG @ 4440' POOH W/ TBJ TO 1705' RU CMT EQUIP BREAK CIRC MIX & SPOT 45 SXS @ 1605'-1705' DISPLACE PLUG WASH UP EQUIP POOH TO 1050' MIX & SPOT 45 SXS @ 900'-1050' DISPLACE PLUG WASH UP EQUIP POOH TO 377' MIRU WL RIH W/ WL PERF @ 477' POOH W/ WL RD RELEASE WL RU PUMP EIR NO PUMP IN RATE RD PUMP RIH W/ TBJ TO 527' MIX & SPOT 45 SXS @ 377'-527' DISPLACE PLUG WASH UP EQUIP POOH W/ ALL TBJ ND BOP'S RIH W/ 2 JNTS TBJ TO 60' MIX & SPOT 25 SXS @ 3'-60' POOH W/ TBJ SDON WILL RD IN THE MRNG DUE TO HIGH WINDS RCT MOTEL

5-31-22


HOLD SFTY MTG & JSA RD CMT EQUIP RD UNIT EMPTY WORK TANK DIG OUT CELLAR CUT HEAD OFF MOVE ALL PLUGGING EQUIP TO SHELL STATE # 1 WELL MOVE OFF WELL WILL REMOVE TBJ & CSG FROM LOCATION IN THE AM

WELLBORE DIAGRAM
 STATE 8 #3
 PA
 API: 30-025-30832

Surface Casing
 Size: 13 3/8"
 Wt.: 68#
 Depth: 427'
 Sxs Cmt: 425
 Circulate: yes
 TOC: surface
 Hole Size: 17-1/2"

Intermediate Casing
 Size: 8 5/8"
 Wt.: 32#
 Depth: 4475'
 Sxs Cmt: 1800
 Circulate: yes
 TOC: 11"
 Hole Size: 11"

Production Casing
 Size: 5 1/2"
 Wt.: 20#
 Depth: 12830'
 Sxs Cmt: 900
 Circulate: yes
 TOC: 4400'
 Hole Size: 7 7/8"



District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 312393

COMMENTS

| | |
|--|--|
| Operator: RAM ENERGY LLC 5100 East Skelly Drive Tulsa, OK 74135 | OGRID: 309777 |
| | Action Number: 312393 |
| | Action Type: [C-103] Sub. Plugging (C-103P) |

COMMENTS

| Created By | Comment | Comment Date |
|------------|----------------|--------------|
| plmartinez | DATA ENTRY PM. | 2/28/2024 |

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 312393

CONDITIONS

| | |
|--|--|
| Operator: RAM ENERGY LLC 5100 East Skelly Drive Tulsa, OK 74135 | OGRID: 309777 |
| | Action Number: 312393 |
| | Action Type: [C-103] Sub. Plugging (C-103P) |

CONDITIONS

| Created By | Condition | Condition Date |
|------------|--|----------------|
| kfortner | Need C103Q and marker photo to release | 2/28/2024 |