

Well Name: WEST BISTI COAL 25	Well Location: T25N / R13W / SEC 25 / SENW / 36.375287 / -108.173603	County or Parish/State: SAN JUAN / NM
Well Number: 2T	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM61273	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004532233	Well Status: Abandoned	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2767687
Type of Submission: Subsequent Report
Date Sundry Submitted: 01/02/2024
Date Operation Actually Began: 12/05/2023
Type of Action: Plug and Abandonment
Time Sundry Submitted: 09:41

Actual Procedure: The subject well was Plugged & Abandoned on 12/05/2023 per the attached End of Well Report, As Plugged Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure

EOWR_BLM_Submittal_20240102094141.pdf

Well Name: WEST BISTI COAL 25	Well Location: T25N / R13W / SEC 25 / SENW / 36.375287 / -108.173603	County or Parish/State: SAN JUAN / NM
Well Number: 2T	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM61273	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004532233	Well Status: Abandoned	Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SHAW-MARIE FORD	Signed on: JAN 02, 2024 09:41 AM
Name: DJR OPERATING LLC	
Title: Regulatory Specialist	
Street Address: 1 ROAD 3263	
City: AZTEC	State: NM
Phone: (505) 632-3476	
Email address: SFORD@DJRLLC.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: MATTHEW H KADE	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647736	BLM POC Email Address: MKADE@BLM.GOV
Disposition: Accepted	Disposition Date: 01/03/2024
Signature: Matthew Kade	

DJR Operating, LLC
P&A End of Well Report
West Bisti Coal 25 Com 2T
API # 30-045-32233
SE/NW, Unit F. Sec 25, T25N, R13W
San Juan County, NM
Spud Date: 1-10-2006
Plug Date: 12-5-2023

12-1-2023:

MIRU rig and equipment. SITP = 0, SICP = 3, BH = 0. BD in 2 min. Pull rods and pump.

12-4-2023:

TIH with 5 ½" bit and mill to 1106'. TOOH.

MU and TIH with 5 ½" cement retainer, set retainer at 1106'. Load and roll hole. PT casing, did not test.

P&A Plug 1: Fruitland perforations: Mix and pump a plug of 12 sx through retainer. TOOH.

P&A Plug 2: Fruitland formation top: Mix and spot a balanced plug of 68 sx from 1106'.

TOOH. WOC.

12-5-2023:

TIH, tag Plug 2 at 361'. PT casing, did not test. Tagged Plug 2 high. Got approval to spot Plug 3 from 361'.

P&A Plug 3: Kirtland formation top, surface casing shoe to surface: Mix and spot a balanced plug of 42 sx from 361'. TOOH.

ND BOP, NU WH.

Cut off WH. TOC at 28' in 5 ½" casing and 14' in 8 5/8" casing. Install P&A marker.

P&A Plug 3: Top off casings and cellar with poly pipe with a plug of 28 sx.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cu ft/sx.

Regulatory representatives; Bill Diers and Lucas Mason, BLM, and Monica Kuehling, NMOCD via phone.

GPS Coordinates: Lat; 36.375287 N, Long; 108.173603 W

DJR Operating, LLC
End of Well Report
West Bisti Coal 25 Com 2T
 API # 30-045-32233
 SE/NW, Unit F, Sec 25, T25N, R13W
 San Juan County, NM

GL 6370'
 KB 6382'
 Spud Date 1/10/2006

SURF CSG

Hole size: 12.25"
 Csg Size: 8.625"
 Wt: 24#
 Grade: K-55
 ID: 6.336"
 Depth: 147'
 casing cap ft3/ft: 0.3575
 TOC: Circ cmt
 to surface

FORMATION TOPS


Nacimiento	Surface
Ojo Alamo	N/A
Kirtland	172'
Fruitland	904
Pictured Cliffs	1190'

PROD CSG

Hole size: 7.625"
 Csg Size: 5.5"
 Wt: 15.5#
 Grade: J-55
 ID: 4.95"
 Depth: 1372'
 casing cap ft3/ft: 0.1336
 8.625x5.5 cap ft3/ft : 0.1926
 TOC: Circ cmt
 to surface

Fruitland Coal perfs
 1138-1182'

PBTD 1331'
 TD 1380'



12-5-2023: Cut off WH. TOC at 28' in 5 1/2" casing and at 14' in 8 5/8" casing. Install P&A marker, top off casings and cellar with poly pipe and 28 sx.

12-5-2023: Plug 3: Mix and spot balanced plug of 42 sx from 361' to surface. TOOH. WOC.

12-4-2023: Plug 2: Mix and spot balanced plug of 68 sx from 1106'. TOOH. WOC.
 12-5-2023: Tagged Plug 2 at 361'. Called and received approval to leave Plug 2 as is and spot Plug 3 from 361'.

12-4-2023: Plug 1: Fruitland perfs, Fruitland formation top: TIH, set CR at 1106'. Load and roll hole, PT casing, did not test. Mix and pump plug of 12 sx through CR into perfs. TOOH.

All cement used was Class G mixed at 15.8 ppg, yield of 1.15 cu ft/sx.

Regulatory representatives: Bill Diers and Lucas Mason, BLM, and Monica Kuehling, NMOCD via phone

GPS Coordinates: Lat; 36.375287 N, Long; 108.173603 W

DJR Operating, LLC
P&A End of Well Report
West Bisti Coal 25 Com 2T
API # 30-045-32233
SE/NW, Unit F. Sec 25, T25N, R13W
San Juan County, NM
Spud Date: 1-10-2006
Plug Date: 12-5-2023



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 300311

CONDITIONS

Operator: DJR OPERATING, LLC 200 Energy Court Farmington, NM 87401	OGRID: 371838
	Action Number: 300311
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	Well plugged 12/5/2023	3/5/2024