Received by OCD: 4/10/2023 1:45:10 PM

Form 3160-5 (June 2019) UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT			5 Lesse Serial No.	FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2021 5. Lease Serial No.		
SUNDRY N Do not use this f abandoned well. L	VELLS o re-enter an	6. If Indian, Allottee	6. If Indian, Allottee or Tribe Name			
SUBMIT IN TRIPLICATE - Other instructions on page 2			7. If Unit of CA/Ag	eement,	Name and/or No.	
1. Type of Well	8. Wall Nama and N					
✓ Oil Well Gas W	8. wen mane and m	8. Well Name and No. LONESOME DOVE FED COM/114H				
2. Name of Operator EARTHSTONE OPERATING LLC			9. API Well No. 300	9. API Well No. 3002548149		
3a. Address 1400 WOODLOCH FOREST DRIVE SUITE 300, 3b. Phone No. (incl (281) 298-4240			e area code) 10. Field and Pool or Exploratory Area WC-025 G-08 S263412K/Bone Spring			
4. Location of Well (Footage, Sec., T.,R //		11. Country or Parish, State LEA/NM				
12. CHE0	CK THE APPROPRIATE BOX(ES) TO IN	DICATE NATURE	OF NOTICE, REPORT OR OT	HER D	ATA	
TYPE OF SUBMISSION		TY	PE OF ACTION			
Notice of Intent	Acidize Deep		Production (Start/Resume		Water Shut-Off	
		raulic Fracturing	Reclamation		Well Integrity	
✓ Subsequent Report		and Abandon	Recomplete	V	Other	
Final Abandonment Notice	= · = ·	Back	Water Disposal			
completion of the involved operatio completed. Final Abandonment Not is ready for final inspection.) 12/01/2022-SPUD WELL 12/02/2022-DRILLED 14.75" S 12/03/2022-NOTIFIED BLM OU -RUN 30 JTS, 10.75" 45.5# J-5 -CMNT 10.75" SURFACE CAS CLASS C TAIL CMNT @ 1.34 12/04/2022-WOC 8 HOURS -RELEASED SPUDDER RIG & 12/18/2022-NOTIFY BLM OF I -TEST RAMS, CHOKE, VALVE -TEST RAMS, CHOKE, VALVE -TEST ANNULAR 250 LOW/38 -PRESSURE TEST 10.75" SU Continued on page 3 additional	F INTENT TO RUN 10.75" SURFACE (55 BTC CSG SET @ 1173' MD SING W/160 BBLS(350 SXS) CLASS C YIELD W/108 BBLS (236 SXS) CMNT & CEASE DRILLING OPERATIONS NTENT TO RESUME DRILLING OPER ES 250 LOW/5000 HIGH; 10 MIN EACH 500 HIGH; 10 MIN ;GOOD TEST RFACE CASGIN TO 1500 PSI, 30 MIN I information	npletion or recomp ts, including reclan CASING LEAD CMNT @ CIRCULATED TO RATIONS & TEST H TEST; ALL GO	letion in a new interval, a Form nation, have been completed and 2.57 YIELD FOLLOWED BY O SURFACE F BOPE	3160-4 n the ope	nust be filed once testing has been rator has detennined that the site	
14. I hereby certify that the foregoing is JENNIFER ELROD / Ph: (817) 953	Senior Regulatory Technician Title					
Signature	Date 02/27/2023					
	THE SPACE FOR FED	ERAL OR ST	ATE OFICE USE			
Approved by						
JONATHON W SHEPARD / Ph: (5	Title Petro	bleum Engineer	Date	03/15/2023		
Conditions of approval, if any, are attach certify that the applicant holds legal or e which would entitle the applicant to com-	nt or	RLSBAD				
Title 18 U.S.C Section 1001 and Title 43 any false, fictitious or fraudulent statemet	3 U.S.C Section 1212, make it a crime for a ents or representations as to any matter with	ny person knowing	ly and willfully to make to any	lepartmo	ent or agency of the United States	

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Additional Remarks

12/22/2022-SPUD 9.875" INTERMEDIATE HOLE 12/23/2022-NOTIFIED BLM OF INTENT TO RUN & CMNT 8.625" INTERMEDIATE CASING -DRILL 9.875" INT HOLE TO 5417' MD 12/28/2022-RUN 120 JTS, 32#, 8.625", L80 EHC MO-FXL CSG SET @ 5417' MD -CMNT 8.625" INTERMEDIATE CASING W/227 BBLS (605 SXS) CLASS C LEAD CMNT @ 2.11 YIELD FOLLOWED BY 21 BBLS(90 SXS) CLASS C TAIL CMNT@ 1.32 YIELD W/62BBSL (166 SXS) CMNT CIRCULATED TO SURFACE -WOC -PRESSURE TEST 8.625" INT #1 CSG, 1500 PSI, 30 MIN; GOOD TEST 12/29/2022-BEGIN DRILLING 7.875" PROD HOLE 01/10/2023-DRILL 7.875" PROD HOLE TO 18,722"TD -NOTIFIED CLM OF INTENT TO RUN & CMNT 5.5" PROD CSG 01/11-01/12/2023-RUN 419 JTS, 5.5", 20#, P-110 HC GBCD CSG SET @ 18,702'MD 01/12/2023-CMNT W/347 BBLS(640 SXS) CLASS H LEAD CMNT @ 3.05 YIELD FOLLOWED BY 380 BBLS(1105 SXS) CLASS H TAIL CMNT @ 1.93 YIELD W/EST TOC @ 4895'MD 01/13/2023-RIG RELEASED

Location of Well

0. SHL: LAT: 32.0429075 / LONG: -103.3846073 (TVD: 0 feet, MD: 0 feet) PPP: LAT: 32.050554 / LONG: -103.38414 (TVD: 10472 feet, MD: 14000 feet) BHL: LAT: 32.0650464 / LONG: -103.3841591 (TVD: 10447 feet, MD: 19302 feet) District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
Earthstone Operating, LLC	331165
300 N. Marienfeld St Ste 1000	Action Number:
Midland, TX 79701	205758
	Action Type:
	[C-103] Sub. Drilling (C-103N)
CONDITIONS	

CONDITIONS							
Created By		Condition Date					
kelly.roberts	Report pressure test for production casing next sundry.	3/14/2024					

Action 205758

Page 4 of 4

.