<u>District I</u> 1625 N French Dr. Hobbs, NM 88240 Phone: (575) 393-6161 Fax. (575) 393-0720

State of New Mexico Energy, Minerals and Natural Resources Department Oil Conservation Division Hobbs District Office

BRADENHEAD TEST REPORT										
HKMST2MI FALSOLAL APINUMPER										
DORA DEANING 30-041-209										
24 #/										
UL-Lot Section Township Range Feet from NS Line No. 17										
B 24 3	5 33E	990	N/S Line	Feet From	E/W Line	County				
Well Status										
YES SHUT-IN NO INJECTOR PRODUCER PATE										
(NO) INJ (SWD) OIL GAS 9/6/23										
170/25										
OBSERVED DATA										
D	(A)Surface	(B)Interm(1)	(C)Interm(2)	T (D)D	ed Csng					
Pressure	200#			(D)FRO	d Csng	(E)Tubing				
Flow Characteristics	\sim			/	0	0				
Puff Steady Flow	(Y) N	Y/N	Y/X	/	(Y) N	CO2				
Surges	YYN	Y / N	YN		Y/N)	WTR_				
Down to nothing	YN	Y/ N	Y/N		YIN	GAS				
Gas or Oil	Y(N)	Y/N	Y/N		NIN	Type of Fluid Injected for				
Water	(Y') N	Y/N	Y/N		YON	Waterflood if				
			Y/N		Y /(N)					
Remarks - Please state for each	string (A. D. C.D. D.									
BETWEEN &	string (A,II, C,D,E) pertin	nent information regarding bleed OPEN HOCA Blew to	down or continuou	s build up if applies						
PRESSURF	878	OTEN HOC	E WE	- ALU	IAYS	HAVE				
ILLOOPILE	HERE,	Blew to	Z-ROI	n/m	inl					
		,		/ "	03					
Signature:	// (/	/								
				OIL CONSERVATION DIVISION						
Printed name: CORV HUSBARD Title: FORFMAN				Entered into RBDMS						
Fitte: FOREMAN G-mail Address: (HUBBARD D'AECNM COM				Re-test \						
Date: 9/11/23	1 / -									
1111	Phone: D 7.	6) 626-7142				114				
	winiess:									

INSTRUCTIONS ON BACK OF THIS FORM

PERFORMING BRADENHEAD TEST

General Procedure for Bradenhead Test

Identify:

All valves prior to testing

Gauges:

Install on each casing string to record pressure.

Assure:

That all valves are in good working condition and closed at least 24 hours prior

to testing.

Open:

Each valve (Bradenhead, intermediate and casing valves) is to be opened

separately.

Check Gauges:

Record pressure on each gauge and casing string on BHT form. Open

valves to atmosphere and record results on BHT form.

Designate what applies to the result of opening the valves for each string:

Blow or Puff
Bled down to Nothing
Steady Flow
Oil or Gas
Water
Yes or No
Yes or No
Yes or No
Yes or No

Start: Injection or SWD pump so tubing pressure can be read.

Instructions below apply to the District 1 Hobbs office since this must be reported on a form.

In case of pressure:

- 1. Record pressure reading on gauge.
- 2. Bleed and note time elapsed to bleed down.
- 3. Leave valve open for additional observation.
- 4. Note any fluids expelled.

In absence of Pressure:

- 1. Leave valve open for additional observation.
- 2. Note types of fluids expelled.
- 3. Note if fluids persist throughout test.

Note: Tubing pressure on injection or SWD wells.

Test will be signed by person performing test with a contact phone number.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 265143

CONDITIONS

Operator:	OGRID:		
ARMSTRONG ENERGY CORP	1092		
P.O. Box 1973	Action Number:		
Roswell, NM 88202	265143		
	Action Type:		
	[UF-BHT] Bradenhead Test (BRADENHEAD TEST)		

CONDITIONS

Created By	Condition	Condition Date
kfortner	None	3/14/2024