

Well Name: MOBERLY RHODES WATERFLOOD PROJ	Well Location: T26S / R37E / SEC 21 / SWSE / 32.0235793 / -103.1656519	County or Parish/State: LEA / NM
Well Number: 02	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMLC030181C	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002532506	Well Status: Producing Gas Well	Operator: FAE II OPERATING LLC

Accepted for Record Only

SUBJECT TO LIKE APPROVAL BY BLM

NMOCD 3/15/24

X7

Notice of Intent

Sundry ID: 2778407

Type of Submission: Notice of Intent	Type of Action: Acidize
Date Sundry Submitted: 03/07/2024	Time Sundry Submitted: 12:09
Date proposed operation will begin: 04/23/2024	

Procedure Description: Proposed: MIRU. POOH w/ pump, rods & tbg. RIH w/ 4-3/4" bit, drill out cmt and CIBP @ 3088', cmt and CICR @ 3262', clean out to 3395'. Circulate clean. POOH w/ bit. Perforate 3272' - 3292' (2 SPF). RIH w/ pkr. Acidize perms 3272-3292' & 3188'-3228' w/ total of 5000 gals 15% NEFE HCL acid, 1000# rock salt diverter & flush w/ 300 bbls fresh water treated with biocide. POOH w/ pkr. TIH w/ tbg, pump & rods. RTP.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

WBD_30_025_32506_Current_and_Proposed_2024_02_13_20240307120930.pdf

Received by OCD: 3/13/2024 4:38:13 PM

Page 2 of 9

Well Name: MOBERLY RHODES WATERFLOOD PROJ	Well Location: T26S / R37E / SEC 21 / SWSE / 32.0235793 / -103.1656519	County or Parish/State: LEA / NM
Well Number: 02	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMLC030181C	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002532506	Well Status: Producing Gas Well	Operator: FAE II OPERATING LLC

Conditions of Approval

Specialist Review

Workover_or_Vertical_Deepen_COA_20240313154043.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JESSICA LAMARRO

Signed on: MAR 07, 2024 12:05 PM

Name: FAE II OPERATING LLC

Title: Geologist

Street Address: 11757 KATY FREEWAY SUITE 725

City: HOUSTONState: TX

Phone: (832) 706-0051

Email address: JESSICA@FAENERGYUS.COM

Field

Representative Name:

Street Address:

City:State:Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Approved

Disposition Date: 03/13/2024

Signature: Jonathon Shepard

Form 3160-5
(June 2019)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on page 2		5. Lease Serial No.
1. Type of Well <input type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		6. If Indian, Allottee or Tribe Name
2. Name of Operator		7. If Unit of CA/Agreement, Name and/or No.
3a. Address	3b. Phone No. (include area code)	8. Well Name and No.
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description)		9. API Well No.
		10. Field and Pool or Exploratory Area
		11. Country or Parish, State

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)		
	Title	
Signature	Date	

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: SWSE / 760 FSL / 1980 FEL / TWSP: 26S / RANGE: 37E / SECTION: 21 / LAT: 32.0235793 / LONG: -103.1656519 (TVD: 0 feet, MD: 0 feet)

BHL: SWSE / 760 FSL / 1980 FEL / TWSP: 26S / SECTION: / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet)

Well Name: **Moberly Rhodes WF Project #002** API: **30-025-32506** Lease Type: **Federal**
 Location: **760' FSL & 1980' FEL** T-R-Sec-Spot-Lot: **26S-37E-21-O** Lease No: _____
 Formation(s): **[52250] RHODES; YATES-SEVEN RIVERS** County/State: **Lea, NM**

Surface Csg

Size: **8-5/8"**
 Wt.&Thrd: **28#**
 Grade: **K-55 BTC**
 Set @: **605'**
 Sxs cmt: **400 sxs**
 Circ: **63 sxs**
 TOC: **Surface**
 Hole Size: **12-1/4"**

KB: _____

DF: _____

GL: **2970'**Spud Date: **4/3/1994**Compl. Date: **4/30/1994****CURRENT****History - Highlights**

1994-04: D&C well; Perf Queen & Penrose 3486-3698', swab water and tail gas, set CIBP @ 3395' w/ 10' cmt.

1994-04: Perf 7 RVRs "D" 3275-3292'. All wtr, spot 20' cmt CIBP @ 3262'.

1994-04: Perf Lwr Yates 3188-3228', Acidized w/ 2500 gal, swabbed some oil for few days. Added Middle Yates perms f/ 3095'-3150', Acidized w/ 2500 gals. Flowed 300 bwpd. Set CIBP @ 3175'.

1995-07: Sqzd Middle Yates perms 3095'-3150' w/ 150 sxs. Squeeze held. Drill out CIBP @ 3175', RIH & set pkr @ 3177' and frac'd 3188'-3228' w/ 15,500 gals 30# X-link gel + 40,000# 12/20 Brady sand. Run 2-7/8" tbg and set @ 3117'. On pump, 2 BOPD+40 BWPD per AFE note.

1995-09: Set CIBP @ 3088', Perf Upper Yates 2940'-3061'. Frac w/ 34kg+100k#+CO@. Kicked off flowling, 240# FTP.

1996-06: Found 18 jts w/ salt, CO f/ 2979' to 3078'. Repl 2-7/8" tbg w/ 2-3/8"

1997-08: Pump Failure, changed out. Added 3 jts tbg.

1997-09: Stuck Pump, repaired

1997-11: Ran new pump and rods, No pump action.

1998-02: Clean Out from 3,054' - 3,070'

1998-11: Bad Pump, Cleaned out f/ 3073' - 3077'. Acidized w/ 300 gals + soap

EOT 3,045'

Cmt on plug 10'
 CIBP 3088' →

CICR w/ 10' cmt @ 3262' →

CIBP w/ 10' cmt @ 3395' →

Production Csg

Size: **5-1/2"**
 Wt.&Thrd: **15.5#**
 Grade: **K-55 LTC**
 Set @: **3850'**
 Sxs Cmt: **1075 sxs**
 Circ: **150 sxs**
 TOC: **Surface**
 Hole Size: **7-7/8"**

PBTD 3078'
 TD 3850'

YATES (Top @ 2936')

2940'-3061' (Select fire, 24 holes) - Sept 1995

Acidized w/ 1500 gals 7.5% HCL acid & CO2 frac w/ 34kg+100k# - Sept 1995

3095'-3111', 3124'-3134', 3142'-3150' (2 SPF, 86 holes) - 4/28/1994 [SQZ July 1995]

Acidized w/ 2500 gals 7.5% HCL acid

3188'-3200', 3206'-3228' (2 SPF, 68 holes) - 4/24/1994

Acidized w/ 2500 gals 7.5% HCL acid

Frac'd w/ 15,500 gals 30# X linked gel + 40,000# sand

SEVEN RIVERS (Top @ 3230') [ISOLATED]

3275' - 3295' (34 holes) - 4/22/94

Attempted to sqz, set CICR and capped w/ cmt - 4/22/1994

QUEEN (Top @ 3576') [ISOLATED]

3486' - 3698' (4 SPF, 252 holes) - 4/14/1994

Acidized w/ 10,000 gals 15% HCL Acid, swabbed water and tail gas

Tubulars - Capacities and Performance

Tubing: 97 joints 2-3/8" 4.7# J-55 8RD EUE Tubing, SN, and Notched collar. EOT @ 3045'

Rod Lift: 120 x 3/4" Norris Rods, 3 x 3/4" subs (18'), and 2" x 1-1/4" x 12' RHBC Pump w/ 6" strainer nipple

Well Name: **Moberly Rhodes WF Project #002** API: **30-025-32506** Lease Type: **Federal**
 Location: **760' FSL & 1980' FEL** T-R-Sec-Spot-Lot: **26S-37E-21-O** Lease No: _____
 Formation(s): **[52250] RHODES; YATES-SEVEN RIVERS** County/State: **Lea, NM**

Surface Csg

Size: 8-5/8"
 Wt.&Thrd: 28#
 Grade: K-55 BTC
 Set @: 605'
 Sxs cmt: 400 sxs
 Circ: 63 sxs
 TOC: Surface
 Hole Size: 12-1/4"

KB: _____
 DF: _____
 GL: 2970'
 Spud Date: 4/3/1994
 Compl. Date: 4/30/1994

PROPOSEDHistory - Highlights

1994-04: D&C well; Perf Queen & Penrose 3486-3698', swab water and tail gas, set CIBP @ 3395' w/ 10' cmt.

1994-04: Perf 7 RVRs "D" 3275-3292'. All wtr, spot 20' cmt CIGR @ 3262'.

1994-04: Perf Lwr Yates 3188-3228', Acidized w/ 2500 gal, swabbed some oil for few days. Added Middle Yates perms f/ 3095'-3150', Acidized w/ 2500 gals. Flowed 300 bwpd. Set CIBP @ 3175'.

1995-07: Sqzd Middle Yates perms 3095'-3150' w/ 150 sxs. Squeeze held. Drill out CIBP @ 3175', RIH & set pkr @ 3177' and frac'd 3188'-3228' w/ 15,500 gals 30# X-link gel + 40,000# 12/20 Brady sand. Run 2-7/8" tbg and set @ 3117'. On pump, 2 BOPD+40 BWPD per AFE note.

1995-09: Set CIBP @ 3088', Perf Upper Yates 2940'-3061'. Frac w/ 34kg+100k#+CO@. Kicked off flowling, 240# FTP.

1996-06: Found 18 jts w/ salt, CO f/ 2979' to 3078'. Repl 2-7/8" tbg w/ 2-3/8"

1997-08: Pump Failure, changed out. Added 3 jts tbg.

1997-09: Stuck Pump, repaired

1997-11: Ran new pump and rods, No pump action.

1998-02: Clean Out from 3,054' - 3,070'

1998-11: Bad Pump, Cleaned out f/ 3073' - 3077'. Acidized w/ 300 gals + soap

Proposed: MIRU. POOH w/ pump, rods & tbg. RIH w/ 4-3/4" bit, drill out cmt and CIBP @ 3088', cmt and CIGR @ 3262', clean out to 3395'. Circulate clean. POOH w/ bit. Perforate 3272' - 3292' (2 SPF). RIH w/ pkr. Acidize perms 3272'-3292' & 3188'-3228' w/ total of 5000 gals 15% NEFE HCL acid, 1000# rock salt diverter & flush w/ 300 bbls fresh water treated with biocide. POOH w/ pkr. TIH w/ tbg, pump & rods. RTP.

YATES (Top @ 2936')

2940'-3061' (Select fire, 24 holes) - Sept 1995

Acidized w/ 1500 gals 7.5% HCL acid & CO2 frac w/ 34kg+100k# - Sept 1995

3095'-3111', 3124'-3134', 3142'-3150' (2 SPF, 86 holes) - 4/28/1994 [SQZ July 1995]

Acidized w/ 2500 gals 7.5% HCL acid

3188'-3200', 3206'-3228' (2 SPF, 68 holes) - 4/24/1994

Acidized w/ 2500 gals 7.5% HCL acid

Frac'd w/ 15,500 gals 30# X linked gel + 40,000# sand

SEVEN RIVERS (Top @ 3230')

3275' - 3295' (34 holes) - 4/22/94

Attempted to sqz, set CIGR and capped w/ cmt - 4/22/1994

Re-Perf 3272' - 3292' (2 SPF) - Proposed

Acidize 3188'-3292' w/ 5000 gals 15% HCL, 1000# rock salt, flush w/ 300 bbls treated fresh water

QUEEN (Top @ 3576') [ISOLATED]

3486' - 3698' (4 SPF, 252 holes) - 4/14/1994

Acidized w/ 10,000 gals 15% HCL Acid, swabbed water and tail gas

132
 SN 3,300'
 EOT 3,038'

CIBP w/ 10' cmt @ 3395'

Production Csg

Size: 5-1/2"
 Wt.&Thrd: 15.5#
 Grade: K-55 LTC
 Set @: 3850'
 Sxs Cmt: 1075 sxs
 Circ: 150 sxs
 TOC: Surface
 Hole Size: 7-7/8"

PBTD 3395'

TD 3850'

Tubulars - Capacities and Performance

Tubing: ~103 joints 2-3/8" 4.7# J-55 8RD EUE Tubing, SN, 4' Perf sub, Mud Anchor w/ BP. EOT @ ~3338'

Rod Lift: 126 x 3/4" Rods, 6 x 1.5" Sinker Bars, and 2" x 1-1/2" x 16" RHBC Pump

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office
620 East Greene Street
Carlsbad, New Mexico 88220
575-234-5972

Conditions of Approval for Workover/Deepening of a Well

1. Notification: Contact the appropriate BLM office at least 24 hours prior to the commencing of any operations. For wells in Eddy County, call 575-361-2822. For wells in Lea County, call 575-689-5981
2. Blowout Preventers: A blowout preventer (BOP), as appropriate, shall be installed before commencing any operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,100 feet, a 3M system for a well not deeper than 13,600 feet, or a 5M system for a well not deeper than 22,700 feet (all depths are for measured well depth).
3. Cement: Notify BLM if cement fails to circulate.
4. Subsequent Reporting: Within 30 days after work is completed, file a Subsequent Report (Form 3160-5) to BLM. The report should give in detail the manner in which the work was carried out. Show date work was completed. If producing a new zone, submit a Completion Report (Form 3160-4) with the Subsequent Report.
5. Trash: All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.
6. If well location is within the Timing Limitation Stipulation Area for Lesser Prairie-Chicken: From March 1st through June 15th annually, activities will be allowed except between the hours from 3:00 am and 9:00 am. Normal vehicle use on existing roads will not be restricted.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 323101

CONDITIONS

Operator: FAE II Operating LLC 11757 Katy Freeway, Suite 725 Houston, TX 77079	OGRID: 329326
	Action Number: 323101
	Action Type: [C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Like approval from BLM	3/15/2024