Received by UCD: 3/5/2024 7:48:42 AM U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Report 03/05/2024
Well Name: MELSON ZS FEDERAL	Well Location: T26S / R30E / SEC 8 / SESE /	County or Parish/State: EDDY / NM
Well Number: 2H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM31649	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001538665	Well Status: Oil Well Shut In	Operator: EOG RESOURCES INCORPORATED

Notice of Intent

Sundry ID: 2772494

Type of Submission: Notice of Intent

Date Sundry Submitted: 01/30/2024

Date proposed operation will begin: 02/01/2024

Type of Action: Plug and Abandonment Time Sundry Submitted: 09:36 2

Procedure Description: EOG PROPOSES TO PLUG AND ABADON THIS WELL USING THE ATTACHED PROCEDURE. THE CURRENT AND PROPOSED WELBORE DIAGRAMS ARE ALSO ATTACHED.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

Melson_ZS_Federal__2H_PROCEDURE_20240304081931.pdf MELSON_ZS_FEDERAL__2H_CURRENT_WBD_20240304081820.pdf Melson_ZS_Federal__2H___PROPOSED_WBD_20240304081751.pdf

Receive	<i>d by OCD: 3/5/2024 7:48:42 AM</i> II Name: MELSON ZS FEDERAL	Well Location: T26S / R30E / SEC 8 / SESE /	County or Parish/State: EDDY? of 23
We	II Number: 2H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lea	ase Number: NMNM31649	Unit or CA Name:	Unit or CA Number:
US	Well Number: 3001538665	Well Status: Oil Well Shut In	Operator: EOG RESOURCES INCORPORATED

Conditions of Approval

Specialist Review

Melson_ZS_Federal_2H_Sundry_ID_2772494_P_A_20240304140353.pdf

State: TX

State:

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: KAY MADDOX

Name: EOG RESOURCES INCORPORATED

Title: Regulatory Specialist

Street Address: 5509 CHAMPIONS DR.

City: MIDLAND

Phone: (432) 638-8475

Email address: KAY_MADDOX@EOGRESOURCES.COM

Field

Representative Name: Street Address: City: Phone: Email address:

BLM Point of Contact

BLM POC Name: LONG VO BLM POC Phone: 5759885402 Disposition: Approved Signature: Long Vo BLM POC Title: Petroleum Engineer BLM POC Email Address: LVO@BLM.GOV Disposition Date: 03/04/2024

Zip:

Signed on: MAR 04, 2024 08:19 AM

Received by OCD: 3/5/2024 7:48:42 AM

cectrea by OCD. 5		O. TA INITA				I uge o oj
Form 3160-5 (June 2019)		UNITED STATE PARTMENT OF THE I EAU OF LAND MAN	INTERIOR		0	DRM APPROVED MB No. 1004-0137 res: October 31, 2021
Do no	t use this i		ORTS ON WELLS to drill or to re-enter an PD) for such proposals		6. If Indian, Allottee or	Tribe Name
	SUBMIT IN	TRIPLICATE - Other instr	uctions on page 2		7. If Unit of CA/Agree	ment, Name and/or No.
1. Type of Well Oil Well	Gas V	Vell Other			8. Well Name and No.	
2. Name of Operator					9. API Well No.	
3a. Address			3b. Phone No. (include area cod	le)	10. Field and Pool or E	xploratory Area
4. Location of Well (For	otage, Sec., T.,l	R.,M., or Survey Description,)		11. Country or Parish, S	State
	12. CHE	CK THE APPROPRIATE B	OX(ES) TO INDICATE NATUR	E OF NOT	ICE, REPORT OR OTH	ER DATA
TYPE OF SUBM	IISSION		ТҮ	PE OF AC	TION	
Notice of Intent		Acidize	Deepen Hydraulic Fracturing		luction (Start/Resume) lamation	Water Shut-Off Well Integrity
Subsequent Repo	ort	Casing Repair	New Construction	_	omplete porarily Abandon	Other
Final Abandonm	ent Notice	Convert to Injection	Plug Back	_	er Disposal	
the proposal is to de the Bond under whi completion of the in	epen directiona ch the work wi wolved operation andonment No	ally or recomplete horizontal Il be perfonned or provide th ons. If the operation results in	ly, give subsurface locations and n e Bond No. on file with BLM/BI/ n a multiple completion or recomp	measured a A. Required pletion in a	nd true vertical depths of l subsequent reports mus new interval, a Form 31	k and approximate duration thereof. If f all pertinent markers and zones. Attach t be filed within 30 days following 60-4 must be filed once testing has been the operator has detennined that the site

14. I hereby certify that the foregoing is true and correct. Name (<i>Printed/Typed</i>)			
Tir	tle		
Signature	ate		
THE SPACE FOR FEDER	AL OR STATE OFIC	CEUSE	
Approved by			
	Title	Date	
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any p any false, fictitious or fraudulent statements or representations as to any matter within it		Illy to make to any department or agency of the Unite	ed States

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: SESE / 330 FSL / 660 FEL / TWSP: 26S / RANGE: 30E / SECTION: 8 / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet) BHL: NENE / 398 FNL / 670 FEL / TWSP: 26S / RANGE: 30E / SECTION: 8 / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet)


Melson ZS Federal #2H P&A Procedure


AFE 182307

API# 30-015-38665 Sec. 8-26S-30E 330' l	FCL & 660' FEL
TMD: 12,190'	GL: 3,113'
Surface Casing:	13-3/8" 48# J-55 @ 808' Cmt w/ 900 sx "C" (circ)
Inter. Casing:	9-5/8" 36# and 40# K-55 @ 3,434' Cmt w/ 1,170 sx "C" (circ)
Production Casing:	5-1/2" 20# L-80 @ 12,175' TOC @ 3530' (Log)
Producing Interval:	8,225' - 12,075'

Procedure

- 1. Notify Regulatory Agency 24 hours prior to commencing work.
- 2. MIRU Workover rig and any necessary safety equipment.
- 3. RU WL to make GR/JB run to 7,384'. POH then RIH w/ CIBP and set CIBP at 7,384'
- 4. Dump 96' of Class C cmnt on top of CIBP (covers the DV tool and Bone Spring).
- 5. Move up hole to 3,484', preform balanced plug w/ 178 sxs class C cmnt plug to 1,802'. (TOS and BOS)
- 6. Pick up, perf @ 858' and sqz a 25 sxs class C cement plug to 758'.
- 7. Pick up, perf @ 100' and sqz a 35 sxs class C cement plug to surface.
- 8. Cut off WH 3' below surface; verify cement to surface & weld on P&A marker.
- 9. Cut off anchors 3' below surface and clean location.





Received by OCD: 3/5/2024 7:48:42 AM

FAFMSS

BUREAU OF LAND MANAGEMENT		and the second second
Well Name: MELSON ZS FEDERAL	Well Location: T26S / R30E / SEC 8 / SESE /	County or Parish/State: EDDY / NM
Well Number: 2H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM31649	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001538665	Well Status: Oil Well Shut In	Operator: EOG RESOURCES INCORPORATED

Notice of Intent

Sundry ID: 2772494

Type of Submission: Notice of Intent

Date Sundry Submitted: 01/30/2024

Date proposed operation will begin: 02/01/2024

Type of Action: Plug and Abandonment

Sundry Print Report

03/04/2024

Time Sundry Submitted: 09:36

Procedure Description: EOG PROPOSES TO PLUG AND ABADON THIS WELL USING THE ATTACHED PROCEDURE. THE CURRENT AND PROPOSED WELBORE DIAGRAMS ARE ALSO ATTACHED.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

Melson_ZS_Federal_2H_PROCEDURE_20240304081931.pdf MELSON_ZS_FEDERAL_2H_CURRENT_WBD_20240304081820.pdf Melson_ZS_Federal_2H__PROPOSED_WBD_20240304081751.pdf

> APPROVAL SUBJECT TO GENERAL REQUIREMENTS AND SPECIAL STIPULATIONS ATTACHED

•

Form 3160-5 (June 2019)	UNITED STATES DEPARTMENT OF THE INTERIO		Ol Expi	ORM APPROVED MB No. 1004-0137 ires: October 31, 2021
0 101	BUREAU OF LAND MANAGEMEN		5. Lease Serial No. NI	MNM31649
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter abandoned well. Use Form 3160-3 (APD) for such propos		r to re-enter an	6. If Indian, Allottee or	Tribe Name
SUBI	MIT IN TRIPLICATE - Other instructions on p	page 2	7. If Unit of CA/Agree	ment, Name and/or No.
1. Type of Well	3		0 W.U M. 1 M	
Oil Well	Gas Well Other		8. well Name and No.	MELSON ZS FEDERAL/2H
	SOURCES INCORPORATED		9. API Well No. 30015	38665
3a. Address 1111 BAGBY Sk	Y LOBBY 2, HOUSTON, TX 77(3b. Phone N (713) 651-	No. (include area code) -7000	10. Field and Pool or E	Exploratory Area I-BONE SPRING, S/CORRAL CANY
4. Location of Well (Footage, S SEC 8/T26S/R30E/NMP	ec., T.,R.,M., or Survey Description)		11. Country or Parish, S EDDY/NM	
1	2. CHECK THE APPROPRIATE BOX(ES) TO	INDICATE NATURE O	F NOTICE, REPORT OR OTH	ER DATA
TYPE OF SUBMISSION		954 water all an	OF ACTION	
Notice of Intent	Acidize	eepen	Production (Start/Resume)	Water Shut-Off
Notice of Intent		ydraulic Fracturing	Reclamation	Well Integrity
Subsequent Report	Casing Repair N	ew Construction	Recomplete	Other
Final Abandonment Noti	- Particular	lug and Abandon	Temporarily Abandon	
	ce Convert to Injection Pl	lug Back	Water Disposal	
	PLUG AND ABADON THIS WELL USING TH	HE ATTACHED PROC	EDURE. THE CURRENT AN	ID PROPOSED
	joing is true and correct. Name (Printed/Typed)	Pogulator: C		
KAY MADDOX / Ph: (432) 6	38-8475	Regulatory S	pecialist	
Signature (Electronic Sub	mission)	Date	03/04/202	24
	THE SPACE FOR FE	DERAL OR STAT	E OFICE USE	
Approved by				
Long Vo	lm	Title Ictal	eum Engineer D	ate 3/4/2024
certify that the applicant holds le which would entitle the applican		t lease Office CP		
Title 18 U.S.C Section 1001 and any false, fictitious or fraudulent	Title 43 U.S.C Section 1212, make it a crime for statements or representations as to any matter w.	any person knowingly a ithin its jurisdiction.	nd willfully to make to any dep	artment or agency of the United States
(Instructions on page 2)				

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect offhis form to U.S. Department of the Interior, Bureau ofLand Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: SESE / 330 FSL / 660 FEL / TWSP: 26S / RANGE: 30E / SECTION: 8 / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet) BHL: NENE / 398 FNL / 670 FEL / TWSP: 26S / RANGE: 30E / SECTION: 8 / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet)

Melson ZS Federal #2H P&A Procedure

AFE 182307

API# 30-015-38665 Sec. 8-26S-30E 330' FCL & 660' FEL TMD: 12,190' GL: 3,113'

Surface Casing: 13-3/8" 48# J-55 @ 808' Cmt w/ 900 sx "C" (circ) Inter. Casing: 9-5/8" 36# and 40# K-55 @ 3,434' Cmt w/ 1,170 sx "C" (circ) Production Casing: 5-1/2" 20# L-80 @ 12,175' TOC @ 3530' (Log) Producing Interval: 8,225' - 12,075'


Procedure

- 1. Notify Regulatory Agency 24 hours prior to commencing work.
- 2. MIRU Workover rig and any necessary safety equipment.
- Leak test CIBP. 3. RU WL to make GR/JB run to 7,384'. POH then RIH w/ CIBP and set CIBP at 7,384'
- 4. Dump 96 of Class C cmnt on top of CIBP (covers the DV tool and Bone Spring). Spot cenent from 7384 to 6979. 39 505
- 5. Move up hole to 3,484', preform balanced plug w/ 178 sxs class C cmnt plug to 1,802'. (TOS and BOS) classe. 6. Pick up, perf @ 858' and sqz a 25 sxs class C cement plug to 758'.
- 7. Pick up, perf @ 100' and sqz a 35 sxs class C cement plug to surface...
- 8. Cut off WH 3' below surface; verify cement to surface & weld on P&A marker.
- 9. Cut off anchors 3' below surface and clean location.

>>Spot cement from 5050' to 4900'. 25 sxs class C. > Perforate and Spz. from 3529' to 3222. Spot cement inside casing from 3579' to 3222'. WOC & TAG. (In 34 sxs / Out 71 sxs) 105 sxs » Perforate and squeeze from 1902' to 1783'. WOC and TAK. (In 12 sis/Out 25 5x5) 37 5x5 > Perforate and squeeze from 961' to surface. Verity at surface. (In 91 ans/ Dut 196 1x5)


287 585

H. Gould 3/5/2019



Melson ZS Federal #2H - PROPOSED WBD.xls

H. Gould 3/5/2019



MELSON ZS FEDERAL #2H CURRENT WBD.xls

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Permanent Abandonment of Federal Wells Conditions of Approval

Failure to comply with the following Conditions of Approval may result in a Notice of Incidents of Noncompliance (INC) in accordance with 43 CFR 3163.1.

1. Plugging operations shall commence within <u>ninety (90)</u> days from the approval date of this Notice of Intent to Abandon.

If you are unable to plug the well by the 90th day provide this office, prior to the 90th day, with the reason for not meeting the deadline and a date when we can expect the well to be plugged. Failure to do so will result in enforcement action.

The rig used for the plugging procedure cannot be released and moved off without the prior approval of the authorized officer. Failure to do so may result in enforcement action.

2. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any plugging operations. For wells in Chaves and Roosevelt County, call 575-627-0272; Eddy County, call 575-361-2822; Lea County, call 575-689-5981.

3. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet; a 3M system for a well not deeper than 13,636 feet; and a 5M system for a well not deeper than 22,727 feet.

4. <u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of **brine** water. Minimum nine (9) pounds per gallon.

5. <u>Cement Requirement</u>: Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. Any plug that requires a tag will have a minimum WOC time of 4 hours. Tagging the plug means running in the hole with a string of tubing or drill pipe and placing sufficient weight on the plug to ensure its integrity. Other methods of tagging the plug may be approved by the BLM authorized officer or BLM field representative.

In lieu of a cement plug across perforations in a cased hole (not for any other plugs), a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement. If a bailer is used to cap this plug, 35 feet of cement shall be sufficient. **Before pumping or bailing cement on top of CIBP, tag will be required to verify depth. Based on depth, a tag of the cement may be deemed necessary.**

Unless otherwise specified in the approved procedure, the cement plug shall consist of either Neat Class "C", for up to 7,500 feet of depth or Neat Class "H", for deeper than 7,500 feet plugs.

6. <u>Dry Hole Marker</u>: All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). **The BLM is to be notified** *BY PHONE* (numbers listed in 2. Notifications) minimum of 4 hours prior to the wellhead being cut off to verify that cement is to surface in the casing and all annuluses. Wellhead cut off shall commence within ten (10) calendar days of the well being plugged. If the cut off cannot be done by the 10th day, the BLM is to be contacted with justification to receive an extension for completing the cut off.

The well bore shall then be capped with a 4-inch pipe, 10-feet in length, 4 feet above ground and embedded in cement, unless otherwise noted in COA (requirements will be attached). The following information shall be permanently inscribed on the dry hole marker: well name and number, name of the operator, lease serial number, surveyed location (quarter-quarter section, section, township and range or other authorized survey designation acceptable to the authorized officer such as metes and bounds). A weep hole shall be left if a metal plate is welded in place.

7. <u>Subsequent Plugging Reporting</u>: Within 30 days after plugging work is completed, file one original and three copies of the Subsequent Report of Abandonment, Form 3160-5 to BLM. The report should give in detail the manner in which the plugging work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. **Show date well was plugged.**

8. <u>Trash</u>: All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.

Following the submission and approval of the Subsequent Report of Abandonment, surface restoration will be required. See attached reclamation objectives.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any/all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip (across the slope and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months.
- 3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you

have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech/Environmental Protection Specialist 575-234-5909 (Office), 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crisha Morgan Environmental Protection Specialist 575-234-5987

Jose Martinez-Colon Environmental Protection Specialist 575-234-5951

Mark Mattozzi Environmental Protection Specialist 575-234-5713

Robert Duenas Environmental Protection Specialist 575-234-2229

Doris Lauger Martinez Environmental Protection Specialist 575-234-5926

Jaden Johnston Environmental Protection Asst. (Intern) 575-234-6252

•

Sundry ID	2772494	n		r	1	1	
Plug Type	Тор	Bottom	Length	Тад	Sacks	Cement Class	Notes
Surface Plug	0.00	100.00	100.00	Tag/Verify			
13.375 inch- Shoe Plug	749.92		108.08	Tag/Verify			
				lf solid base no			
				need to			
				Tag (CIBP			
				present and/or			
				Mechanic			
				al Integrity Test), If			
				Perf & Sqz then			
				Tag, Leak Test all			Perforate and
				CIBP if no			squeeze from 961'
				Open Perforatio			to surface. Verify at surface. (In 91
Fresh Water @ 911	851.89	961.00			287.00	С	sxs/Out 196 sxs) Perforate and
							squeeze from 1902'
							to 1783'. WOC and Tag. (In 12 sxs/Out
Top of Salt @ 1852	1783.48	1902.00	118.52	Tag/Verify	37.00	С	25 sxs)
Base of Salt @ 3306	3222.94	3356.00	133.06	Tag/Verify			
9.625 inch- Shoe Plug	3349.66	3484.00	134.34	Tag/Verify			
				lf solid base no			
				need to			
				Tag (CIBP			
				present			
				and/or Mechanic			
				al Integrity Test), If			
				Perf &			Perforate and
				Sqz then Tag, Leak			squeeze from 3529' to 3222'. Spot
				Test all CIBP if no			cement inside casing from 3579' to
				Open			3222'. WOC and
Delaware @ 3529	3443.71	3579.00		Perforatio ns	105.00	с	Tag plug. (In 34 sxs/Out 71 sxs)

				· · · · · ·			T
				If solid base no need to Tag (CIBP present and/or Mechanic al Integrity Test), If Perf & Sqz then Tag, Leak Test all CIBP if no Open Perforatio			Spot comot fro
Spagar @ 5000	4900.00	5050.00	150.00		25.00	C	Spot cement from 5050' to 4900'.
Spacer @ 5000	4900.00	5050.00	150.00	115	25.00	C	5050 10 4900.
DV tool plug	6979.00	7150.00	171.00	Tag/Verify			
Bonesprings @ 7300	7177.00	7350.00	173.00	If solid			
KOP @ 7384	7260.16	7434.00	173.84	If solid			
				If solid base no need to Tag (CIBP present and/or Mechanic al Integrity Test), If Perf & Sqz then Tag, Leak Test all CIBP if no Open Perforatio			Set CIBP at 7384'. Spot cement from 7384' to 6979'. Leak
CIBP Plug	7349.00	7384.00			39.00	С	CIBP.
Perforations Plug (If No CIBP)	8175.00	12125.00	3950.00	Tag/Verify	00.00	~	
5.5 inch- Shoe Plug	12003.25						

No more than 2000' is to be allowed between plugs in open hole, and no more than 3000' between plugs in cased hole. Class H >7500' Class C<7500'

Fluid used to mix the cement in R111P shall be saturated with the salts common to the section penetrated, and in suitable proportions, but not more than 3% calcium chloride by weight of cement will be considered the desired mixture whenever possible.

Medium, Secretary: Top of salt to surface If no salt take the deepest fresh water or Karst Depth

High, Critical: Bottom of Karst to surface or Deepest fresh water, whichever is greater R111P: 50 Feet from Base of Salt to surface.

Class C: 1.32 ft^3/sx Class H: 1.06 ft^3/sx

Onshore Order 2.III.G Drilling Abandonment Requirements: "All formations bearing usable-quality water, oil, gas, or geothermal resources, and/or a prospectively valuable deposit of minerals shall be protected.

Cave Karst/Potash Cement Requirement:	<u>Top of Sa</u> Medium	alt to surface	
13.375 inch- Shoe Plug @ 9.625 inch- Shoe Plug @ 5.5 inch- Shoe Plug @	808.00 3434.00 12175.00	тос @	3520.00
Perforatons Top @	8225.00	Perforations	12075.00
DV Tool @	7100.00	CIBP @	7384.00

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
EOG RESOURCES INC	7377
5509 Champions Drive	Action Number:
Midland, TX 79706	320116
	Action Type:
	[C-103] NOI Plug & Abandon (C-103F)
CONDITIONS	

Created By		Condition Date
gcordero	None	3/20/2024

CONDITIONS

Action 320116

Page 23 of 23

.