Received by UCD: \$9/2024 8:51:58 AM U.S. Department of the Interior		Sundry Print Report 04/09/2024
BUREAU OF LAND MANAGEMENT		Star All Store
Well Name: CJ HOLDER COM	Well Location: T28N / R13W / SEC 27 / NWNE / 36.63861 / -108.20367	County or Parish/State: SAN JUAN / NM
Well Number: 201S	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM09967	Unit or CA Name: FRCL01 - E/2	Unit or CA Number: NMNM127404
<b>US Well Number:</b> 3004534945	Well Status: Temporarily Abandoned	<b>Operator:</b> LOGOS OPERATING LLC

## **Notice of Intent**

Sundry ID: 2783028

Type of Submission: Notice of Intent

Date Sundry Submitted: 04/02/2024

Date proposed operation will begin: 04/02/2024

Type of Action: Temporary Abandonment Time Sundry Submitted: 01:12 6

**Procedure Description:** LOGOS Operating LLC requests permission to extend the temporary abandoned status for subject well to 4/22/2025. A Mechanical Integrity Test (MIT) was performed on 3/20/24. Will evaluate for return to production or P&A in 2024. Note: Previous TA renewal rejected, NMOCD requested MIT.

**Surface Disturbance** 

Is any additional surface disturbance proposed?: No

## **Conditions of Approval**

### **Specialist Review**

CJ\_Holder\_Com\_201S\_ID\_2783028\_TA\_COAs\_MHK\_04.02.2023\_20240402131800.pdf

Received by OCD: 4/9/2024 8:51:58 AM Well Name: CJ HOLDER COM	Well Location: T28N / R13W / SEC 27 / NWNE / 36.63861 / -108.20367	County or Parish/State: SANge 2 of JUAN / NM
Well Number: 201S	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM09967	Unit or CA Name: FRCL01 - E/2	Unit or CA Number: NMNM127404
<b>US Well Number:</b> 3004534945	Well Status: Temporarily Abandoned	<b>Operator:</b> LOGOS OPERATING LLC

## Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

**Operator Electronic Signature: ETTA TRUJILLO** 

Name: LOGOS OPERATING LLC

Title: Regulatory Specialist

Street Address: 2010 AFTON PLACE

City: Farmington

State: NM

Phone: (505) 324-4154

Email address: ETRUJILLO@LOGOSRESOURCESLLC.COM

Field

Representative Name: Street Address: City: State: Phone: Email address:

## **BLM Point of Contact**

BLM POC Name: MATTHEW H KADE BLM POC Phone: 5055647736 Disposition: Approved Signature: Matthew Kade

BLM POC Title: Petroleum Engineer BLM POC Email Address: MKADE@BLM.GOV

Zip:

Signed on: APR 02, 2024 01:12 PM

Disposition Date: 04/02/2024



#### Wellbore Schematic

Well Name:	CJ Holder Cor		Date Prepared:	4/21/2017
Location:	Sec 27, T28N,	R13W 700' FNL & 1800'	FEL Last Updated:	1/2/2024 Moss
County:	San Juan		Spud Date:	10/8/2011
API #:	30-045-34945		Completion Date:	11/28/2011
Co-ordinates:	Lat 36.638603	2 Long -108.2036972	Last Workover Date:	5/14/2015
Elevations:	GROUND:	6060'		
	KB:	6065'		
Depths (KB):	PBTD:			
	TD:			
	VERTICAL WELLB	ORE		
	All depths KB	Hole Size	Surface Casing: (10/08/2011)	
Surface Casing		12-1/4"	Drilled a 12-1/4" surface hole to 178'. Set 4 its 8-5/8", 24#, J-5	5 casing at 175'
8-5/8", 24#, J-55		0'-178'	Cemented with 140 sxs Type V cement; circulated 13 bbls	
Set at 175'		0-178	Cemented with 140 sxs Type v cement, circulated 13 bbis	cement to surface.
	-		<b>D</b> = 1 = 1 = 2 = 1 = (40/40/0014)	
175	) <sup>*</sup>	TOC at surface (circ)	Production Casing: (10/16/2011)	
			Drilled a 7-7/8" production hole to 1860'. Set 45 jts 5-1/2", 15.	5#, J-55 casing at 1855
			Cemented with lead 170 sxs 65/35 Class G poz and tailed	with 150 sxs Type G;
			circulated 10 bbls cement to surface	
			Tubing:	Length (ft)
		7-7/8"	KB	5
		178'-1860'		
			Set at:	ft
Production Casing			Rods:	
5-1/2", 15.5#, J-55				
Set at 1855'				
320 sxs				
TOC at surface (circ)				
			Pumping Unit:	
			Lufkin T5 A 80 DB	
			Perforations: (11/02/11)	
			Fruitland Coal .40", 84 holes, 6SPF: 1424'-28', 1454'-56', 154	8'-52' 1577'-79' 1596'-98'
		CIBP at 1377'	Frac w/ 46028 gal 70Q, 3000# 100 mesh, 42000# 20/40 sa	
			Fruitland Coal .40", 66 holes, 6SPF at 1640'-42', 1623'-32'	
			Frac w/ 48505 gal 70Q, 3000# 100 mesh, 48000# 20/40 sa	and
	0	o FC 1424'-1428'	1140 W/ 40000 gal 100, 0000# 100 mcsh, 40000# 20/40 sc	
	0	o FC 1454'-1456'		
	0	o FC 1548'-1552'	Formations:	
	0	0 FC 1577'-1579'	Ojo Alamo- 290'	
		0 10 10/1-10/9	Kirtland- 396'	
			Fruitland Coal- 1035'	
			Pictured Cliffs- 1647'	
	0	o FC 1623'-1632'	Additional Notes:	
	0	o FC 1640'-1642'	11/2011 Initial Completion	
	0	0 FC 1040-1042	01/2012 Pump change, Changed out pump from 1-1/4" to 1-7	1/2"
			02/2013 Tubing/Pump repair, minor corrosion on pump barre	
			06/2013 Pump change, tagged fill at 1737'. No signs of scale	
		<b>.</b>	05/2015 Pump bbl was split. Tagged fill at 1710'. Ran a 2"x1.	· · ·
		Tagged fill at 1710'	04/2019 TA'd well. LD rods & pump. Set CIBP at 1377' & LD	lubing.
1	1855'			
	PBTD - 1833'			
	TD - 1860'			



# United States Department of the Interior

BUREAU OF LAND MANAGEMENT Farmington District Office 6251 College Boulevard, Suite A Farmington, New Mexico 87402 http://www.blm.gov/nm



April 2, 2024

## **CONDITIONS OF APPROVAL**

## Sundry Notice of Intent ID # 2783028 Request to Extend Temporary Abandonment

<b>Operator:</b>	LOGOS Operating LLC
Lease:	NMNM 09967
Agreement:	NMNM 127404
Well(s):	CJ Holder Com 201S, API # 30-045-34945
Location:	NWNE Sec 27 T28N R13W (San Juan County, NM)

The request to extend the temporary abandonment (TA) is approved with the following conditions:

- 1. No well shall be TA without prior approval from the authorized officer or representative.
- 2. This approval is granted for a 12-month period until April 22, 2025. <u>Before this approval expires</u> one of the following shall be submitted:
  - a. A sundry notice (Notice of Intent Temporary Abandonment) to keep the well in TA status with engineering and/or economic justification for up to another 12-month period. Provide actual details as to what LOGOS plans for this well (are zones being considered for recompletion, when would LOGOS recomplete the well, when will LOGOS return the well to production, etc.). Dates do not have to be exact but should be reasonable approximation.
  - b. A sundry notice (Notification Resume Production) with resumption of production reported within 5 business days after the well was returned to production.
  - c. A sundry notice (Notice of Intent Plug and Abandonment) to plug and abandon (P&A) the well. While not necessary to P&A before April 22, 2025, a sundry notice must be submitted prior to that date. Plugging would have to occur within one year of approval.
- **3.** This agency reserves the right to modify or rescind approval. A plug or produce order may still be issued at the discretion of the authorized officer.

4. The lease is currently held by production from other wells. Should production from the lease cease, the BLM may require this well be returned to production or P&A, regardless of the amount of time the TA status is still approved for.

For questions concerning this matter, please contact Matthew Kade, Petroleum Engineer at the BLM Farmington Field Office, at (505) 564-7736 or mkade@blm.gov.

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
LOGOS OPERATING, LLC	289408
2010 Afton Place	Action Number:
Farmington, NM 87401	331230
	Action Type:
	[C-103] NOI Temporary Abandonment (C-103I)

#### CONDITIONS

Created By	Condition	Condition Date
mkuehling	approved for record	4/22/2024

Page 6 of 6

Action 331230