
Form 3160-3 (June 2015) UNITED STAT	TES	FORM APPRO OMB No. 1004- Expires: January 3	0137		
DEPARTMENT OF THE BUREAU OF LAND MA	EINTERIOR	5. Lease Serial No.			
APPLICATION FOR PERMIT TO	DRILL OR REENTER	6. If Indian, Allotee or Tribe	Name		
1a. Type of work: DRILL	REENTER	7. If Unit or CA Agreement,	Name and No.		
1b. Type of Well: Oil Well Gas Well	Other				
1c. Type of Completion: Hydraulic Fracturing	Single Zone Multiple Zone	8. Lease Name and Well No			
2. Name of Operator		9. API Well No. 30-025	-52857		
3a. Address	3b. Phone No. (include area code)	10. Field and Pool, or Explo	ratory		
4. Location of Well (Report location clearly and in accordance)	ce with any State requirements.*)	11. Sec., T. R. M. or Blk. an	d Survey or Area		
At surface					
At proposed prod. zone			10.0		
14. Distance in miles and direction from nearest town or post	office*	12. County or Parish	13. State		
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any)	16. No of acres in lease 17. Space	ing Unit dedicated to this well			
 Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. 	19. Proposed Depth 20. BLN	I/BIA Bond No. in file			
21. Elevations (Show whether DF, KDB, RT, GL, etc.)	22. Approximate date work will start*	23. Estimated duration			
	24. Attachments				
The following, completed in accordance with the requirement (as applicable)	s of Onshore Oil and Gas Order No. 1, and the	Hydraulic Fracturing rule per 4	3 CFR 3162.3-3		
1. Well plat certified by a registered surveyor.	4. Bond to cover the operation Item 20 above).	ons unless covered by an existing	g bond on file (see		
 A Drilling Plan. A Surface Use Plan (if the location is on National Forest Sy SUPO must be filed with the appropriate Forest Service Of 	stem Lands, the 5. Operator certification.	ormation and/or plans as may be	requested by the		
25. Signature	Name (Printed/Typed)	Date			
Title					
Approved by (Signature)	Name (Printed/Typed)	Date			
Title	Office				
Application approval does not warrant or certify that the appli applicant to conduct operations thereon. Conditions of approval, if any, are attached.	cant holds legal or equitable title to those right	s in the subject lease which wo	uld entitle the		
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212 of the United States any false, fictitious or fraudulent statement			rtment or agency		
		-			



(Continued on page 2)

.



Released to Imaging: 4/26/2024 9:57:06 AM

Received by OCD: 4/16/2024 1:03:27 PM

I	ſ	1	ι	e	ſ	1	ι

Х	As Drilled	ſ
A	7.5 Drineu	

API	#		

Operator Name:	Property Name:	Well Number
DEVON ENERGY PRODUCTION COMPANY, LP.	HAFLINGER 22-27 FED COM	520H

Kick Off Point (KOP)

UL C	Section 22	Township 25S	Range 32E	Lot	Feet 61	From N/S NORTH	Feet 1649	From E/W WEST	County LEA
Latitu	Latitude				Longitude		NAD		
	32.12296949				-103.666	524214	83		

First Take Point (FTP)

UL C	Section 22	Township 25-S	Range 32-E	Lot	Feet 100	From N/S	Feet 1650	From E/W	County LEA
^{Latitu} 32.	^{de} 1229	55			Longitude 103.66	6157			NAD 83

Last Take Point (LTP)

ul N	Section 27	Township 25-S	Range 32-E	Lot	Feet 100	From N/S	Feet 1650	From E/W	County LEA
Latitu 32.	^{de} 0944	77			Longitud 103.	e 66613	9		NAD 83

Is this well the defining well for the Horizontal Spacing Unit?

Is this well an infill well?

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Received h	v OCD.	4/16/2024	1:03:27 PM
neceiveu v		4/10/2024	1.03.2/ F M

	Е	Stat nergy, Minerals a	te of New Me and Natural Res		ent	Subr Via I	nit Electronically E-permitting
		1220 \$	onservation D South St. Fran nta Fe, NM 87	cis Dr.			
	Ν	ATURAL G	AS MANA	GEMENT P	LAN		
This Natural Gas Manag	gement Plan m	ust be submitted w	ith each Applica	tion for Permit to I	Drill (Al	PD) for a new or	recompleted well
			<u>1 – Plan D</u> ffective May 25				
I. Operator:	NERGY PRODUC	CTION COMPANY, LP	OGRID:	6137			01 / 2023
II. Type: 🖾 Original 🛛] Amendment	due to 🗆 19.15.27	.9.D(6)(a) NMA	C 🗆 19.15.27.9.D((6)(b) N	MAC 🗆 Other.	
If Other, please describe	:						
III. Well(s): Provide the recompleted from a s					wells pro	oposed to be dri	lled or proposed to
Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D		cipated MCF/D P	Anticipated roduced Water BBL/D
See attachment							
IV. Central Delivery P	oint Name:	See attachment	I			[See 19.15.2	7.9(D)(1) NMAC]
V. Anticipated Schedu proposed to be recomple	e: Provide the	e following informa			vell or se		
Well Name	API	Spud Date	TD Reached Date	Completion Commencement		Initial Flow Back Date	First Production Date
See attachment							
VI. Separation Equipn VII. Operational Prac Subsection A through F	tices: 🖾 Attac	ch a complete desc		-			
VIII. Best Managemen during active and planne		-	ete description of	f Operator's best n	nanagen	nent practices to	minimize ventin

.

NATURAL GAS MANAGEMENT PLAN

Section 1 - Plan Description

III. Well(s): Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

									Central Delivery Point
Well Name	API	ULS	STR		FOOTA	GES		Anticipated Gas/Oil/Water	Name:
HAFLINGER 22-27 FED COM 121H	n/a		22-25S-32E	350	FNL	980	FWL	(+/-) 3749mcfd/(+/-)1384bopd/(+/-)5713bwpd	HAFLINGER 22 CTB 1
HAFLINGER 22-27 FED COM 233H	n/a		22-25S-32E	350	FNL	1890	FWL	(+/-)3736mcfd/(+/-)1291bopd/(+/-)5000bwpd	HAFLINGER 22 CTB 2
HAFLINGER 22-27 FED COM 520H	n/a		22-25S-32E	500	FNL	1715	FWL	(+/-)5663 mcfd/(+/-)1408bopd/(+/-)3169 bwpd	HAFLINGER 22 CTB 1
HAFLINGER 22-27 FED COM 231H	n/a		22-25S-32E	350	FNL	1070	FWL	(+/-)3736mcfd/(+/-)1291bopd/(+/-)5000bwpd	HAFLINGER 22 CTB 1
HAFLINGER 22-27 FED COM 303H	n/a		22-25S-32E	500	FNL	1655	FWL	(+/-)5959mcfd/(+/-)1596bopd/(+/-)7786bwpd	HAFLINGER 22 CTB 1
HAFLINGER 22-27 FED COM 123H	n/a		22-25S-32E	500	FNL	1685	FWL	(+/-) 3749mcfd/(+/-)1384bopd/(+/-)5713bwpd	HAFLINGER 22 CTB 1

V. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

				Completion		First
			TD Reached	Commencem	Initial Flow	Production
Well Name	API	Spud Date	Date	ent Date	back Date	Date
HAFLINGER 22-27 FED COM 121H	n/a	6/20/2024	7/20/2024	11/17/2024	11/17/2024	11/17/2024
HAFLINGER 22-27 FED COM 233H	n/a	5/27/2024	6/26/2024	10/24/2024	10/24/2024	10/24/2024
HAFLINGER 22-27 FED COM 520H	n/a	5/17/2024	6/16/2024	10/14/2024	10/14/2024	10/14/2024
HAFLINGER 22-27 FED COM 231H	n/a	5/9/2024	6/8/2024	10/6/2024	10/6/2024	10/6/2024
HAFLINGER 22-27 FED COM 303H	n/a	7/5/2024	8/4/2024	12/2/2024	12/2/2024	12/2/2024
HAFLINGER 22-27 FED COM 123H	n/a	4/23/2024	5/23/2024	9/20/2024	9/20/2024	9/20/2024

* Dates subject to change

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in

XI. Map. \Box Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural gas gathering system \Box will \Box will not have capacity to gather 100% of the anticipated natural gas production volume from the well prior to the date of first production.

XIII. Line Pressure. Operator \Box does \Box does not anticipate that its existing well(s) connected to the same segment, or portion, of the natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s).

□ Attach Operator's plan to manage production in response to the increased line pressure.

XIV. Confidentiality: \Box Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided in Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information for which confidentiality is asserted and the basis for such assertion.

Section 3 - Certifications Effective May 25, 2021

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:

 \square Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or

D Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. *If Operator checks this box, Operator will select one of the following:*

Well Shut-In. \Box Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or

Venting and Flaring Plan. \Box Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including:

- (a) power generation on lease;
- (b) power generation for grid;
- (c) compression on lease;
- (d) liquids removal on lease;
- (e) reinjection for underground storage;
- (t) reinjection for temporary storage;
- (g) reinjection for enhanced oil recovery;
- (h) fuel cell production; and
- (i) other alternative beneficial uses approved by the division.

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

(a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or

(b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.

2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature:
Printed Name: <u>Jeffrey Walla</u> Title: <u>Surface Land & Regulatory Manager</u> E-mail Address: jeff.walla@dvn.com
Title: Surface Land & Regulatory Manager
E-mail Address: jeff.walla@dvn.com
Date: 07/01/2023
Phone: (405) 552-8154
OIL CONSERVATION DIVISION
(Only applicable when submitted as a standalone form)
Approved By:
Title:
Approval Date:
Conditions of Approval:



VI. Separation Equipment

Devon Energy Production Company, L.P. utilizes a "stage separation" process in which oil and gas separation is carried out through a series of separators operating at successively reduced pressures. Hydrocarbon liquids are produced into a high-pressure inlet separator, then carried through one or more lower pressure separation vessels before entering the storage tanks. The purpose of this separation process is to attain maximum recovery of liquid hydrocarbons from the fluids and allow maximum capture of produced gas into the sales pipeline. Devon utilizes a series of Low-Pressure Compression units to capture gas off the staged separation and send it to the sales pipeline. This process minimizes the amount of flash gas that enters the end-stage storage tanks that is subsequently vented or flared.



VII. Operational Practices

Devon Energy Production Company, L. P. will employ best management practices and control technologies to maximize the recovery and minimize waste of natural gas through venting and flaring.

- During drilling operations, Devon will utilize flares and/or combustors to capture and control natural gas, where technically feasible. If flaring is deemed technically in-feasible, Devon will employ best management practices to minimize or reduce venting to the extent possible.
- During completions operations, Devon will utilize Green Completion methods to capture gas produced during well completions that is otherwise vented or flared. If capture is technically in-feasible, flares and/or combustors will be used to capture and control flow back fluids entering into frac tanks during initial flowback. Upon indication of first measurable hydrocarbon volumes, Devon will turn operations to onsite separation vessels and flow to the gathering pipeline.
- During production operations, Devon will take every practical effort to minimize waste of natural gas through venting and flaring by:
 - Designing and constructing facilities in a manner consistent to achieve maximum capture and control of hydrocarbon liquids & produced gas
 - Utilizing a closed-loop capture system to collect and route produced gas to sales line via low pressure compression, or to a flare/combustor
 - Flaring in lieu of venting, where technically feasible
 - Utilizing auto-ignitors or continuous pilots, with thermocouples connected to Scada, to quickly detect and resolve issues related to malfunctioning flares/combustors
 - Employ the use of automatic tank gauging to minimize storage tank venting during loading events
 - Installing air-driven or electric-driven pneumatics & combustion engines, where technically feasible to minimize venting to the atmosphere
 - Confirm equipment is properly maintained and repaired through a preventative maintenance and repair program to ensure equipment meets all manufacturer specifications
 - Conduct and document AVO inspections on the frequency set forth in Part 27 to detect and repair any onsite leaks as quickly and efficiently as is feasible



Devon Energy Production Company, L.P. will utilize best management practices to minimize venting during active and planned maintenance activities. Devon is operating under guidance that production facilities permitted under NOI permits have no provisions to allow high pressure flaring and high pressure flaring is only allowed in disruption scenarios so long as the duration is less than eight hours. When technically feasible, flaring during maintenance activities will be utilized in lieu of venting to the atmosphere. Devon will work with third-party operators during scheduled maintenance of downstream pipeline or processing plants to address those events ahead of time to minimize venting. Actions considered include identifying alternative capture approaches or planning to temporarily reduce production or shut in the well to address these circumstances.

1. Geologic Formations

TVD of target	9249	Pilot hole depth	N/A
MD at TD:	19401	Deepest expected fresh water	

Basin

Formation	Depth (TVD) from KB	Water/Mineral Bearing/Target Zone?	Hazards*
Rustler	775		
Salt	1157		
Base of Salt	4627		
Delaware	4627		
Cherry Canyon	5637		
Brushy Canyon	7052		
1st Bone Spring Lime	8452		
Leonard	8636		

*H2S, water flows, loss of circulation, abnormal pressures, etc.

2. Casing P	2. Casing Program							
	Wt .			Casing	Casing Interval		Casing Interval	
Hole Size	Csg. Size	(PPF)	Grade	Conn	From (MD)	To (MD)	From (TVD)	To (TVD)
17 1/2	13 3/8	54 1/2	J-55	BTC	0	950	0	950
12 1/4	9 5/8	40	J-55	BTC	0	8536	0	8536
8 3/4	5 1/2	17	P110	BTC	0	19401	0	9249

• All casing strings will be tested in accordance with Onshore Oil and Gas Order #2 IILB.1.h Must have table for contingency casing.

3. Cementing Program (3-String Primary Design)

Casing	# Sks	TOC	Wt. (lb/gal)	Yld (ft3/sack)	Slurry Description
Surface	725	Surf	13.2	1.4	Lead: Class C Cement + additives
Int 1	865	Surf	9.0	3.3	2nd State: Bradenhead Squeeze - Lead:Class C Cement + additives
Int I	432	7052	13.2	1.4	Tail: Class H / C + additives
Production	49	8036	9.0	3.3	Lead: Class H /C + additives
FIGUICIION	2085	8593	13.2	1.4	Tail: Class H / C + additives

Assuming no returns are established while drilling, Devon requests to pump a two stage cement job on the intermediate casing string with the first stage being pumped conventionally with the calculated top of cement at the Brushy Canyon and the second stage performed as a bradenhead squeeze with planned cement from the Brushy canyon to surface. If necessary, a top out of Class C cement will be executed as a contingency. Devon will report to the BLM the volume of fluid (limited to 1 bbls) used to flush intermediate casing valves following backside cementing procedures.

Casing String	% Excess
Surface	50%
Intermediate	30%
Production	10%

4. Pressure Control Equipment (Three String Design)

BOP installed and tested before drilling which hole?	Size?	Min. Required WP	Туре		*	Tested to:																						
			Anı	nular	Х	50% of rated working pressure																						
Int 1	13-5/8"	5M	Blind	l Ram	Х																							
Int I	13-3/8	5101	Pipe	Ram		5M																						
			Doub	le Ram	Х	JIVI																						
			Other*																									
			An	nular	Х	50% of rated working pressure																						
Production	13-5/8"	12 5/0"	12 5/0"	12 5/0"	12.5/8" 5M	12 5/8" 5M	12 5/0"	12 5/0" 51	12 5/9" 5M	12.5/8" 5M	13-5/8" 5M	" 5M	Bline	l Ram	Х													
Floduction		5/6 5101	JIVI	5101	JIVI	JIVI	5111	5111	JIVI	5111													5111	5101	5101	5101	5111	5111
			Doub	le Ram	Х																							
			Other*																									
			Annul	ar (5M)																								
			Blind Ram																									
			Pipe Ram																									
			Double Ram																									
			Other*																									

5. Mud Program (Three String Design)

Section	Туре	Weight (ppg)
Surface	FW Gel	8.5-9
Intermediate	Brine	10-10.5
Production	WBM	8.5-9

Sufficient mud materials to maintain mud properties and meet minimum lost circulation and weight increase requirements will be kept on location at all times.

What will be used to monitor the loss or gain of fluid?	PVT/Pason/Visual Monitoring
---	-----------------------------

6. Logging and Testing Procedures

Logging, Coring and Testing						
	Will run GR/CNL from TD to surface (horizontal well - vertical portion of hole). Stated logs run will be in the					
Х	Completion Report and sbumitted to the BLM.					
	No logs are planned based on well control or offset log information.					
	Drill stem test? If yes, explain.					
	Coring? If yes, explain.					

Additiona	al logs planned	Interval
	Resistivity	
	Density	
Х	CBL	Production casing
Х	Mud log	KOP to TD
	PEX	

7. Drilling Conditions

Condition	Specfiy what type and where?			
BH pressure at deepest TVD	4329			
Abnormal temperature	No			

Mitigation measure for abnormal conditions. Describe. Lost circulation material/sweeps/mud scavengers.

Hydrogren Sulfide (H2S) monitors will be installed prior to drilling out the surface shoe. If H2S is detected in concentrations greater than 100 ppm, the operator will comply with the provisions of Onshore Oil and Gas Order #6. If Hydrogen Sulfide is encountered measured values and formations will be provided to the BLM.

Ν	H2S is present
Y	H2S plan attached.

8. Other facets of operation

Is this a walking operation? Potentially

- 1 If operator elects, drilling rig will batch drill the surface holes and run/cement surface casing; walking the rig to next wells on the pad.
- 2 The drilling rig will then batch drill the intermediate sections and run/cement intermediate casing; the wellbore will be isolated with a blind flange and pressure gauge installed for monitoring the well before walking to the next well.
- 3 The drilling rig will then batch drill the production hole sections on the wells with OBM, run/cement production casing, and install TA caps or tubing heads for completions.

NOTE: During batch operations the drilling rig will be moved from well to well however, it will not be removed from the pad until all wells have production casing run/cemented.

Will be pre-setting casing? Potentially

- 1 Spudder rig will move in and batch drill surface hole.
 - a. Rig will utilize fresh water based mud to drill surface hole to TD. Solids control will be handled entirely on a closed loop basis.
- 2 After drilling the surface hole section, the spudder rig will run casing and cement following all of the applicable rules and regulations (OnShore Order 2, all COAs and NMOCD regulations).

 3 The wellhead will be installed and tested once the surface casing is cut off and the WOC time has been reached.

- 4 A blind flange with the same pressure rating as the wellhead will be installed to seal the wellbore. Pressure will be monitored with a pressure gauge installed on the wellhead.
- 5 Spudder rig operations is expected to take 4-5 days per well on a multi-well pad.
- 6 The NMOCD will be contacted and notified 24 hours prior to commencing spudder rig operations.
- 7 Drilling operations will be performed with drilling rig. At that time an approved BOP stack will be nippled up and tested on the wellhead before drilling operations commences on each well.
 - a. The NMOCD will be contacted / notified 24 hours before the drilling rig moves back on to the pad with the pre-set surface casing.

Attachments

X Directional Plan Other, describe

Devon Energy APD VARIANCE DATA

OPERATOR NAME: Devon Energy

1. SUMMARY OF Variance:

Devon Energy respectfully requests approval for the following additions to the drilling plan:

1. Potential utilization of a spudder rig to pre-set surface casing.

2. Description of Operations

- **1.** A spudder rig contractor may move in their rig to drill the surface hole section and pre-set surface casing on this well.
 - **a.** After drilling the surface hole section, the rig will run casing and cement following all of the applicable rules and regulations (OnShore Order 2, all COAs and NMOCD regulations).
 - **b.** Rig will utilize fresh water based mud to drill surface hole to TD.
- 2. The wellhead will be installed and tested once the surface casing is cut off and the WOC time has been reached.
- **3.** A blind flange with the same pressure rating as the wellhead will be installed to seal the wellbore. Pressure will be monitored with needle valves installed on two wingvalves.
 - **a.** A means for intervention will be maintained while the drilling rig is not over the well.
- 4. The BLM will be contacted and notified 24 hours prior to commencing spudder rig operations.
- 5. Drilling operation will be performed with the big rig. At that time an approved BOP stack will be nippled up and tested on the wellhead before drilling operations commences on each well.
 - **a.** The BLM will be contacted / notified 24 hours before the big rig moves back on to the pad with the pre-set surface casing.
- **6.** Devon Energy will have supervision on the rig to ensure compliance with all BLM and NMOCD regulations and to oversee operations.
- 7. Once the rig is removed, Devon Energy will secure the wellhead area by placing a guard rail around the cellar area.



Section 1 - Geologic Formations

Sec	ction 1 - Geologic	Formatio	ons				
Formation ID	Formation Name	Elevation	True Vertical	Measured Depth	Lithologies	Mineral Resources	Producing Formatio
13245510	UNKNOWN	3414	0	Ö	OTHER : SURFACE	NONE	N
13245511	RUSTLER	2639	775	775	SANDSTONE	NONE	N
13245512	SALADO	2257	1157	1157	SALT	NONE	N
13245513	BASE OF SALT	-1213	4627	4627	ANHYDRITE	NATURAL GAS, OIL	N
13245514	BELL CANYON	-1213	4627	4627	SANDSTONE	NATURAL GAS, OIL	N
13245515	CHERRY CANYON	-2223	5637	5637	SANDSTONE	NATURAL GAS, OIL	N
13245516	BRUSHY CANYON	-3638	7052	7052	SANDSTONE	NATURAL GAS, OIL	N
13245523	BONE SPRING LIME	-5038	8452	8452	LIMESTONE	NATURAL GAS, OIL	Y
13245517	BONE SPRING	-6155	9569	9569	SANDSTONE	NATURAL GAS, OIL	N
13245519	BONE SPRING 2ND	-6766	10180	10180	SANDSTONE	NATURAL GAS, OIL	N
13245524	BONE SPRING LIME	-7226	10640	10640	LIMESTONE	NATURAL GAS, OIL	N
13245526	BONE SPRING 3RD	-7954	11368	11368	SANDSTONE, SHALE	NATURAL GAS, OIL	N
13245521	WOLFCAMP	-8389	11803	11803	SHALE	NATURAL GAS, OIL	N
13245522	STRAWN	-10395	13809	13809	LIMESTONE	NATURAL GAS, OIL	N

Section 2 - Blowout Prevention





Commitment Runs Deep



Design Plan Operation and Maintenance Plan Closure Plan

SENM - Closed Loop Systems June 2010

I. Design Plan

Devon uses MI SWACO closed loop system (CLS). The MI SWACO CLS is designed to maintain drill solids at or below 5%. The equipment is arranged to progressively remove solids from the largest to the smallest size. Drilling fluids can thus be reused and savings is realized on mud and disposal costs. Dewatering may be required with the centrifuges to insure removal of ultra fine solids.

The drilling location is constructed to allow storm water to flow to a central sump normally the cellar. This insures no contamination leaves the drilling pad in the event of a spill. Storm water is reused in the mud system or stored in a reserve fluid tank farm until it can be reused. All lubricants, oils, or chemicals are removed immediately from the ground to prevent the contamination of storm water. An oil trap is normally installed on the sump if an oil spill occurs during a storm.

A tank farm is utilized to store drilling fluids including fresh water and brine fluids. The tank farm is constructed on a 20 ml plastic lined, bermed pad to prevent the contamination of the drilling site during a spill. Fluids from other sites may be stored in these tanks for processing by the solids control equipment and reused in the mud system. At the end of the well the fluids are transported from the tank farm to an adjoining well or to the next well for the rig.


Prior to installing a closed-loop system on site, the topsoil, if present, will be stripped and stockpiled for use as the final cover or fill at the time of closure.

Signs will be posted on the fence surrounding the closed-loop system unless the closed-loop system is located on a site where there is an existing well, that is operated by Devon.

II. Operations and Maintenance Plan

Primary Shakers: The primary shakers make the first removal of drill solids from the drilling mud as it leaves the well bore. The shakers are sized to handle maximum drilling rate at optimal screen size. The shakers normally remove solids down to 74 microns.

Mud Cleaner: The Mud Cleaner cleans the fluid after it leaves the shakers. A set of hydrocyclones are sized to handle 1.25 to 1.5 times the maximum circulating rate. This ensures all the fluid is being processed to an average cut point of 25 microns. The wet discharged is dewatered on a shaker equipped with ultra fine mesh screens and generally cut at 40 microns.



Centrifuges: The centrifuges can be one or two in number depending on the well geometry or depth of well. The centrifuges are sized to maintain low gravity solids at 5% or below. They may or may not need a dewatering system to enhance the removal rates. The centrifuges can make a cut point of 8-10 microns depending on bowl speed, feed rate, solids loading and other factors.

The centrifuge system is designed to work on the active system and be flexible to process incoming fluids from other locations. This set-up is also dependent on well factors.

Dewatering System: The dewatering system is a chemical mixing and dosing system designed to enhance the solids removal of the centrifuge. Not commonly used in shallow wells. It may contain pH adjustment, coagulant mixing and dosing, and polymer mixing and dosing. Chemical flocculation binds ultra fine solids into a mass that is within the centrifuge operating design. The

dewatering system improves the centrifuge cut point to infinity or allows for the return of clear water or brine fluid. This ability allows for the ultimate control of low gravity solids.

Cuttings Boxes: Cuttings boxes are utilized to capture drill solids that are discarded from the solids control equipment. These boxes are set upon a rail system that allows for the removal and replacement of a full box of cuttings with an empty one. They are equipped with a cover that insures no product is spilled into the environment during the transportation phase.

Process Tank: (Optional) The process tank allows for the holding and process of fluids that are being transferred into the mud system. Additionally, during times of lost circulation the process tank may hold active fluids that are removed for additional treatment. It can further be used as a mixing tank during well control conditions.

Sump and Sump Pump: The sump is used to collect storm water and the pump is used to transfer this fluid to the active system or to the tank for to hold in reserve. It can also be used to collect fluids that may escape during spills. The location contains drainage ditches that allow the location fluids to drain to the sump.

Reserve Fluids (Tank Farm): A series of frac tanks are used to replace the reserve pit. These are steel tanks that are equipped with a manifold system and a transfer pump. These tanks can contain any number of fluids used during the drilling process. These can include fresh water, cut brine, and saturated salt fluid. The fluid can be from the active well or reclaimed fluid from other locations. A 20 ml liner and berm system is employed to ensure the fluids do not migrate to the environment during a spill.

If a leak develops, the appropriate division district office will be notified within 48 hours of the discovery and the leak will be addressed. Spill prevention is accomplished by maintaining pump packing, hoses, and pipe fittings to insure no leaks are occurring. During an upset condition the source of the spill is isolated and repaired as soon as it is discovered. Free liquid is removed by a diaphragm pump and returned to the mud system. Loose topsoil may be used to stabilize the spill and the contaminated soil is excavated and placed in the cuttings boxes. After the well is finished and the rig has moved, the entire location is scrapped and testing will be performed to determine if a release has occurred.


All trash is kept in a wire mesh enclosure and removed to an approved landfill when full. All spent motor oils are kept in separate containers and they are removed and sent to an approved recycling center. Any spilled lubricants, pipe dope, or regulated chemicals are removed from soil and sent to landfills approved for these products.

These operations are monitored by Mi Swaco service technicians. Daily logs are maintained to ensure optimal equipment operation and maintenance. Screen and chemical use is logged to maintain inventory control. Fluid properties are monitored and recorded and drilling mud volumes are accounted for in the mud storage farm. This data is kept for end of well review to insure performance goals are met. Lessons learned are logged and used to help with continuous improvement.

A MI SWACO field supervisor manages from 3-5 wells. They are responsible for training personnel, supervising installations, and inspecting sites for compliance of MI SWACO safety and operational policy.

III. Closure Plan

A maximum 340' X 340' caliche pad is built per well. All of the trucks and steel tanks fit on this pad. All fluid cuttings go to the steel tanks to be hauled by various trucking companies to an agency approved disposal.



<text></text>											
Description Description Description Description Description Description 10				11-62	2 27 5 . 5					6	
Description Description Description Description Description Description 10	devon			-	2-27 Fed Cor	n 520H				-	
Department Department <thdepartment< th=""> Department Departme</thdepartment<>				,	1						
(m) 10020 0.00 351.2 1000 0.00											
(m) 10020 0.00 351.2 1000 0.00											
0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.000 0.00 0.00 0.00 0.00 0.00 0.00 0.000 0.00 0.00 0.00 0.00 0.00 0.00 0.000 0.00 0.00 0.00 0.00 0.00 0.00 0.000 0.00 0.00 0.00 0.00 0.00 0.00 0.000 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.000 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 <t< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th>Comment</th><th></th></t<>										Comment	
10000 0.00 51-20 0000 0.00 0.00 0.00 2000 0.00 51-20 0000 0.00 0.00 0.00 2000 0.00 51-20 0000 0.00 0.00 0.00 2000 0.00 51-20 0000 0.00 0.00 0.00 2000 0.00 51-20 0000 0.00 0.00 0.00 2000 0.00 51-20 0000 0.00 0.00 0.00 4000 0.00 51-20 0000 0.00 0.00 0.00 0.00 4000.0 0.00 51-20 10000 0.00 0.00 0.00 0.00 110000 0.00 51-20 10000 0.00 0.00 0.00 0.00 110000 0.00 51-20 100000 0.00 0.00 0.00 0.00 110000 0.00 51-20 100000 0.00 0.00 0.00 0.00 0.0	-									SHL	
10000 000 5120 0000 000											
4000 000 51:20 8000 000			0.00	351.20							
500006000512006000											
6000060081206000600600600600600600775006005120750060060060060060060060090000600312080006006006006006006006009000060031208000600600600600600600600115700600312011570060060060060060060013000600312011570060060060060060060013000600312011500600600600600600600130006003120115006006006006006006001300060031201150060060060060060060013000600312021000600600600600600130006003120210006006006006006001300060031202100071722006006001300060031202100071727172200600130006003120210007172717220060013000600312021000717271722006001300060031202100071747174200 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>											
700000008132700 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>											
800000.00312.2800000.000.000.000.000.00100000.00312.0100000.000.000.000.000.001117070.00312.0117070.000.000.000.000.001117070.00312.0117070.000.000.000.000.001117070.00312.0117070.000.000.000.000.001117070.00312.0100000.000.000.000.000.001110000.00312.0100000.000.000.000.000.001110000.00312.0100000.000.000.000.000.001110000.00312.0100000.000.000.000.000.001110000.00312.0200000.000.000.000.001110000.00312.0200000.000.000.000.001110000.00312.0200001.077.177.727.001110000.00312.0200001.077.177.727.001110000.00312.02091.01.177.717.740.0011100010.00312.02091.01.177.717.740.0011100010.00312.02091.01.177.711.160.0011100010.00312.0 <td></td>											
9000000035129000<		775.00	0.00	351.20	775.00	0.00	0.00	0.00	0.00	Rustler	
100000 0.00 5120 10000 0.00											
1100.00 0.00 552.0 170.00 0.00 0.00 0.00 0.00 1200.00 0.00 552.0 170.00 0.00 0.00 0.00 0.00 1400.00 0.00 551.20 170.00 0.00 0.00 0.00 0.00 0.00 1400.00 0.00 551.20 170.00 0.00 0.00 0.00 0.00 0.00 1400.00 0.01 551.20 170.00 0.00											
1157.00 0.00 512.0 192.00 0.00 0.00 0.00 0.00 1300.00 0.00 131.00 0.00 0.00 0.00 0.00 1300.00 0.00 151.20 130.00 0.00 0.00 0.00 0.00 1500.00 0.00 151.20 150.00 0.00 0.00 0.00 0.00 1700.00 0.00 151.20 170.00 0.00 0.00 0.00 0.00 1900.00 0.01 512.20 190.00 0.00 0.00 0.00 0.00 0.00 1900.00 0.01 311.20 199.00 0.00 0.00 0.00 0.00 1.00 2100.00 6.00 131.20 199.00 1.00 1.10 1.11											
12000 0.00 3512 13000 0.00 0.00 0.00 15000 0.00 3512 15000 0.00 0.00 0.00 170000 0.00 3512 15000 0.00 0.00 0.00 170000 0.00 3512 15000 0.00 0.00 0.00 170000 0.00 3512 15000 0.00 0.00 0.00 170000 0.00 3512 29000 0.00 0.00 0.00 0.00 170000 0.00 3512 29939 1.72 -0.77 -5.90 0.00 20000 10.00 1512 29945 151 -2.40 -1.515 2.00 20000 10.00 1512 29445 17.31 1.17 7.714 0.00 20000 10.00 3512 29445 1.73 1.17 7.714 0.00 20000 10.00 3512 29457 1.417 2.728 1.16										Salt	
14000 0.00 3512 15000 0.00 0.00 0.00 16000 0.00 3512 15000 0.00 0.00 0.00 16000 0.00 3512 15000 0.00 0.00 0.00 0.00 16000 0.00 3512 15000 0.00 0.00 0.00 0.00 20000 0.00 3512 25000 0.00 0.00 0.00 1.00 20000 0.00 3512 25904 1.551 -20 -157 -20 20000 1.00 3512 2595 6.01 -17 -53 0.0 20000 1.00 3512 2595 6.01 -17 -17.60 0.00 20000 1.00 3512 2595 6.01 -17.7 -0.00 -16.66 4.01 1.00 20000 1.00 3512 2595 6.17 -3.1 6.01 -0.00 20000 1.00 3512		1200.00	0.00	351.20	1200.00	0.00	0.00	0.00	0.00		
15000 0.00 3512 15000 0.00 0.00 0.00 17000 0.00 3512 17000 0.00 0.00 0.00 17000 0.00 3512 17000 0.00 0.00 0.00 0.00 17000 0.00 3512 17000 0.00 0.00 0.00 1.00 17000 0.00 3512 27000 0.00 0.00 0.00 1.00 21000 0.00 3512 27994 1.51 1.70 -569 0.00 22000 0.00 3512 27947 7.55 1.70 1.60 1.00 22000 10.00 3512 27947 1.73 1.00 1.00 1.11 1.72 1.00 22000 10.00 3512 27919 1.40 1.48 4.40 0.00 20000 10.00 3512 27817 1.74 1.74 1.00 1.00 3.10 3.10 1.01 1.0											
1 0.00 31.20 170.00 0.00 31.20 170.00 0.00 0.00 0.00 0.00 1700.00 0.00 31.20 170.00 0.00 0.00 0.00 0.00 2000.00 0.00 31.20 200.00 0.00 0.00 0.00 0.00 1.00 2000.00 0.00 31.20 290.98 1.72 -7.72 0.72 0.72 1.72 2000.00 0.00 31.20 290.94 1.55 -4.20 -1.55 0.00 2000.00 10.00 31.20 299.45 1.51 -1.71 -6.90 0.00 2000.00 10.00 31.20 299.45 1.71 -1.71 0.116 0.00 2000.00 10.00 31.20 299.45 1.71 -1.71.6 0.00 2000.00 10.00 31.20 299.45 1.71.7 -1.71.6 0.00 2000.00 10.00 31.20 299.45 1.91.9 1.12.82											
1700.00 <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>											
18000 0.00 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>											
200000.000.000.000.000.000.000.00Sart Tangent200000.000.5120299.840.50-0.77-6.902.00Name200000.000.5120299.746.30-1.07-6.902.00NameName200000.000.5120298.707.53-4.2727.552.00NameName200000.000.5120298.707.53-6.170.01NameName200000.000.5120298.7029.55-1.77-7.177.731.00Name200000.003120298.9712.81-1.78-1.160.00											
2100.00 2.00 351.20 29984 6.00 7.72 -1.72 2.00 2300.00 6.00 351.20 229845 15.51 -2.40 -1.57 5.00 2500.00 10.00 351.20 229845 15.51 -2.40 -1.57 5.00 2500.00 10.00 351.20 28955 6.01 -9.31 6.01 2.00 2700.00 10.00 351.20 2891.59 11.65 -17.28 -0.10 2800.00 10.00 351.20 2891.57 11.165 17.28 -11.16 0.00 2800.00 10.00 351.20 2891.57 12.81 -19.44 -12.82 0.00 200.00 10.00 351.20 388.37 15.77 -2.58 -16.51 0.00 300.00 10.00 351.20 388.74 -2.52 -16.51 0.00 310.00 10.00 351.20 387.62 38.24 -16.51 0.00 340.00.0 10.00		1900.00	0.00	351.20	1900.00	0.00	0.00	0.00	0.00		
22000 4.00 35120 29946 551 2.00 24000 6.00 35120 23970 7755 -2.07 -255 2.00 250000 10.00 35120 2589.5 0.17 -6.66 -3.01 0.00 260000 10.00 35120 258.95 0.17 -7.734 0.00 280000 10.00 35120 298.39 11.85 -1.99 -7.284 0.00 290000 10.00 35120 298.39 11.85 -1.99 -12.82 0.00 310000 10.00 35120 288.31 18.39 -2.52 -16.10 0.00 330000 10.00 35120 328.51 15.07 -2.60 -0.59 350000 10.00 35120 37.72 24.03 3.02 -0.00 370000 10.00 35120 37.72 26.10 -3.52 -16.13 -0.00 370000 10.00 35120 37.72 26.10 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Start Tangent</td><td></td></t<>										Start Tangent	
22000 6.00 3120 2294.6 5151 -2.40 -1.551 2.00 250000 10.00 35120 2497.4 301 -6.017 0.00 260000 10.00 35120 2595.5 6.01 -6.017 0.00 270000 10.00 35120 2592.9 91.49 -1.46 -4.91 0.00 280000 10.00 35120 2694.49 -1.46 -4.91 0.00 300000 10.00 35120 2698.87 12.81 -17.94 1.00 300000 10.00 35120 388.51 15.97 -266 14.00 -0 300000 10.00 35120 388.71 16.27 -16.14 0.00 300000 10.00 35120 387.22 21.77 15.88 -27.91 18.00 -0 300000 10.00 35120 387.22 21.77 -55.88 -27.91 18.00 -0 390000 10.00 35120 <td></td>											
20000 5120 298747 340 2.755 -2.755 2.00 20000 1000 5120 299595 60.17 9.31 -60.17 0.00 200000 1000 5120 299595 60.17 9.31 -60.17 0.00 200000 1000 5120 299391 12.43 -11.92 -11.46 0.00 200000 1000 5120 299391 12.81 -12.82 0.00 300000 1000 5120 298139 14.57 -2.62 -14.598 0.00 300000 1000 5120 29857 2.13 -19.24 -11.63 0.00 300000 1000 5120 29857 2.14 -30.57 -2.16 -30.57 300000 1000 5120 367.23 24.83 -33.47 0.00 300000 1000 5120 367.23 24.83 -33.47 0.00 300000 1000 5120 467.68 <											
20000 1000 5120 29595 60.17 -9.31 -60.17 0.00 220000 1000 35120 279291 94.49 -14.63 -94.50 0.00 280000 1000 35120 299397 1281 1994 -111.66 0.00 300000 1000 35120 299377 1281 1994 -12822 0.00 300000 1000 35120 308635 145.97 -22.60 -145.98 0.00 330000 1000 35120 3285.71 72.64 -182.22 0.01 330000 1000 35120 3880.72 21.47 -35.88 -21.79 0.00 330000 1000 35120 367.22 24.61 -38.27 0.00 300000 1000 35120 367.20 23.64 -38.57 0.00 300000 1000 35120 367.20 23.64 13.00 1.00 300000 1000 35120 47.16											
2700.00 10.00 351.20 2792.91 94.49 -16.63 94.50 0.00 2800.00 10.00 351.20 289.39 11.65 -17.28 -111.66 0.00 3000.00 10.00 351.20 289.39 11.65 -12.82 0.00 3000.00 10.00 351.20 289.81 16.13 -25.25 -16.14 0.00 3000.00 10.00 351.20 385.37 197.45 -30.57 -18.03 0.00 3000.00 10.00 351.20 386.07 22.177 -35.88 -231.79 0.00 3000.00 10.00 351.20 386.07 231.77 -26.61 0.01 3000.00 10.00 351.20 377.72 26.10 -41.19 0.00 3000.00 10.00 351.20 377.62 26.10 -41.19 -00.10 3000.00 10.00 351.20 377.62 26.10 -41.19 -00.10 4000.00 10.00 351.20 377.62 26.10 -11.19 -00.10 4000.00 1										Hold Tangent	
28000 1000 351.20 279.29 94.49 -14.63 -94.50 0.00 30000 1000 351.20 2891.39 116.65 -172.8 0.00 310000 10.00 351.20 2891.87 128.81 -19.94 -128.82 0.00 310000 10.00 351.20 308.83 16.37 -22.60 -163.14 0.00 300000 10.00 351.20 383.79 177.45 -30.57 -197.46 0.00 300000 10.00 351.20 3482.77 -14.61 32.17 0.00 300000 10.00 351.20 3492.72 24.61 -31.79 0.00 300000 10.00 351.20 3497.22 26.10 -41.19 0.00 300000 10.00 351.20 347.62 282.67 -30.43 0.00 400000 10.00 351.20 347.62 57.13 -30.08 0.00 400000 10.00 351.20 471.68											
2900 1000 35120 29897 1281 -1728 -1166 0.00 31000 1000 35120 298987 1281 -1934 -1282 0.00 31000 1000 35120 30883 16313 -2525 -161.14 0.00 30000 1000 35120 328531 19202 -271.46 0.00 300000 1000 35120 328537 197.45 0.00 300000 1000 35120 36875 214.11 -3252 -214.61 0.00 300000 1000 35120 36752 214.71 -38.54 -248.95 0.00 300000 1000 35120 36752 231.77 -38.84 -248.95 0.00 400000 1000 35120 377.72 261.0 -41.19 -26.11 0.00 400000 1000 35120 377.67 287.4 -38.54 -30.07 0.00 420000 1000 35120 477.16 317.4 518.2 -30.47 0.00 450000											
3000 1000 351.20 388.87 128.81 -19.94 -128.22 0.00 3100.00 1000 351.20 308.83 16.31 -2.250 -163.14 0.00 3300.00 1000 351.20 308.83 160.29 -27.91 -163.04 0.00 3400.00 1000 351.20 388.72 214.61 -33.22 -146.34 0.00 3600.00 1000 351.20 387.27 214.61 -33.22 -214.63 0.00 3700.00 10.00 351.20 377.72 26.10 -141.99 -26.11 0.00 3700.00 10.00 351.20 377.87 -38.26 -283.75 0.00 4000.00 10.00 351.20 377.62 26.10 -11.99 -26.11 0.00 4000.00 10.00 351.20 377.62 26.60 -57.73 -350.20 0.00 4000.00 10.00 351.20 470.18 -35.74 -135.29 0.00 4300.00 10.00 351.20 470.18 -45.62 -35.75											
11000 1000 5120 3186.3 145.97 -22.60 -145.98 0.00 330000 1000 35120 3186.3 162.9 -27.91 -180.30 0.00 340000 1000 35120 388.37 197.45 -30.57 -197.46 0.00 350000 1000 35120 388.27 214.16 -33.22 -214.63 0.00 360000 1000 35120 386.27 211.77 -35.88 -231.79 0.00 370000 1000 35120 367.22 248.53 -248.55 -000 380000 1000 351.20 377.72 266.10 -130.43 0.00 410000 1000 351.20 377.16 137.58 -283.27 0.00 420000 1000 351.20 377.16 317.4 -318.2 -334.75 0.00 430000 1000 351.20 471.64 384.2 -334.75 0.00 Drop to Vertical 450000 1010 351.20 476.70 436.04 -62.39 -435.0 0.01											
340000 1000 351.20 3283.31 180.29 -7.91 -180.30 0.00 340000 1000 351.20 3383.79 197.45 -30.57 -197.46 0.00 350000 1000 351.20 3482.27 214.61 -33.22 -214.63 0.00 360000 1000 351.20 3707.20 266.10 -41.19 -266.11 0.00 390000 10.00 351.20 3777.22 266.10 -41.19 -266.11 0.00 400000 10.00 351.20 377.62 283.26 -338.57 0.00 400000 10.00 351.20 477.16 317.59 0.00 - 400000 10.00 351.20 427.10 351.47 -54.48 -351.92 0.00 450000 10.00 351.20 427.10 356.22 .59.75 0.00 Drop to Vertical 450000 7.11 351.20 466.22 416.59 -417.10 2.00 Pace of Salt, Delaware											
3400.00 10.00 351.20 383.79 197.45 -0.07 -197.46 0.00 3500.00 10.00 351.20 380.72 214.61 -3.22 -214.63 0.00 3600.00 10.00 351.20 350.72 24.83 -248.55 0.00 3700.00 10.00 351.20 377.72 266.10 -41.19 -266.11 0.00 3900.00 10.00 351.20 377.72 28.38 -83.84 -30.37 0.00 4000.00 10.00 351.20 377.68 23.26 -33.48 -33.75 0.00 4100.00 10.00 351.20 477.16 31.78 -51.82 -334.75 0.00 4200.00 10.00 351.20 470.16 375.87 -51.82 -334.75 0.00 4400.00 10.00 351.20 470.16 375.87 -51.82 -334.75 0.00 4500.00 10.00 351.20 466.76 395.75 -17.10 200 -53.97 -53.67 0.00 4500.00 10.01 351.20 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>											
3600.00 10.00 351.20 3482.27 214.61 -33.22 -214.63 0.00 3600.00 10.00 351.20 357.02 231.77 -35.88 -231.79 0.00 3700.00 10.00 351.20 357.22 246.93 -35.88 -231.79 0.00 3800.00 10.00 351.20 377.72 266.10 -41.19 -266.11 0.00 4000.00 10.00 351.20 3974.68 30.42 -46.51 -300.43 0.00 4000.00 10.00 351.20 477.64 335.2 -37.57 0.00 4200.00 10.00 351.20 477.64 345.2 -34.84 -351.92 0.00 4400.00 10.00 351.20 4521.68 395.75 -395.75 0.00 4555.44 10.00 351.20 4521.68 -455 -417.00 2.00 4662.06 7.87 351.20 4664.62 416.89 -45.59 -436.00 2.00 470.00 7.11 351.20 456.47 438.74 -67.22 -438.77											
3600.00 10.00 351.20 3607.23 248.93 -38.54 -248.95 0.00 3700.00 10.00 351.20 377.72 266.10 -41.94 -266.11 0.00 3900.00 10.00 351.20 377.72 266.10 -308.40 0.00 4000.00 10.00 351.20 377.61 317.86 -41.91 -266.11 0.00 4100.00 10.00 351.20 477.16 317.86 -438.57 -300.43 0.00 4200.00 10.00 351.20 477.16 317.86 -51.82 -334.75 0.00 4400.00 10.00 351.20 470.16 316.24 -57.13 -369.08 0.00 4505.44 10.00 351.20 4467.08 362.27 -59.79 -386.24 0.00 1000 451.24 467.00 462.00 -11.31.20 466.26 47.87 311.20 466.26 415.98 -412.12 20.00 1000 451.44 475.9 -000 1000 351.20 466.16 475.79 0.00 1000 11.1 351.20 </td <td></td>											
3700.00 10.00 351.20 3777.72 26.10 -41.19 -26.11 0.00 3800.00 10.00 351.20 3777.72 26.10 -41.91 -26.11 0.00 4000.00 10.00 351.20 377.62 283.26 -43.85 -28.27 0.00 4000.00 10.00 351.20 371.68 300.42 -46.15 -300.43 0.00 4100.00 10.00 351.20 471.64 33.474 -51.82 -337.59 0.00 4300.00 10.00 351.20 471.64 33.474 -51.82 -335.20 0.00 4400.00 10.00 351.20 436.60 369.06 -57.13 -369.08 0.00 4555.44 10.00 351.20 456.62 403.04 -62.39 -403.06 2.00 4602.06 7.87 351.20 456.78 438.24 -72.84 -438.74 0.20 4700.00 7.11 351.20 456.78 438.24 -67.28 -438.74 0.20 4800.00 5.11 351.20 466.78											
390000 10.00 351.20 387.62 283.26 -43.85 -283.27 0.00 400000 10.00 351.20 374.68 300.42 -66.61 -300.48 0.00 400000 10.00 351.20 471.63 374.58 -301.64 -317.59 0.00 420000 10.00 351.20 471.16 334.74 -51.82 -334.75 0.00 440000 10.00 351.20 466.06 -57.13 -369.08 0.00 4550.00 10.00 351.20 466.05 395.73 -61.26 -395.75 0.00 4555.44 10.00 351.20 467.08 366.22 -59.79 -386.24 0.00 4602.06 7.87 351.20 467.00 412.02 -433.07 2.00 4662.06 7.87 351.20 466.46 415.89 -417.02 2.00 4700.00 5.11 351.20 463.74 457.92 -438.77 0.00 5055.44 0											
40000010.00351.203974.68300.42-46.51-300.430.0041000010.00351.20417.16317.58-491.6-317.590.0042000010.00351.20417.16317.47-51.82334.750.0043000010.00351.20427.12351.90-54.48-351.920.0044000010.00351.204467.08366.22-59.79-386.240.004555.4410.00351.20455.62403.04-62.39-403.062.004660.009.11351.20455.62403.04-62.39-403.062.004660.009.11351.20466.62416.98-64.55-417.002.004700.007.11351.20466.78412.99-61.81-427.522.004800.005.11351.20466.78435.84-67.28-438.772.004800.005.11351.20466.78435.42-79.2-438.770.00500.001.11351.20466.73437.4-67.92-438.770.00500.001.11351.20563.70438.74-67.92-438.770.00500.001.79.61563.70438.74-67.92-438.770.00500.000.00179.61563.70438.74-67.92-438.770.00500.000.00179.61563.70438.74-67.92-438.770.00500.00		3800.00	10.00	351.20	3777.72	266.10	-41.19	-266.11	0.00		
4100.0 10.00 351.20 4073.16 317.58 -317.59 0.00 4200.00 10.00 351.20 4171.64 334.74 -51.82 -334.75 0.00 4300.00 10.00 351.20 4267.12 351.00 -54.48 -351.92 0.00 4400.00 10.00 351.20 4467.08 362.22 -59.79 -362.54 0.00 4555.44 10.00 351.20 4561.62 403.04 -62.39 -403.06 2.00 4662.00 7.87 351.20 452.168 395.73 61.02 2.00 4700.00 7.11 351.20 452.162 403.04 -62.39 -403.06 2.00 4800.00 5.11 351.20 466.20 416.98 -65.58 -417.10 2.00 4900.00 5.11 351.20 466.37 438.74 -67.82 -438.74 2.00 505.44 0.00 17.91 563.70 438.74 -67.92 -438.77 0.00 505.00 0.00 179.61 5663.70 438.74 -67.92											
4200.00 10.00 351.20 4171.64 334.74 -51.82 -334.75 0.00 4300.00 10.00 351.20 4270.12 351.90 -54.48 -351.92 0.00 4400.00 10.00 351.20 436.60 369.06 -57.71 -362.4 0.00 4500.00 10.00 351.20 456.68 395.73 -61.26 -395.75 0.00 Drop to Vertical 4600.00 7.11 351.20 456.62 403.04 -62.39 -43.06 2.00 4602.06 7.87 351.20 4664.62 416.98 -64.55 -417.00 2.00 4600.00 5.11 351.20 476.40 427.50 -66.18 -427.52 2.00 4900.00 1.11 351.20 476.40 427.50 -67.92 -438.77 0.00 500.00 1.11 351.20 4963.71 438.74 -67.92 -438.77 0.00 500.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 500.00 0.00 179.61<											
4300.00 10.00 351.20 4270.12 351.90 -54.48 -351.92 0.00 4400.00 10.00 351.20 4368.60 369.06 -57.13 -369.08 0.00 4500.00 10.00 351.20 4467.08 386.22 -59.73 -386.24 0.00 4555.44 10.00 351.20 4521.68 395.73 -61.26 -395.75 0.00 Drop to Vertical 4600.00 9.11 351.20 4521.68 403.04 -62.39 -403.06 2.00 4700.00 7.11 351.20 4664.62 416.98 -64.55 -417.00 2.00 4800.00 3.11 351.20 4664.62 416.98 -67.84 -438.47 2.00 4900.00 3.11 351.20 466.378 438.48 -67.84 -438.47 2.00 5001.00 1.11 351.20 496.371 438.74 -67.92 -438.77 0.00 5200.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5400.00 0.00 <											
4500.00 10.00 351.20 4467.08 386.22 -59.79 -386.24 0.00 4555.44 10.00 351.20 4521.68 395.73 -61.26 -395.75 0.00 Drop to Vertical 4660.00 9.11 351.20 4565.62 403.04 -62.39 -403.06 2.00 4662.06 7.87 351.20 4664.62 416.98 -64.55 -417.00 2.00 4700.00 7.11 351.20 4664.62 416.98 -67.84 -432.52 2.00 4800.00 5.11 351.20 4664.78 438.21 -67.84 -438.72 2.00 5000.00 1.11 351.20 4663.70 438.74 -67.92 -438.77 0.00 5055.44 0.00 179.61 5663.70 438.74 -67.92 -438.77 0.00 5000.00 0.00 179.61 5663.70 438.74 -67.92 -438.77 0.00 5000.00 0.00 179.61 5663.70 438.74 -67.92 -438.77 0.00 5000.00 0.00 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>											
4555.44 10.00 351.20 4521.68 395.73 -61.26 -395.75 0.00 Drop to Vertical 4600.00 9.11 351.20 4562.00 472.00 -62.39 -403.06 2.00 4700.00 7.11 351.20 4662.01 412.09 -63.80 -412.12 2.00 Base of Salt, Delaware 4800.00 5.11 351.20 4664.20 416.98 -64.55 -417.00 2.00 4800.00 5.11 351.20 4664.37 434.80 -67.28 -434.60 2.00 5000.00 1.11 351.20 468.378 434.58 -67.28 -434.60 2.00 5055.44 0.00 351.20 509.71 438.74 -67.92 -438.77 0.00 500.00 0.00 179.61 506.370 438.74 -67.92 -438.77 0.00 500.00 0.00 179.61 506.370 438.74 -67.92 -438.77 0.00 500.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 500.00 <td></td> <td>4400.00</td> <td>10.00</td> <td>351.20</td> <td>4368.60</td> <td>369.06</td> <td>-57.13</td> <td>-369.08</td> <td>0.00</td> <td></td> <td></td>		4400.00	10.00	351.20	4368.60	369.06	-57.13	-369.08	0.00		
4600.009.11351.20456.62403.04-62.39-403.062.004662.067.87351.204627.00412.09-63.80-412.122.00Base of Salt, Delaware4700.007.11351.204664.62416.98-64.58-417.002.004800.005.11351.204764.04427.50-66.18-427.522.004900.003.11351.204663.78434.54-67.28-438.602.005000.001.11351.204963.71438.21-67.84-438.242.005055.440.00351.205019.15438.74-67.92-438.770.005000.000.00179.615063.70438.74-67.92-438.770.005000.000.00179.61563.70438.74-67.92-438.770.005000.000.00179.61563.70438.74-67.92-438.770.005000.000.00179.61563.70438.74-67.92-438.770.005000.000.00179.61563.70438.74-67.92-438.770.005000.000.00179.61563.70438.74-67.92-438.770.005000.000.00179.61563.70438.74-67.92-438.770.005000.000.00179.61563.70438.74-67.92-438.770.005000.000.00179.61563.70438.74-67.92 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>											
4662.06 7.87 351.20 4627.00 412.09 -63.80 -412.12 2.00 Base of Salt, Delaware 4700.00 7.11 351.20 4664.62 416.98 -64.55 -417.00 2.00 4800.00 5.11 351.20 4764.04 427.50 -66.18 -427.52 2.00 4900.00 3.11 351.20 4863.78 434.58 -67.84 -438.67 2.00 5005.44 0.00 351.20 5063.70 438.74 -67.92 -438.77 0.00 5200.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5200.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5400.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5400.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5600.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5673.30 0.00 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Drop to Vertical</td><td></td></td<>										Drop to Vertical	
4700.00 7.11 351.20 4664.62 416.98 -64.55 -417.00 2.00 4800.00 5.11 351.20 4764.04 427.50 -66.18 -427.52 2.00 4900.00 3.11 351.20 4863.78 434.58 -67.28 -434.60 2.00 5000.00 1.11 351.20 4963.71 438.21 -67.92 -438.74 2.00 5055.44 0.00 351.20 5019.15 438.74 -67.92 -438.77 0.00 5100.00 0.00 179.61 5063.70 438.74 -67.92 -438.77 0.00 5200.00 0.00 179.61 5163.70 438.74 -67.92 -438.77 0.00 5300.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5400.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5600.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5600.00 0.00 179.61 563.70										Base of Salt. Dela	ware
4800.00 5.11 351.20 4764.04 427.50 -66.18 -427.52 2.00 4900.00 3.11 351.20 4863.78 434.58 -67.28 -434.60 2.00 5000.00 1.11 351.20 4963.71 438.21 -67.84 -438.24 2.00 5055.44 0.00 351.20 5019.15 438.74 -67.92 -438.77 2.00 5100.00 0.00 179.61 5063.70 438.74 -67.92 -438.77 0.00 5200.00 0.00 179.61 5163.70 438.74 -67.92 -438.77 0.00 5300.00 0.00 179.61 5263.70 438.74 -67.92 -438.77 0.00 5400.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5500.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5600.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5700.00 0.00 179.61 563.70										base of bard bere	
5000.00 1.11 351.20 4963.71 438.21 -67.84 -438.24 2.00 5055.44 0.00 351.20 5019.15 438.74 -67.92 -438.77 2.00 5100.00 0.00 179.61 5063.70 438.74 -67.92 -438.77 0.00 5200.00 0.00 179.61 5163.70 438.74 -67.92 -438.77 0.00 5300.00 0.00 179.61 5263.70 438.74 -67.92 -438.77 0.00 5400.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5500.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5600.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5600.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5700.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5800.00 0.00 179.61 563.70		4800.00	5.11	351.20	4764.04		-66.18		2.00		
5055.44 0.00 351.20 5019.15 438.74 -67.92 -438.77 0.00 5100.00 0.00 179.61 5063.70 438.74 -67.92 -438.77 0.00 5200.00 0.00 179.61 5163.70 438.74 -67.92 -438.77 0.00 5300.00 0.00 179.61 5163.70 438.74 -67.92 -438.77 0.00 5400.00 0.00 179.61 5363.70 438.74 -67.92 -438.77 0.00 5400.00 0.00 179.61 5363.70 438.74 -67.92 -438.77 0.00 5500.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5600.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5607.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5700.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5800.00 0.00 179.61 563.70											
5100.00 0.00 179.61 5063.70 438.74 -67.92 -438.77 0.00 5200.00 0.00 179.61 5163.70 438.74 -67.92 -438.77 0.00 5300.00 0.00 179.61 5263.70 438.74 -67.92 -438.77 0.00 5400.00 0.00 179.61 5263.70 438.74 -67.92 -438.77 0.00 5500.00 0.00 179.61 5463.70 438.74 -67.92 -438.77 0.00 5600.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5600.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5600.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5700.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5800.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5900.00 0.00 179.61 563.70											
5200.00 0.00 179.61 5163.70 438.74 -67.92 -438.77 0.00 5300.00 0.00 179.61 5263.70 438.74 -67.92 -438.77 0.00 5400.00 0.00 179.61 5263.70 438.74 -67.92 -438.77 0.00 5500.00 0.00 179.61 5463.70 438.74 -67.92 -438.77 0.00 5600.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5600.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5673.30 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5700.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5800.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5800.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5900.00 0.00 179.61 563.70										Hold Vertical	
5300.00 0.00 179.61 5263.70 438.74 -67.92 -438.77 0.00 5400.00 0.00 179.61 5363.70 438.74 -67.92 -438.77 0.00 5500.00 0.00 179.61 5463.70 438.74 -67.92 -438.77 0.00 5600.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5600.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 573.30 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5700.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5800.00 0.00 179.61 5663.70 438.74 -67.92 -438.77 0.00 5900.00 0.00 179.61 5663.70 438.74 -67.92 -438.77 0.00 5900.00 0.00 179.61 5663.70 438.74 -67.92 -438.77 0.00 6000.00 0.00 179.61 5663.70											
5400.00 0.00 179.61 5363.70 438.74 -67.92 -438.77 0.00 5500.00 0.00 179.61 5463.70 438.74 -67.92 -438.77 0.00 5600.00 0.00 179.61 5563.70 438.74 -67.92 -438.77 0.00 5673.30 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5700.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5700.00 0.00 179.61 5663.70 438.74 -67.92 -438.77 0.00 5800.00 0.00 179.61 5663.70 438.74 -67.92 -438.77 0.00 5800.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5900.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 6000.00 0.00 179.61 5663.70 438.74 -67.92 -438.77 0.00 6100.00 0.00 179.61 5663.70											
5600.00 0.00 179.61 5563.70 438.74 -67.92 -438.77 0.00 5673.30 0.00 179.61 5637.00 438.74 -67.92 -438.77 0.00 Cherry Canyon 5700.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5800.00 0.00 179.61 563.70 438.74 -67.92 -438.77 0.00 5900.00 0.00 179.61 578.70 438.74 -67.92 -438.77 0.00 5900.00 0.00 179.61 5863.70 438.74 -67.92 -438.77 0.00 6000.00 0.00 179.61 5863.70 438.74 -67.92 -438.77 0.00 6000.00 0.00 179.61 5863.70 438.74 -67.92 -438.77 0.00 6100.00 0.00 179.61 6063.70 438.74 -67.92 -438.77 0.00 6200.00 0.00 179.61 6163.70 438.74 -67.92 -438.77 0.00			0.00	179.61	5363.70	438.74		-438.77			
5673.30 0.00 179.61 5637.00 438.74 -67.92 -438.77 0.00 Cherry Canyon 5700.00 0.00 179.61 5663.70 438.74 -67.92 -438.77 0.00 5800.00 0.00 179.61 5663.70 438.74 -67.92 -438.77 0.00 5900.00 0.00 179.61 5763.70 438.74 -67.92 -438.77 0.00 5900.00 0.00 179.61 5863.70 438.74 -67.92 -438.77 0.00 6000.00 0.00 179.61 5963.70 438.74 -67.92 -438.77 0.00 6100.00 0.00 179.61 5963.70 438.74 -67.92 -438.77 0.00 6200.00 0.00 179.61 6063.70 438.74 -67.92 -438.77 0.00 6200.00 0.00 179.61 6163.70 438.74 -67.92 -438.77 0.00											
5700.00 0.00 179.61 5663.70 438.74 -67.92 -438.77 0.00 5800.00 0.00 179.61 5763.70 438.74 -67.92 -438.77 0.00 5900.00 0.00 179.61 5763.70 438.74 -67.92 -438.77 0.00 5900.00 0.00 179.61 5863.70 438.74 -67.92 -438.77 0.00 6000.00 0.00 179.61 5963.70 438.74 -67.92 -438.77 0.00 6100.00 0.00 179.61 6063.70 438.74 -67.92 -438.77 0.00 6200.00 0.00 179.61 6063.70 438.74 -67.92 -438.77 0.00 6200.00 0.00 179.61 6163.70 438.74 -67.92 -438.77 0.00										Charry Carl	
5800.00 0.00 179.61 5763.70 438.74 -67.92 -438.77 0.00 5900.00 0.00 179.61 5863.70 438.74 -67.92 -438.77 0.00 6000.00 0.00 179.61 5963.70 438.74 -67.92 -438.77 0.00 6100.00 0.00 179.61 5963.70 438.74 -67.92 -438.77 0.00 6200.00 0.00 179.61 6063.70 438.74 -67.92 -438.77 0.00 6200.00 0.00 179.61 6163.70 438.74 -67.92 -438.77 0.00										Cherry Canyon	
5900.00 0.00 179.61 5863.70 438.74 -67.92 -438.77 0.00 6000.00 0.00 179.61 5963.70 438.74 -67.92 -438.77 0.00 6100.00 0.00 179.61 6963.70 438.74 -67.92 -438.77 0.00 6200.00 0.00 179.61 6063.70 438.74 -67.92 -438.77 0.00 6200.00 0.00 179.61 6163.70 438.74 -67.92 -438.77 0.00											
6100.00 0.00 179.61 6063.70 438.74 -67.92 -438.77 0.00 6200.00 0.00 179.61 6163.70 438.74 -67.92 -438.77 0.00											
6200.00 0.00 179.61 6163.70 438.74 -67.92 -438.77 0.00											
0500.00 0.00 115.01 0205.10 430.14 -01.32 -430.11 0.00											
		5550.00	0.00	17 9.01	0200.70	-30.74	51.32	-30.11	0.00		

•

devon			-	2-27 Fed Cor	n 520H				Geodetic System: US State Plane 1983
0101011		County:	Permit Plar						Datum: North American Datum 1927 Ellipsoid: Clarke 1866
			Permit Plan						Zone: 3001 - NM East (NAD83)
		-							
	MD	INC	AZI	TVD	NS	EW	VS	DLS	Comment
-	(ft) 6400.00	(°) 0.00	(°) 179.61	(ft) 6363.70	(ft) 438.74	(ft) -67.92	(ft) -438.77	(°/100ft) 0.00	
	6500.00	0.00	179.61	6463.70	438.74	-67.92	-438.77	0.00	
	6600.00	0.00	179.61	6563.70	438.74	-67.92	-438.77	0.00	
	6700.00	0.00	179.61	6663.70	438.74	-67.92	-438.77	0.00	
	6800.00	0.00	179.61	6763.70	438.74	-67.92	-438.77	0.00	
	6900.00	0.00	179.61	6863.70	438.74	-67.92	-438.77	0.00	
	7000.00	0.00	179.61	6963.70	438.74	-67.92	-438.77	0.00	
	7088.30 7100.00	0.00 0.00	179.61 179.61	7052.00 7063.70	438.74 438.74	-67.92 -67.92	-438.77 -438.77	0.00 0.00	Brushy Canyon
	7200.00	0.00	179.61	7163.70	438.74	-67.92	-438.77	0.00	
	7300.00	0.00	179.61	7263.70	438.74	-67.92	-438.77	0.00	
	7400.00	0.00	179.61	7363.70	438.74	-67.92	-438.77	0.00	
	7500.00	0.00	179.61	7463.70	438.74	-67.92	-438.77	0.00	
	7600.00	0.00	179.61	7563.70	438.74	-67.92	-438.77	0.00	
	7700.00	0.00	179.61	7663.70	438.74	-67.92	-438.77	0.00	
	7800.00	0.00	179.61	7763.70	438.74	-67.92	-438.77	0.00	
	7900.00 8000.00	0.00 0.00	179.61 179.61	7863.70 7963.70	438.74 438.74	-67.92 -67.92	-438.77 -438.77	0.00 0.00	
	8100.00	0.00	179.61	8063.70	438.74	-67.92	-438.77	0.00	
	8200.00	0.00	179.61	8163.70	438.74	-67.92	-438.77	0.00	
	8300.00	0.00	179.61	8263.70	438.74	-67.92	-438.77	0.00	
	8400.00	0.00	179.61	8363.70	438.74	-67.92	-438.77	0.00	
	8488.30	0.00	179.61	8452.00	438.74	-67.92	-438.77	0.00	1st Bone Spring Lime
	8500.00	0.00	179.61	8463.70	438.74	-67.92	-438.77	0.00	
	8593.38	0.00	179.61	8557.08	438.74	-67.92	-438.77	0.00	КОР
	8600.00 8672.55	0.66 7.92	179.61 179.61	8563.70 8636.00	438.70 433.28	-67.92 -67.88	-438.73 -433.30	10.00 10.00	Leonard / Point of Penetration
	8700.00	10.66	179.61	8663.09	428.85	-67.85	-428.87	10.00	Leonard / Fornt of Fenetration
	8800.00	20.66	179.61	8759.25	401.89	-67.67	-401.91	10.00	
	8900.00	30.66	179.61	8849.28	358.64	-67.38	-358.66	10.00	
	9000.00	40.66	179.61	8930.42	300.41	-66.98	-300.44	10.00	
	9100.00	50.66	179.61	9000.22	228.98	-66.49	-229.01	10.00	
	9200.00 9300.00	60.66 70.66	179.61	9056.56	146.52	-65.93	-146.54	10.00	
	9300.00 9400.00	70.66 80.66	179.61 179.61	9097.72 9122.45	55.52 -41.24	-65.31 -64.65	-55.55 41.21	10.00 10.00	
	9486.44	89.31	179.61	9130.00	-127.27	-64.07	127.25	10.00	Landing Point
	9500.00	89.31	179.61	9130.16	-140.82	-63.98	140.80	0.00	5
	9600.00	89.31	179.61	9131.37	-240.81	-63.29	240.79	0.00	
	9700.00	89.31	179.61	9132.59	-340.80	-62.61	340.78	0.00	
	9800.00	89.31	179.61	9133.80	-440.79	-61.93	440.77	0.00	
	9900.00 10000.00	89.31 89.31	179.61 179.61	9135.01 9136.22	-540.78 -640.77	-61.25 -60.57	540.76 640.75	0.00 0.00	
	10100.00	89.31	179.61	9130.22	-740.76	-59.89	740.74	0.00	
	10200.00	89.31	179.61	9138.64	-840.75	-59.21	840.73	0.00	
	10300.00	89.31	179.61	9139.85	-940.74	-58.53	940.72	0.00	
	10400.00	89.31	179.61	9141.06	-1040.73	-57.85	1040.71	0.00	
	10500.00	89.31	179.61	9142.27	-1140.72	-57.17	1140.71	0.00	
	10600.00	89.31	179.61	9143.48	-1240.72	-56.49	1240.70	0.00	
	10700.00 10800.00	89.31 89.31	179.61 179.61	9144.69 9145.90	-1340.71 -1440.70	-55.81 -55.12	1340.69 1440.68	0.00 0.00	
	10900.00	89.31	179.61	9143.90 9147.11	-1540.69	-54.44	1540.67	0.00	
	11000.00	89.31	179.61	9148.32	-1640.68	-53.76	1640.66	0.00	
	11100.00	89.31	179.61	9149.53	-1740.67	-53.08	1740.65	0.00	
	11200.00	89.31	179.61	9150.74	-1840.66	-52.40	1840.64	0.00	
	11300.00	89.31	179.61	9151.95	-1940.65	-51.72	1940.63	0.00	
	11400.00	89.31	179.61	9153.16	-2040.64	-51.04	2040.62	0.00	
	11500.00 11600.00	89.31 89.31	179.61 179.61	9154.37 9155.59	-2140.63 -2240.62	-50.36 -49.68	2140.61 2240.60	0.00 0.00	
	11700.00	89.31	179.61	9155.59 9156.80	-2240.62	-49.00	2240.60	0.00	
	11800.00	89.31	179.61	9158.01	-2440.60	-48.32	2440.58	0.00	
	11900.00	89.31	179.61	9159.22	-2540.59	-47.63	2540.57	0.00	
	12000.00	89.31	179.61	9160.43	-2640.58	-46.95	2640.56	0.00	
	12100.00	89.31	179.61	9161.64	-2740.57	-46.27	2740.55	0.00	
	12200.00	89.31	179.61	9162.85	-2840.56	-45.59	2840.55	0.00	
	12300.00 12400.00	89.31 89.31	179.61 179.61	9164.06 9165.27	-2940.55	-44.91 -44.23	2940.54 3040.53	0.00	
	12400.00	89.31 89.31	179.61 179.61	9165.27 9166.48	-3040.54 -3140.53	-44.23 -43.55	3040.53 3140.52	0.00 0.00	
	12600.00	89.31	179.61	9167.69	-3240.52	-42.87	3240.52	0.00	
	12700.00	89.31	179.61	9168.90	-3340.51	-42.19	3340.50	0.00	
	12800.00	89.31	179.61	9170.11	-3440.50	-41.51	3440.49	0.00	

•

					50011					115 St. 1. BL 1000
devon		Well: County:	-	2-27 Fed Cor	n 520H				-	US State Plane 1983 North American Datum 1927
		-	Permit Plan							Clarke 1866
			Permit Plan						•	3001 - NM East (NAD83)
	MD	INC	AZI	TVD	NS	EW	VS	DLS	Comment	
-	(ft) 12900.00	(°) 89.31	(°) 179.61	(ft) 9171.32	(ft) -3540.49	(ft) -40.83	(ft) 3540.48	(°/100ft) 0.00		
	13000.00	89.31	179.61	9172.53	-3640.48	-40.14	3640.47	0.00		
	13100.00	89.31	179.61	9173.74	-3740.47	-39.46	3740.46	0.00		
	13200.00	89.31	179.61	9174.95	-3840.46	-38.78	3840.45	0.00		
	13300.00 13400.00	89.31 89.31	179.61 179.61	9176.16 9177.37	-3940.45 -4040.44	-38.10 -37.42	3940.44 4040.43	0.00 0.00		
	13400.00	89.31	179.61	9178.59	-4140.44	-36.74	4140.43	0.00		
	13600.00	89.31	179.61	9179.80	-4240.43	-36.06	4240.41	0.00		
	13700.00	89.31	179.61	9181.01	-4340.42	-35.38	4340.40	0.00		
	13800.00	89.31	179.61	9182.22	-4440.41	-34.70	4440.39	0.00		
	13900.00 14000.00	89.31 89.31	179.61 179.61	9183.43 9184.64	-4540.40 -4640.39	-34.02 -33.34	4540.38 4640.38	0.00 0.00		
	14100.00	89.31	179.61	9185.85	-4740.38	-32.66	4740.37	0.00		
	14200.00	89.31	179.61	9187.06	-4840.37	-31.97	4840.36	0.00		
	14300.00	89.31	179.61	9188.27	-4940.36	-31.29	4940.35	0.00		
	14400.00	89.31	179.61	9189.48	-5040.35	-30.61	5040.34	0.00		
	14500.00 14600.00	89.31 89.31	179.61 179.61	9190.69 9191.90	-5140.34 -5240.33	-29.93 -29.25	5140.33 5240.32	0.00 0.00		
	14800.00	89.31	179.61	9191.90	-5340.33	-29.25	5240.32 5340.31	0.00		
	14800.00	89.31	179.61	9194.32	-5440.31	-27.89	5440.30	0.00		
	14900.00	89.31	179.61	9195.53	-5540.30	-27.21	5540.29	0.00		
	15000.00	89.31	179.61	9196.74	-5640.29	-26.53	5640.28	0.00		
	15100.00 15200.00	89.31 89.31	179.61 179.61	9197.95 9199.16	-5740.28 -5840.27	-25.85 -25.17	5740.27 5840.26	0.00 0.00		
	15300.00	89.31	179.61	9200.37	-5940.26	-24.48	5940.25	0.00		
	15400.00	89.31	179.61	9201.59	-6040.25	-23.80	6040.24	0.00		
	15500.00	89.31	179.61	9202.80	-6140.24	-23.12	6140.23	0.00		
	15600.00	89.31	179.61	9204.01	-6240.23	-22.44	6240.22	0.00		
	15700.00 15800.00	89.31 89.31	179.61 179.61	9205.22 9206.43	-6340.22 -6440.21	-21.76 -21.08	6340.22 6440.21	0.00 0.00		
	15900.00	89.31	179.61	9207.64	-6540.20	-20.40	6540.20	0.00		
	16000.00	89.31	179.61	9208.85	-6640.19	-19.72	6640.19	0.00		
	16100.00	89.31	179.61	9210.06	-6740.18	-19.04	6740.18	0.00		
	16200.00 16300.00	89.31 89.31	179.61 179.61	9211.27 9212.48	-6840.17 -6940.17	-18.36 -17.68	6840.17 6940.16	0.00 0.00		
	16400.00	89.31	179.61	9212.48	-7040.17	-16.99	7040.15	0.00		
	16500.00	89.31	179.61	9214.90	-7140.15	-16.31	7140.14	0.00		
	16600.00	89.31	179.61	9216.11	-7240.14	-15.63	7240.13	0.00		
	16700.00	89.31	179.61	9217.32	-7340.13	-14.95	7340.12	0.00		
	16800.00 16900.00	89.31 89.31	179.61 179.61	9218.53 9219.74	-7440.12 -7540.11	-14.27 -13.59	7440.11 7540.10	0.00 0.00		
	17000.00	89.31	179.61	9220.95	-7640.10	-12.91	7640.09	0.00		
	17100.00	89.31	179.61	9222.16	-7740.09	-12.23	7740.08	0.00		
	17200.00	89.31	179.61	9223.37	-7840.08	-11.55	7840.07	0.00		
	17300.00	89.31	179.61	9224.59	-7940.07 -8040.06	-10.87	7940.06	0.00		
	17400.00 17500.00	89.31 89.31	179.61 179.61	9225.80 9227.01	-8040.06	-10.19 -9.50	8040.06 8140.05	0.00 0.00		
	17600.00	89.31	179.61	9228.22	-8240.04	-8.82	8240.04	0.00		
	17700.00	89.31	179.61	9229.43	-8340.03	-8.14	8340.03	0.00		
	17800.00	89.31	179.61	9230.64	-8440.02	-7.46	8440.02	0.00		
	17900.00 18000.00	89.31 89.31	179.61 179.61	9231.85 9233.06	-8540.01 -8640.00	-6.78 -6.10	8540.01 8640.00	0.00 0.00		
	18100.00	89.31	179.61	9234.27	-8739.99	-5.42	8739.99	0.00		
	18200.00	89.31	179.61	9235.48	-8839.98	-4.74	8839.98	0.00		
	18300.00	89.31	179.61	9236.69	-8939.97	-4.06	8939.97	0.00		
	18400.00	89.31	179.61	9237.90	-9039.96	-3.38	9039.96	0.00		
	18500.00 18600.00	89.31 89.31	179.61 179.61	9239.11 9240.32	-9139.95 -9239.94	-2.70 -2.02	9139.95 9239.94	0.00 0.00		
	18700.00	89.31	179.61	9240.32 9241.53	-9339.93	-1.33	9339.94	0.00		
	18800.00	89.31	179.61	9242.74	-9439.92	-0.65	9439.92	0.00		
	18900.00	89.31	179.61	9243.95	-9539.91	0.03	9539.91	0.00		
	19000.00	89.31	179.61	9245.16	-9639.90	0.71	9639.90	0.00		
	19100.00 19200.00	89.31 89.31	179.61 179.61	9246.38 9247.59	-9739.90 -9839.89	1.39 2.07	9739.90 9839.89	0.00 0.00		
	19200.00	89.31	179.61	9247.59 9248.80	-9039.89	2.07	9939.89 9939.88	0.00		
	19320.53	89.31	179.61	9249.04	-9960.41	2.89	9960.41	0.00	exit	
	19400.00	89.31	179.61	9250.01	-10039.87	3.43	10039.87	0.00		
	19400.53	89.31	179.61	9250.00	-10040.40	3.41	10040.40	0.00	BHL	

•

A multibowl wellhead may be used. The BOP will be tested per Onshore Order #2 after installation on the surface casing which will cover testing requirements for a maximum of 30 days. If any seal subject to test pressure is broken the system must be tested.

Devon proposes using a multi-bowl wellhead assembly. This assembly will only be tested when installed on the surface casing. Minimum working pressure of the blowout preventer (BOP) and related equipment (BOPE) required for drilling below the surface casing shoe shall be 5000 (5M) psi.


- Wellhead will be installed by wellhead representatives.
- If the welding is performed by a third party, the wellhead representative will monitor the temperature to verify that it does not exceed the maximum temperature of the seal.
- Wellhead representative will install the test plug for the initial BOP test.
- Wellhead company will install a solid steel body pack-off to completely isolate the lower head after cementing intermediate casing. After installation of the pack-off, the pack-off and the lower flange will be tested to 5M, as shown on the attached schematic. Everything above the pack-off will not have been altered whatsoever from the initial nipple up. Therefore the BOP components will not be retested at that time.
- If the cement does not circulate and one inch operations would have been possible with a standard wellhead, the well head will be cut and top out operations will be conducted.
- Devon will pressure test all seals above and below the mandrel (but still above the casing) to full working pressure rating.
- Devon will test the casing to 0.22 psi/ft or 1500 psi, whichever is greater, as per Onshore Order #2.


After running the surface casing, a 13-5/8" BOP/BOPE system with a minimum rating of 5M will be installed on the wellhead system and will undergo a 250 psi low pressure test followed by a 5,000 psi high pressure test. The 5,000 psi high and 250 psi low test will cover testing requirements a maximum of 30 days, as per Onshore Order #2. If the well is not complete within 30 days of this BOP test, another full BOP test will be conducted, as per Onshore Order #2.


After running the intermediate casing with a mandrel hanger, the 13-5/8" BOP/BOPE system with a minimum rating of 5M will already be installed on the wellhead.


The pipe rams will be operated and checked each 24 hour period and each time the drill pipe is out of the hole. These tests will be logged in the daily driller's log. A 2" kill line and 3" choke line will be incorporated into the drilling spool below the ram BOP. In addition to the rams and annular preventer, additional BOP accessories include a kelly cock, floor safety valve, choke lines, and choke manifold rated at 5,000 psi WP.


Devon's proposed wellhead manufactures will be FMC Technologies, Cactus Wellhead, or Cameron.











Casing Assumptions and Load Cases

Surface

All casing design assumptions were ran in Stress Check to determine safety factor which meet or exceed both Devon Energy and BLM minimum requirements. All casing strings will be filled while running in hole in order to not exceed collapse rating of the pipe.

Surface Casing Burst Design						
Load Case	External Pressure	Internal Pressure				
Pressure Test	Formation Pore Pressure	Max mud weight of next hole-				
		section plus Test psi				
Drill Ahead	Formation Pore Pressure	Max mud weight of next hole				
		section				
Displace to Gas	Formation Pore Pressure	Dry gas from next casing point				

Surface Casing Collapse Design							
Load Case External Pressure Internal Pressure							
Full Evacuation	Water gradient in cement, mud above TOC	None					
Cementing	Wet cement weight	Water (8.33ppg)					

Surface Casing Tension Design						
Load Case	Assumptions					
Overpull	100kips					
Runing in hole	3 ft/s					
Service Loads	N/A					



<u>13-3/8"</u> <u>54.50#</u> <u>.380</u> <u>J-55</u>

Dimensions (Nominal)

Outside Diameter	13.375	in.
Wall	0.380	in.
Inside Diameter	12.615	in.
Drift	12.459	in.
Weight, T&C	54.500	lbs/ft
Weight, PE	52.790	lbs/ft

Performance Ratings, Minimum

Collapse, PE	1130	psi
Internal Yields Pressure		
PE	2730	psi
STC	2730	PSI
BTC	2730	psi
Yield Strength, Pipe Body	853	1000 lbs
Joint Strength, STC	514	1000 lbs
Joint Strength, BTC	909	1000 lbs

Note: SeAH Steel has produced this specification sheet for general information only. SeAH does not assume liability or responsibility for any loss or injury resulting from the use of information or data contained herein. All applications for the material described are at the customer's own risk and responsibility.

PECOS DISTRICT DRILLING CONDITIONS OF APPROVAL

OPERATOR'S NAME:	Devon Energy Production Company LP	
LEASE NO.:	NMLC062300	
LOCATION:	Section 22, T.25 S., R.32 E., NMPM	
COUNTY:	Lea County, New Mexico 🖃	
WELL NAME & NO.:	Haflinger 22-27 Fed Com 121H	
SURFACE HOLE FOOTAGE:	250'/N & 980'/W	
BOTTOM HOLE FOOTAGE	20'/S & 440'/W	
ATS/API ID:	ATS-23-2165	
APD ID:	10400093890	
Sundry ID:	N/a	
WELL NAME & NO.:	Haflinger 22-27 Fed Com 231H	
SURFACE HOLE FOOTAGE:	350'/N & 1070'/W	
BOTTOM HOLE FOOTAGE	20'/S & 820'/W	
ATS/API ID:	ATS-23-2261	
APD ID:	10400093892	
Sundry ID:	N/a	
WELL NAME & NO.:	Haflinger 22-27 Fed Com 233H	
SURFACE HOLE FOOTAGE:	350'/N & 1890'/W	
BOTTOM HOLE FOOTAGE	20'/S & 1870'/W	
ATS/API ID:	ATS-23-2167	
APD ID:	10400093867	
Sundry ID:	N/a	
WELL NAME & NO.:	Haflinger 22-27 Fed Com 520H	
SURFACE HOLE FOOTAGE:	500'/N & 1715'/W	
BOTTOM HOLE FOOTAGE		
ATS/API ID:		
APD ID:		
Sundry ID:	N/a	

COA

Page 1 of 10

LTOC .		1	1
H2S	Yes		
Potash	None 🔽		
Cave/Karst	Low 🔻		
Potential			
Cave/Karst	Critical		
Potential			
Variance	🖸 None	🖸 Flex Hose	C Other
Wellhead	Conventional and Multibowl		
Other	□4 String	Capitan Reef	□ WIPP
		None -	
Other	Pilot Hole	C Open Annulus	
	None 🔽		
Cementing	Contingency Squeeze	Echo-Meter	Primary Cement
	None	Int 1 🔻	Squeeze
		·	None 👻
Special	□ Water	COM	Unit Unit
Requirements	Disposal/Injection		
Special	□ Batch Sundry		
Requirements			
Special	Break Testing	□ Offline	Casing
Requirements		Cementing	Clearance
Variance			

A. HYDROGEN SULFIDE

A Hydrogen Sulfide (H2S) Drilling Plan shall be activated 500 feet prior to drilling into the **Delaware** formation. As a result, the Hydrogen Sulfide area must meet **43 CFR part 3170 Subpart 3176** requirements, which includes equipment and personnel/public protection items. If Hydrogen Sulfide is encountered, please provide measured values and formations to the BLM.

B. CASING

- The 13-3/8 inch surface casing shall be set at approximately 950 feet (a minimum of 25 feet (Lea County) into the Rustler Anhydrite and above the salt when present, and below usable fresh water) and cemented to the surface. The surface hole shall be 17 1/2 inch in diameter.
 - a. If cement does not circulate to the surface, the appropriate BLM office shall be notified and a temperature survey utilizing an electronic type temperature survey with surface log readout will be used or a cement bond log shall be run to verify the top of the cement. Temperature survey will be run a minimum of

Page 2 of 10

six hours after pumping cement and ideally between 8-10 hours after completing the cement job.

- b. Wait on cement (WOC) time for a primary cement job will be a minimum of <u>8</u> <u>hours</u> or 500 pounds compressive strength, whichever is greater. (This is to include the lead cement)
- c. Wait on cement (WOC) time for a remedial job will be a minimum of 4 hours after bringing cement to surface or 500 pounds compressive strength, whichever is greater.
- d. If cement falls back, remedial cementing will be done prior to drilling out that string.

Intermediate casing must be kept fluid filled to meet BLM minimum collapse requirement.

2. The minimum required fill of cement behind the 9-5/8 inch intermediate casing is:

Option 1 (Single Stage):

• Cement to surface. If cement does not circulate see B.1.a, c-d above.

Option 2:

Operator has proposed to cement in two stages by conventionally cementing the first stage and performing a bradenhead squeeze on the second stage, contingent upon no returns to surface.

- a. First stage: Operator will cement with intent to reach the top of the **Brushy** Canyon at 7052'.
- b. Second stage:
 - Operator will perform bradenhead squeeze and top-out. Cement to surface. If cement does not reach surface, the appropriate BLM office shall be notified.

Operator has proposed to pump down 13-3/8" X 9-5/8" annulus after primary cementing stage. <u>Operator must run Echo-meter to verify Cement Slurry/Fluid top in the annulus Or operator shall run a CBL from TD of the 9-5/8" casing to surface after the second stage BH to verify TOC.</u>

Submit results to the BLM. No displacement fluid/wash out shall be utilized at the top of the cement slurry between second stage BH and top out. Operator must run one CBL per Well Pad.

If cement does not reach surface, the next casing string must come to surface.

Operator must use a limited flush fluid volume of 1 bbl following backside cementing procedures.

- 3. The minimum required fill of cement behind the 5-1/2 inch production casing is:
 - Cement should tie-back at least 200 feet into previous casing string. Operator shall provide method of verification.
 Cement excess is less than 25%, more cement is required if washout occurs. Adjust cement volume and excess based on a fluid caliper or similar method that reflects the as-drilled size of the wellbore.

C. PRESSURE CONTROL

1. Variance approved to use flex line from BOP to choke manifold. Manufacturer's specification to be readily available. No external damage to flex line. Flex line to be installed as straight as possible (no hard bends).'

2.

Option 1:

- a. Minimum working pressure of the blowout preventer (BOP) and related equipment (BOPE) required for drilling below the surface casing shoe shall be 5000 (5M) psi. Annular which shall be tested to 3500 (70% Working Pressure) psi.
- b. Minimum working pressure of the blowout preventer (BOP) and related equipment (BOPE) required for drilling below the **9-5/8** inch intermediate casing shoe shall be **5000 (5M)** psi.

Option 2:

Operator has proposed a multi-bowl wellhead assembly. This assembly will only be tested when installed on the **13-3/8** inch surface casing. Minimum working pressure of the blowout preventer (BOP) and related equipment (BOPE) required for drilling below the surface casing shoe shall be **5000 (5M)** psi.

- a. Wellhead shall be installed by manufacturer's representatives, submit documentation with subsequent sundry.
- b. If the welding is performed by a third party, the manufacturer's representative shall monitor the temperature to verify that it does not exceed the maximum temperature of the seal.
- c. Manufacturer representative shall install the test plug for the initial BOP test.
- d. If the cement does not circulate and one inch operations would have been possible with a standard wellhead, the well head shall be cut off, cementing operations performed and another wellhead installed.

Page 4 of 10

e. Whenever any seal subject to test pressure is broken, all the tests in 43 CFR 3172.6(b)(9) must be followed.

D. SPECIAL REQUIREMENT (S)

Communitization Agreement

- The operator will submit a Communitization Agreement to the Santa Fe Office, 301 Dinosaur Trail Santa Fe, New Mexico 87508, at least 90 days before the anticipated date of first production from a well subject to a spacing order issued by the New Mexico Oil Conservation Division. The Communitization Agreement will include the signatures of all working interest owners in all Federal and Indian leases subject to the Communitization Agreement (i.e., operating rights owners and lessees of record), or certification that the operator has obtained the written signatures of all such owners and will make those signatures available to the BLM immediately upon request.
- The operator will submit an as-drilled survey well plat of the well completion, but are not limited to, those specified in 43 CFR part 3170 Subpart 3171
- If the operator does not comply with this condition of approval, the BLM may take enforcement actions that include, but are not limited to, those specified in 43 CFR 3163.1.
- In addition, the well sign shall include the surface and bottom hole lease numbers. <u>When the Communitization Agreement number is known, it shall also be on the sign.</u>

BOPE Break Testing Variance (Approved)

- BOPE Break Testing is ONLY permitted for 5M BOPE or less. (Annular preventer must be tested to a minimum of 70% of BOPE working pressure and shall be higher than the MASP)
- BOPE Break Testing is NOT permitted to drilling the production hole section.
- Variance only pertains to the intermediate hole-sections and no deeper than the Bone Springs formation.
- While in transfer between wells, the BOPE shall be secured by the hydraulic carrier or cradle.
- Any well control event while drilling require notification to the BLM Petroleum Engineer (575-706-2779) prior to the commencement of any BOPE Break Testing operations.
- A full BOPE test is required prior to drilling the first deep intermediate hole section. If any subsequent hole interval is deeper than the first, a full BOPE test will be required. (200' TVD tolerance between intermediate shoes is allowable).
- The BLM is to be contacted (575-689-5981 Lea County) 4 hours prior to BOPE tests.
- As a minimum, a full BOPE test shall be performed at **21**-day intervals.
- In the event any repairs or replacement of the BOPE is required, the BOPE shall test as per **43 CFR part 3170 Subpart 3172**.
- If in the event break testing is not utilized, then a full BOPE test would be conducted.

GENERAL REQUIREMENTS

The BLM is to be notified in advance for a representative to witness:

- a. Spudding well (minimum of 24 hours)
- b. Setting and/or Cementing of all casing strings (minimum of 4 hours)
- c. BOPE tests (minimum of 4 hours)
 - Lea County Call the Hobbs Field Station, 414 West Taylor, Hobbs NM 88240, (575) 689-5981
- 1. Unless the production casing has been run and cemented or the well has been properly plugged, the drilling rig shall not be removed from over the hole without prior approval.
 - a. In the event the operator has proposed to drill multiple wells utilizing a skid/walking rig. Operator shall secure the wellbore on the current well, after installing and testing the wellhead, by installing a blind flange of like pressure rating to the wellhead and a pressure gauge that can be monitored while drilling is performed on the other well(s).
 - b. When the operator proposes to set surface casing with Spudder Rig
 - Notify the BLM when moving in and removing the Spudder Rig.
 - Notify the BLM when moving in the 2nd Rig. Rig to be moved in within 90 days of notification that Spudder Rig has left the location.
 - BOP/BOPE test to be conducted per **43** CFR part **3170** Subpart **3172** as soon as 2nd Rig is rigged up on well.
- 2. Floor controls are required for 3M or Greater systems. These controls will be on the rig floor, unobstructed, readily accessible to the driller and will be operational at all times during drilling and/or completion activities. Rig floor is defined as the area immediately around the rotary table; the area immediately above the substructure on which the draw works are located, this does not include the dog house or stairway area.
- 3. The record of the drilling rate along with the GR/N well log run from TD to surface (horizontal well vertical portion of hole) shall be submitted to the BLM office as well as all other logs run on the borehole 30 days from completion. If available, a digital copy of the logs is to be submitted in addition to the paper copies. The Rustler top and top and bottom of Salt are to be recorded on the Completion Report when present.
- A. CASING

Approval Date: 04/12/2024

- 1. Changes to the approved APD casing program need prior approval if the items substituted are of lesser grade or different casing size or are Non-API. The Operator can exchange the components of the proposal with that of superior strength (i.e. changing from J-55 to N-80, or from 36# to 40#). Changes to the approved cement program need prior approval if the altered cement plan has less volume or strength or if the changes are substantial (i.e. Multistage tool, ECP, etc.). The initial wellhead installed on the well will remain on the well with spools used as needed.
- <u>Wait on cement (WOC) for Potash Areas:</u> After cementing but before commencing any tests, the casing string shall stand cemented under pressure until both of the following conditions have been met: 1) cement reaches a minimum compressive strength of 500 psi for all cement blends, 2) until cement has been in place at least <u>24 hours</u>. WOC time will be recorded in the driller's log. The casing integrity test can be done (prior to the cement setting up) immediately after bumping the plug.
- 3. <u>Wait on cement (WOC) for Water Basin:</u> After cementing but before commencing any tests, the casing string shall stand cemented under pressure until both of the following conditions have been met: 1) cement reaches a minimum compressive strength of 500 psi at the shoe, 2) until cement has been in place at least <u>8 hours</u>. WOC time will be recorded in the driller's log. See individual casing strings for details regarding lead cement slurry requirements. The casing integrity test can be done (prior to the cement setting up) immediately after bumping the plug.
- 4. Provide compressive strengths including hours to reach required 500 pounds compressive strength prior to cementing each casing string. Have well specific cement details onsite prior to pumping the cement for each casing string.
- 5. No pea gravel permitted for remedial or fall back remedial without prior authorization from the BLM engineer.
- 6. On that portion of any well approved for a 5M BOPE system or greater, a pressure integrity test of each casing shoe shall be performed. Formation at the shoe shall be tested to a minimum of the mud weight equivalent anticipated to control the formation pressure to the next casing depth or at total depth of the well. This test shall be performed before drilling more than 20 feet of new hole.
- 7. If hardband drill pipe is rotated inside casing, returns will be monitored for metal. If metal is found in samples, drill pipe will be pulled and rubber protectors which have a larger diameter than the tool joints of the drill pipe will be installed prior to continuing drilling operations.
- 8. Whenever a casing string is cemented in the R-111-P potash area, the NMOCD requirements shall be followed.
- B. PRESSURE CONTROL

- All blowout preventer (BOP) and related equipment (BOPE) shall comply with well control requirements as described in 43 CFR part 3170 Subpart 3172 and API STD 53 Sec. 5.3.
- 2. If a variance is approved for a flexible hose to be installed from the BOP to the choke manifold, the following requirements apply: The flex line must meet the requirements of API 16C. Check condition of flexible line from BOP to choke manifold, replace if exterior is damaged or if line fails test. Line to be as straight as possible with no hard bends and is to be anchored according to Manufacturer's requirements. The flexible hose can be exchanged with a hose of equal size and equal or greater pressure rating. Anchor requirements, specification sheet and hydrostatic pressure test certification matching the hose in service, to be onsite for review. These documents shall be posted in the company man's trailer and on the rig floor.
- 3. 5M or higher system requires an HCR valve, remote kill line and annular to match. The remote kill line is to be installed prior to testing the system and tested to stack pressure.
- 4. If the operator has proposed a multi-bowl wellhead assembly in the APD. The following requirements must be met:
 - a. Wellhead shall be installed by manufacturer's representatives, submit documentation with subsequent sundry.
 - b. If the welding is performed by a third party, the manufacturer's representative shall monitor the temperature to verify that it does not exceed the maximum temperature of the seal.
 - c. Manufacturer representative shall install the test plug for the initial BOP test.
 - d. Whenever any seal subject to test pressure is broken, all the tests in 43 CFR 3172.6(b)(9) must be followed.
 - e. If the cement does not circulate and one inch operations would have been possible with a standard wellhead, the well head shall be cut off, cementing operations performed and another wellhead installed.
- 5. The appropriate BLM office shall be notified a minimum of 4 hours in advance for a representative to witness the tests.
 - a. In a water basin, for all casing strings utilizing slips, these are to be set as soon as the crew and rig are ready and any fallback cement remediation has been done. The casing cut-off and BOP installation can be initiated four hours after installing the slips, which will be approximately six hours after bumping the plug. For those casing strings not using slips, the minimum wait time before cut-off is eight hours after bumping the plug. BOP/BOPE testing can begin after cut-off or once cement reaches 500 psi compressive strength (including lead cement), whichever is greater. However, if the float does not hold, cut-

off cannot be initiated until cement reaches 500 psi compressive strength (including lead when specified).

- b. In potash areas, for all casing strings utilizing slips, these are to be set as soon as the crew and rig are ready and any fallback cement remediation has been done. For all casing strings, casing cut-off and BOP installation can be initiated at twelve hours after bumping the cement plug. The BOPE test can be initiated after bumping the cement plug with the casing valve open. (only applies to single stage cement jobs, prior to the cement setting up.)
- c. The tests shall be done by an independent service company utilizing a test plug not a cup or J-packer and can be initiated immediately with the casing valve open. The operator also has the option of utilizing an independent tester to test without a plug (i.e. against the casing) pursuant to 43 CFR part 3170 Subpart 3172 with the pressure not to exceed 70% of the burst rating for the casing. Any test against the casing must meet the WOC time for water basin (8 hours) or potash (24 hours) or 500 pounds compressive strength, whichever is greater, prior to initiating the test (see casing segment as lead cement may be critical item).
- d. The test shall be run on a 5000 psi chart for a 2-3M BOP/BOP, on a 10000 psi chart for a 5M BOP/BOPE and on a 15000 psi chart for a 10M BOP/BOPE. If a linear chart is used, it shall be a one hour chart. A circular chart shall have a maximum 2 hour clock. If a twelve hour or twenty-four hour chart is used, tester shall make a notation that it is run with a two hour clock.
- e. The results of the test shall be reported to the appropriate BLM office.
- f. All tests are required to be recorded on a calibrated test chart. A copy of the BOP/BOPE test chart and a copy of independent service company test will be submitted to the appropriate BLM office.
- g. The BOP/BOPE test shall include a low pressure test from 250 to 300 psi. The test will be held for a minimum of 10 minutes if test is done with a test plug and 30 minutes without a test plug. This test shall be performed prior to the test at full stack pressure.
- h. BOP/BOPE must be tested by an independent service company within 500 feet of the top of the Wolfcamp formation if the time between the setting of the intermediate casing and reaching this depth exceeds 20 days. This test does not exclude the test prior to drilling out the casing shoe as per 43 CFR part 3170 Subpart 3172.
- C. DRILLING MUD

Mud system monitoring equipment, with derrick floor indicators and visual and audio alarms, shall be operating before drilling into the Wolfcamp formation, and shall be used until production casing is run and cemented.

D. WASTE MATERIAL AND FLUIDS

All waste (i.e. drilling fluids, trash, salts, chemicals, sewage, gray water, etc.) created as a result of drilling operations and completion operations shall be safely contained and disposed of properly at a waste disposal facility. No waste material or fluid shall be disposed of on the well location or surrounding area.

Porto-johns and trash containers will be on-location during fracturing operations or any other crew-intensive operations.

Long Vo (LVO) 3/11/2024



Devon Energy Center 333 West Sheridan Avenue Oklahoma City, Oklahoma 73102-5015


Hydrogen Sulfide (H₂S) Contingency Plan

For

Haflinger 22-27 Fed Com 520H

Sec-22 T-25S R-32E 500' FNL & 1715' FWL LAT. = 32.121856° N (NAD83) LONG = 103.665949° W

Lea County NM



Escape

Crews shall escape upwind of escaping gas in the event of an emergency release of gas. Escape can be facilitated from the location entrance road. Crews should then block the entrance to the location from the lease road so as not to allow anyone traversing into a hazardous area. The blockade should be at a safe distance outside of the ROE. <u>There are no homes or buildings in or near the ROE</u>.

Assumed 100 ppm ROE = 3000'

100 ppm H₂S concentration shall trigger activation of this plan.

Emergency Procedures

In the event of a release of gas containing H₂S, the first responder(s) must

- Isolate the area and prevent entry by other persons into the 100 ppm ROE.
- Evacuate any public places encompassed by the 100 ppm ROE.
- Be equipped with H₂S monitors and air packs in order to control the release.
- Use the "buddy system" to ensure no injuries occur during the response
- Take precautions to avoid personal injury during this operation.
- Contact operator and/or local officials to aid in operation. See list of phone numbers attached.
- Have received training in the
 - \circ Detection of H₂S, and
 - Measures for protection against the gas,
 - Equipment used for protection and emergency response.

Ignition of Gas Source

Should control of the well be considered lost and ignition considered, take care to protect against exposure to Sulfur Dioxide (SO₂). Intentional ignition must be coordinated with the NMOCD and local officials. Additionally the NM State Police may become involved. NM State Police shall be the Incident Command on scene of any major release. Take care to protect downwind whenever there is an ignition of the gas

Common	Chemical	Specific	Threshold	Hazardous Limit	Lethal
Name	Formula	Gravity	Limit		Concentration
Hydrogen Sulfide	H₂S	1.189 Air = 1	10 ppm	100 ppm/hr	600 ppm
Sulfur Dioxide	SO ₂	2.21 Air = 1	2 ppm	N/A	1000 ppm

Characteristics of H₂S and SO₂

Contacting Authorities

Devon Energy Corp. personnel must liaison with local and state agencies to ensure a proper response to a major release. Additionally, the OCD must be notified of the release as soon as possible but no later than 4 hours. Agencies will ask for information such as type and volume of release, wind direction, location of release, etc. Be prepared with all information available. The following call list of essential and potential responders has been prepared for use during a release. Devon Energy Corp. Company response must be in coordination with the State of New Mexico's 'Hazardous Materials Emergency Response Plan' (HMER)

Hydrogen Sulfide Drilling Operation Plan

I. HYDROGEN SULFIDE (H₂S) TRAINING

All personnel, whether regularly assigned, contracted, or employed on an unscheduled basis, will receive training from a qualified instructor in the following areas prior to commencing drilling operations on this well:

- 1. The hazards and characteristics of hydrogen sulfide (H₂S)
- 2. The proper use and maintenance of personal protective equipment and life support systems.
- 3. The proper use of H₂S detectors, alarms, warning systems, briefing areas, evacuation procedures, and prevailing winds.
- 4. The proper techniques for first aid and rescue procedures.

In addition, supervisory personnel will be trained in the following areas:

- 1. The effects of H₂S metal components. If high tensile tubulars are to be used, personnel will be trained in their special maintenance requirements.
- 2. Corrective action and shut-in procedures when drilling or reworking a well and blowout prevention and well control procedures.
- 3. The contents and requirements of the H₂S Drilling Operations Plan.

There will be weekly H₂S and well control drills for all personnel in each crew.

II. HYDROGEN SULFIDE TRAINING

Note: All H_2S safety equipment and systems will be installed, tested, and operational when drilling reaches a depth of 500 feet above, or three days prior to penetrating the first zone containing or reasonably expected to contain H_2S .

1. Well Control Equipment

- A. Flare line
- B. Choke manifold Remotely Operated
- C. Blind rams and pipe rams to accommodate all pipe sizes with properly sized closing unit
- D. Auxiliary equipment may include if applicable: annular preventer and rotating head.
- E. Mud/Gas Separator

2. Protective equipment for essential personnel:

30-minute SCBA units located at briefing areas, as indicated on well site diagram, with escape units available in the top doghouse. As it may be difficult to communicate audibly while wearing these units, hand signals shall be utilized.

3. H₂S detection and monitoring equipment:

Portable H₂S monitors positioned on location for best coverage and response. These units have warning lights which activate when H₂S levels reach 10 ppm and audible sirens which activate at 15 ppm. Sensor locations:

- Bell nipple
- Possum Belly/Shale shaker
- Rig floor
- Choke manifold
- Cellar

Visual warning systems:

- A. Wind direction indicators as shown on well site diagram
- B. Caution/ Danger signs shall be posted on roads providing direct access to locations. Signs will be painted a high visibility yellow with black lettering of sufficient size to be reasonable distance from the immediate location. Bilingual signs will be used when appropriate.

4. Mud program:

The mud program has been designed to minimize the volume of H_2S circulated to surface. Proper mud weight, safe drilling practices and the use of H_2S scavengers will minimize hazards when penetrating H_2S bearing zones.

5. Metallurgy:

- A. All drill strings, casings, tubing, wellhead, blowout preventer, drilling spool, kill lines, choke manifold lines, and valves shall be H₂S trim.
- B. All elastomers used for packing and seals shall be H_2S trim.

6. Communication:

- A. Company personnel have/use cellular telephones in the field.
- B. Land line (telephone) communications at Office

7. Well testing:


- A. Drill stem testing will be performed with a minimum number of personnel in the immediate vicinity, which are necessary to safety and adequately conduct the test. The drill stem testing will be conducted during daylight hours and formation fluids will not be flowed to the surface. All drill-stem-testing operations conducted in an H₂S environment will use the closed chamber method of testing.
- B. There will be no drill stem testing.

Devon Energy Corp. Company Call List						
Employee/Company Contact Representative	Position	Phone Number	After Hours Number			
Jonathan Fisher (North)	Drilling Manager	832-967-7912				
Jason Hildebrand (South)	Drilling Manager	405-552-6514				
Rich Downey	Drilling VP	405-228-2415				
Josh Harvey	EHS Manager	405-228-2440	918-500-5536			
Laura Wright	EHS Supervisor	405-552-5334	832-969-8145			
Robert Glover	EHS Professional	575-703-5712	575-703-5712			
Lane Frank	Lead EHS	580-579-7052	580-579-7052			
Rickey Porter	Lead EHS	903-720-8315	903-720-8315			
Ronnie Handy	Lead EHS	918-839-2046	918-839-2046			
Brock Vise	Lead EHS	918-413-3291	918-413-3291			

Lea	Hobbs	
County	Lea County Communication Authority	397-926
<u>(575)</u>	State Police	885-3138
	City Police	397-926
	Sheriff's Office	396-361
	Ambulance	91 <i>°</i>
	Fire Department	397-930
	LEPC (Local Emergency Planning Committee)	393-287
	NMOCD	393-616
	US Bureau of Land Management (Closed)	393-000
Eddy	Carlsbad	
County	State Police	885-313
<u>(575)</u>	City Police	885-211
	Sheriff's Office	887-755
	Ambulance	91
	Fire Department	885-312
	LEPC (Local Emergency Planning Committee)	887-379
	US Bureau of Land Management	234-597
	NM Emergency Response Commission (Santa Fe)	(505) 476-960
	24 HR	(505) 827-912
	National Emergency Response Center	(800) 424-880
	National Pollution Control Center: Direct	(703) 872-600
	For Oil Spills	(800) 280-711
	Emergency Services	
	Wild Well Control	(281) 784-470
	Cudd Pressure Control (915) 699-0139	(915) 563-335
	Halliburton	(575) 746-275
	B. J. Services	(575) 746-356
Give	Native Air – Emergency Helicopter – Hobbs	(575) 347-983
GPS	For Air Ambulance - Eddy County Dispatch	(575)-616-715
position:	For Air Ambulance - Lea County (LCCA)	(575)-397-926
	Poison Control (24/7)	(800) 222-122
	Oil & Gas Pipeline 24 Hour Service	(800) 364-436
	NOAA – Website - www.nhc.noaa.gov	
	National Pollution Control Center	202-795-695
	NPCC – Oil Spills	800-280-711



.



District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:	
DEVON ENERGY PRODUCTION COMPANY, LP	6137	
333 West Sheridan Ave.	Action Number:	
Oklahoma City, OK 73102	333993	
	Action Type:	
	[C-101] BLM - Federal/Indian Land Lease (Form 3160-3)	

CONDITIONS

CONDINC		
Created By	Condition	Condition Date
pkautz	Will require a File As Drilled C-102 and a Directional Survey with the C-104	4/26/2024
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string	4/26/2024
pkautz	Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud, drilling fluids and solids must be contained in a steel closed loop system	4/26/2024
pkautz	Cement is required to circulate on both surface and intermediate1 strings of casing	4/26/2024
pkautz	If cement does not circulate on any string, a CBL is required for that string of casing	4/26/2024

Action 333993