ceived by UCD: 2/23/2024 9:48:35 AM U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Repoi
Well Name: TURNER A	Well Location: T17S / R31E / SEC 19 / NWNE /	County or Parish/State: EDDY / NM
Well Number: 9	<b>Type of Well:</b> INJECTION - ENHANCED RECOVERY	Allottee or Tribe Name:
Lease Number: NMLC029395A	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001505237	Operator: LH OPERATING LLC	

### **Notice of Intent**

Sundry ID: 2785017

Type of Submission: Notice of Intent

Date Sundry Submitted: 04/15/2024

Date proposed operation will begin: 06/01/2024

Type of Action: Workover Operations Time Sundry Submitted: 07:48

**Procedure Description:** 1. Move in rig up workover rig. Bleed off well head pressure. ND wellhead and NU BOP. 2. Unhook injection line and meter run. 3. ND wellhead and NU BOP. 4. Unset packer. Pull out of hole with tubing. Inspect tubing as pulling out of hole. 5. Send packer to shop for redress or replace with new packer based on condition. 6. Replace tubing as needed from visual inspection. 7. Pick up reconditioned or new packer and run in hole on the tubing while testing the tubing below the slips to 4500 psi (test tools to be coated). Replace tubing as needed. 8. Once on depth above perforations, circulate in packer fluid (corrosion inhibitor and biocide) mixed in fresh water. 9. Set packer. ND BOP and NU wellhead. Install meter run. 10. Notify NMOCD field representative to witness test. Perform mechanical integrity test. Return to water injection.

**Surface Disturbance** 

Is any additional surface disturbance proposed?: No

Received by OCD: 4/23/2024 9:48:35 AM Well Name: TURNER A	Well Location: T17S / R31E / SEC 19 / NWNE /	County or Parish/State: EDDY / 2 of NM
Well Number: 9	Type of Well: INJECTION - ENHANCED RECOVERY	Allottee or Tribe Name:
Lease Number: NMLC029395A	Unit or CA Name:	Unit or CA Number:
<b>US Well Number:</b> 3001505237	Operator: LH OPERATING LLC	
		)

# **Conditions of Approval**

### **Specialist Review**

Workover\_or\_Vertical\_Deepen\_COA\_20240419200809.pdf

### **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

**Operator Electronic Signature: MICHAEL BURTON** 

State: TX

State:

Name: LH OPERATING LLC

Title: Environmental Manager

Street Address: 3730 KIRBY DR SUITE 1200

City: HOUSTON

Phone: (575) 499-5306

Email address: MIKE@LHOPERATING.COM

Field

Representative Name: Street Address: City: Phone:

Email address:

# **BLM Point of Contact**

BLM POC Name: JONATHON W SHEPARD BLM POC Phone: 5752345972 Disposition: Approved Signature: Jonathon Shepard Signed on: APR 15, 2024 07:47 AM

Zip:

BLM POC Title: Petroleum Engineer

BLM POC Email Address: jshepard@blm.gov

Disposition Date: 04/19/2024

### Received by OCD: 4/23/2024 9:48:35 AM

<i>cccircu by</i> 0 <i>cb</i> . <i>4</i> /		40.00 2111				1 uge 5 0j
Form 3160-5 (June 2019)		UNITED STATE PARTMENT OF THE I EAU OF LAND MAN	NTERIOR		0	DRM APPROVED MB No. 1004-0137 res: October 31, 2021
Do not	use this i		DRTS ON WELLS to drill or to re-enter an PD) for such proposals		6. If Indian, Allottee or	Tribe Name
	SUBMIT IN	TRIPLICATE - Other instru	uctions on page 2		7. If Unit of CA/Agree	ment, Name and/or No.
1. Type of Well Oil Well	Gas V	Vell Other			8. Well Name and No.	
2. Name of Operator					9. API Well No.	
3a. Address			3b. Phone No. (include area cod	b. Phone No. <i>(include area code)</i> 10. Field and Pool or Exploratory		
4. Location of Well (Food	tage, Sec., T.,I	R.,M., or Survey Description)	)		11. Country or Parish, S	State
	12. CHE	CK THE APPROPRIATE B	OX(ES) TO INDICATE NATUR	E OF NOT	ICE, REPORT OR OTH	ER DATA
TYPE OF SUBMI	SSION		ТҮ	PE OF AC	TION	
Notice of Intent		Acidize	Deepen Hydraulic Fracturing		luction (Start/Resume) lamation	Water Shut-Off Well Integrity
Subsequent Report Casing Repair			New Construction		omplete porarily Abandon	Other
Final Abandonmer	nt Notice	Convert to Injection			er Disposal	
the proposal is to dee the Bond under which completion of the inv	pen directiona h the work wil olved operation ndonment No	Illy or recomplete horizontal be perfonned or provide thors. If the operation results in	ly, give subsurface locations and n e Bond No. on file with BLM/BI/ n a multiple completion or recomp	measured a A. Required pletion in a	nd true vertical depths of l subsequent reports mus new interval, a Form 31	k and approximate duration thereof. If f all pertinent markers and zones. Attach t be filed within 30 days following 60-4 must be filed once testing has been he operator has detennined that the site

14. I hereby certify that the foregoing is true and correct. Name ( <i>Printed/Typed</i> )		
	Title	
Signature	Date	
THE SPACE FOR FEDE	RAL OR STATE OF	ICE USE
Approved by		
	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any any false, fictitious or fraudulent statements or representations as to any matter within		fully to make to any department or agency of the United States

(Instructions on page 2)

#### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

#### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

*Item 13:* Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

#### NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

# **Additional Information**

#### Location of Well

0. SHL: NWNE / 330 FNL / 1980 FEL / TWSP: 17S / RANGE: 31E / SECTION: 19 / LAT: 0.0 / LONG: 0.0 ( TVD: 0 feet, MD: 0 feet ) BHL: NWNE / 330 FNL / 1980 FEL / TWSP: 17S / SECTION: / LAT: 0.0 / LONG: 0.0 ( TVD: 0 feet, MD: 0 feet )

### **BUREAU OF LAND MANAGEMENT**

#### Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

# Conditions of Approval for Workover/Deepening of a Well

- <u>Notification</u>: Contact the appropriate BLM office at least 24 hours prior to the commencing of any operations. For wells in Eddy County, call 575-361-2822. For wells in Lea County, call 575-689-5981
- <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,100 feet, a 3M system for a well not deeper than 13,600 feet, or a 5M system for a well not deeper than 22,700 feet (all depths are for measured well depth).
- 3. Cement: Notify BLM if cement fails to circulate.
- Subsequent Reporting: Within 30 days after work is completed, file a Subsequent Report (Form 3160-5) to BLM. The report should give in detail the manner in which the work was carried out. Show date work was completed. If producing a new zone, submit a Completion Report (Form 3160-4) with the Subsequent Report.
- 5. <u>Trash</u>: All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.
- If well location is within the Timing Limitation Stipulation Area for Lesser Prairie-Chicken: From March 1<sup>st</sup> through June 15<sup>th</sup> annually, activities will be allowed except between the hours from 3:00 am and 9:00 am. Normal vehicle use on existing roads will not be restricted.

# Well Name: TURNER A 9 INJ

**WellView**<sup>®</sup>

1 505237	B Elevation (ft) KB-Tubing Head Distance (ft) Initial Spud Da			BURG WEST CENTRAL	Spud Date Noti	ce Information	State/Province		Well Configurati	on Type
KB Elevation (ft) .00			te Rig Release Date			PBTD (All) (ftKB)		Total Depth All (TVD) (ftKB)		
			0,0,101000							
Des		Make	Mod		VP (psi)	Service		WP Top (psi)		Bore Min (in)
		Marce			(105)	Gervice				Bore Mill (iii)
Original k	lole, 1/17/2024 12	2-44-22 DM		Casing Strin	ns					
0	tical schematic (a			Csg	-	OD (in)	Wt/Len (lb/ft)	Grade	Top Thread	Set Depth (
	,			Surface		8				54
	<b></b>			Production		/	23.00			2,91
22				Liner		4 1/2	9.50	J-55		3,42
	1-2; 4 1 AS1-X I	/2 X 2 3/8 NICKE	L PLATED	Perforations Date		op (ftKB)	Btm (ftKB)		Linked Zone	
2 200 0000 0000 2 200 0000 0000				4/22/2021		1,878.0	1,881	.0	Linked Zone	
2000				4/22/2021		1,904.0	1,908			
1000 × 1000	1			4/22/2021		1,924.0	1,927			
5 576 <b>- 67</b> 6	8			4/22/2021		1,957.0	1,960			
				4/22/2021		1,991.0	1,994	.0		
1 Abre - 100	8			4/22/2021		2,040.0	2,044	.0		
3 350 - 1093 9 500 - 1096 9 500 - 1096				4/22/2021		2,079.0	2,083			
8 885				4/22/2021		2,120.0	2,124			
2 2000				4/22/2021		2,179.0	2,182			
	8			4/22/2021		2,282.0	2,285			
i izben seze i izben seze				11/15/1996		2,700.0	2,700			
		Plug - Permanent	; 2,548.0;	11/15/1996		2,707.0 2,738.0	2,707			
	2,550.0	_		11/15/1996 11/15/1996		2,738.0	2,730			
g Bran - Hran G Bran - Hran	E .			11/15/1996		2,742.0	2,742			
0 890				11/15/1996		2,740.0	2,740			<u></u>
2 200 · · · · · · · · · · · · · · · · ·				11/15/1996		2,776.0	2,776			
2 250n	2			11/15/1996		2,786.0	2,786			
1000	8			11/15/1996		2,791.0	2,791			
	8			11/15/1996		2,800.0	2,800	0.0		
1 676 - 456 1 676 - 456 1 676 - 456	E			11/15/1996		2,825.0	2,825	5.0		
1 500				11/15/1996		2,840.0	2,840	0.0		
8 <b>8</b>				11/15/1996		2,870.0	2,870			
597 - 553 597 - 553				11/15/1996		2,873.0	2,873	3.0		
S2 55	-			11/15/1996		2,888.0	2,888			
990 909	-			11/15/1996		2,900.0	2,900			
200 E	_			11/15/1996		2,932.0	2,932			
56 65 66 65				11/15/1996		2,949.0	2,949			
985 - 683 985 - 683				11/15/1996		2,952.0	2,952			
88 88 88 88 88 88 88 88 88 8				11/15/1996 11/15/1996		2,956.0 3,002.0	2,956			
600 HAG 690 HAG				11/15/1996		3,002.0	3,002			
22				11/15/1996		3,005.0	3,005			
92 SA				11/15/1996		3,026.0	3,018			
992 993	_ 1			11/15/1996		3,049.0	3,049			
888 884 700 984 888 884 888 884 888 884 888 884	-			11/15/1996		3,052.0	3,052			
202 - 125 2040 - 445 2040 - 445 2				11/15/1996		3,089.0	3,089			
1925 - 1935 1924 - 1937	Á			11/15/1996		3,093.0	3,093			
1040 - 442 1987 - 698 1988 - 699	-			11/15/1996		3,123.0	3,123			
001 800 1940 - 1940 1940 - 1940	4			11/15/1996		3,141.0	3,141			
2001 - 100 1000 - 100 2001 - 100				11/15/1996		3,148.0	3,148	3.0		
200				11/15/1996		3,164.0	3,164	.0		
	-7			11/15/1996		3,168.0	3,168			
978 978 978	-			11/15/1996		3,186.0	3,186			
	-1.			11/15/1996		3,200.0	3,200			
				11/15/1996		3,209.0	3,209	0		

Released to Imaging: 4/29/2024 12:43:25 PM

# **Downhole Well Profile**

### Well Name: TURNER A 9 INJ

001505237	Surface Legal Location	Field Name PBNM - PB-GRAYBURG WEST CENTRAL	Spud Date Notic	e Information	State/Province	We	I Configurat	ion Type	
riginal KB Elevation (ft) .660.00	KB-Tubing Head Distance (ft)	Initial Spud Date 8/8/1940 00:00	Rig Release Dat	e	PBTD (All) (ftKB)	Tot	al Depth All	(TVD) (ftKI	B)
			1						
Origir	nal Hole, 1/17/2024 12:44:33 PM	Perforations Date		p (ftKB)	Btm (ftKB)		Linked Zon		
	Vertical schematic (actual)	11/15/1996	10	3,325.0	3,325.0		Linked 201	3	_
		9/28/1999		3,325.0	3,416.0				
		11/15/1996		3,332.0	3,332.0				
	1-2; 4 1/2 X 2 3/8 NICK	EL PLATED 1/5/1970		3,348.0	3,348.0				
	AS1-X PKR	1/5/1970		3,352.0	3,352.0				
2 200 ·	992 S	1/5/1970		3,359.0	3,359.0				
	14756 B	1/5/1970		3,363.0	3,363.0				
S 6000	1456 ( 1555 (	1/5/1970		3,368.0 3,370.0	3,368.0 3,370.0				
3 BROW		1/5/1970		3,370.0	3,370.0				
		1/5/1970		3,381.0	3,381.0				
<u>8 888 </u>	1293 g 1294 g	1/5/1970		3,384.0	3,384.0				
8 900 C	195 <u>8</u>	1/5/1970		3,392.0	3,392.0				_
2 25 King -		1/5/1970		3,395.0	3,395.0				
2 Dates	976 (	1/5/1970		3,398.0	3,398.0				
1 (200 -	975   165	1/5/1970		3,401.0	3,401.0				
8 6200 - 8 6398	Bridge Plug - Permaner	nt: 2.548.0		3,412.0	3,412.0				
	2,550.0	1/5/1970		3,415.0	3,415.0				
0.900	1992 () 1992 ()	Tubing Strin							
0 000 0 000	1992 ( 1996 (	Tubing Description	n Rui	n Date 23/2021	String Lengt 1,833.35	h (ft)	Set Depth 1,833.4	(ftKB)	
2 550 2 550	1949 <u>5</u>		Des		ake Mode	el OD (in)	Wt (lb/ft)	Grade	L
2 250a -	9972 3	2 3/8 EUE 8		57	T&C Non		4.60		1
() (DAR)-	1062 ) 1026 )	TBG			Upset				
1 6304 -	405 2 405 2 440 2	4 1/2 X 2 3/8 PLATED AS1		1 Baker		3 3/4			
S BRAN	and C	Rod Strings					•		
		Rod Description	Ru	n Date	String Lengt	h (ft)	Set Depth	(ftKB)	-
1997	86		Des	14n   14n	alea Marda		Wt (lb/ft)	Crada	Τ.
	97. 95. 95. 95.	item	i Des	Jts Ma	ake Mode		vvt (ID/π)	Grade	
930 935 935 935 935 935 935 935 935 935 935	2001 2007 2007 2007 2007 2007 2007 2007								
398 398 398	88 88 88								
200 200	55 55								
361 673	88 								
000 100 100	50 50 50 50 50 50 50 50 50								
995 1993	89 89								
999 1996 -	200 2007								
999 999	900 900 900								
302 - 200 -									
1994 1995 1995	594								
	99 // 199								

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

# **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator: (	OGRID:
LH Operating, LLC	329319
3730 Kirby Drive	Action Number:
Houston, TX 77098	336480
	Action Type:
	[C-103] NOI Workover (C-103G)
CONDITIONS	

Created By	Condition	Condition
		Date
mgebremichael	None	4/29/2024

Page 9 of 9