Received by UCD: 27/2024 7:15:47 AM U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Report
Well Name: DECKER	Well Location: T32N / R12W / SEC 23 / SENW / 36.97502 / -108.06834	County or Parish/State: SAN JUAN / NM
Well Number: 3A	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMSF078147	Unit or CA Name:	Unit or CA Number: NMNM73352
US Well Number: 3004522320	Well Status: Producing Gas Well	Operator: HILCORP ENERGY COMPANY

Notice of Intent

Sundry ID: 2776703

Type of Submission: Notice of Intent

Date Sundry Submitted: 02/26/2024

Date proposed operation will begin: 06/01/2024

Type of Action: Workover Operations Time Sundry Submitted: 12:40

Procedure Description: Hilcorp Energy Company requests permission to add pay to the existing Mesaverde formation in the subject well. Please see the attached procedure, current and proposed wellbore diagram, plat and natural gas management plan. A closed loop system will be used. A pre-reclamation site visit was held on 10/17/2023 with Roger Herrera/BLM. The reclamation plan is attached.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

Decker_3A_RA_NOI_20240226123944.pdf

Received by OCD: 2/27/2024 7:15:47 AM Well Name: DECKER	Well Location: T32N / R12W / SEC 23 / SENW / 36.97502 / -108.06834	County or Parish/State: SAN 2 of 14 JUAN / NM
Well Number: 3A	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMSF078147	Unit or CA Name:	Unit or CA Number: NMNM73352
US Well Number: 3004522320	Well Status: Producing Gas Well	Operator: HILCORP ENERGY COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: AMANDA WALKER

Name: HILCORP ENERGY COMPANY

Title: Operations/Regulatory Technician

Street Address: 1111 TRAVIS ST

City: HOUSTON

State: TX

Phone: (346) 237-2177

Email address: MWALKER@HILCORP.COM

Field

Representative Name: Street Address: City: State: Phone: Email address:

BLM Point of Contact

BLM POC Name: MATTHEW H KADE BLM POC Phone: 5055647736 Disposition: Approved Signature: Matthew Kade BLM POC Title: Petroleum Engineer BLM POC Email Address: MKADE@BLM.GOV

Zip:

Disposition Date: 02/26/2024

re: AMANDA WALKER Sig

Signed on: FEB 26, 2024 12:39 PM

.



HILCORP ENERGY COMPANY Decker #3A MESAVERDE RECOMPLETE SUNDRY API 3004522320

JOB PROCEDURES

JOB PROCEDURES					
1.	MIRU workover rig and associated equipment; NU and test BOP.				
2.	TOOH with tubing.				
3.	Set a plug within 50' of the top Mesaverde perforation (4,860') for zonal isolation.				
4.	Load hole with fluid. RU WL and run CBL to verify TOC. Review results with operations engineer and regulatory agencies.				
5.	Perform MIT on casing with NMOCD witness (notify NMOCD 24+ hours before test) and submit results to regulatory group.				
6.	If frac'ing down casing: pressure test casing to frac pressure.				
7.	RU WL. Perforate the Mesaverde. Top perforation @ 4,236', bottom perforation @ 4,860'.				
8.	If frac'ing down frac string: RIH w/ frac string and packer.				
9.	ND BOP, NU frac stack. Pressure test frac stack to frac pressure. Pressure test frac string (if applicable) to frac pressure. RDMO.				
10.	RU stimulation crew. Frac the Mesaverde in one or more stages. Set plugs in between stages, if necessary.				
11.	MIRU workover rig and associated equipment; NU and test BOP.				
12.	If frac was performed down frac string: POOH w/ frac string and packer.				
13.	TIH with mill and clean out to isolation plug.				
14.	Mill out isolation plug. Cleanout to PBTD. TOOH with cleanout assembly.				
15.	TIH and land production tubing. Flowback the well. Return well to production.				

•



HILCORP ENERGY COMPANY Decker #3A MESAVERDE RECOMPLETE SUNDRY

97.0WI 004522320	Surface Legal Location Fie 023-032N-012W-F BI	Id Name LANCO MESAVERDE (PROR/	ATED GAS 0106	State Province Well Configuration Typ NEW MEXICO	pe -
round Elevation (#) ,218.00	Original KB/RT Elevation (#) 6,230.00	RKB to GL (1) 12.00	KB-Casing F	iange Distance (ft) KB-Tubing Hanger Distance (ft)	
		Original	Hole		
MD TVE (ftKB) (ftKB		Vertic	al schematic (actual)		
12.1 217.8 219.2 221.0 1.2169 1.2169 2.152.9 2.698.2 2.823.2	OJO ALAMO (OJO ALAMO (fini KIRTLAND (KIRTLAND (final)) - FRUITLAND (FRUITLAND (final)) FRUITLAND (FRUITLAND (final) PIQ 2 3/8 in; 4: PIQ 2 3/8 in; 4:1 2 3/8 in; 4:1 3 3/8 1/8 1/8 1/8 1/8 1/8 1/8 1/8 1/8 1/8 1	0) 70 lb/ft; CSR-55; KB; 5,168.00 ftKB		Surface Casing Cement, Casing, 5/7/1977 00:00; 12:00-219:00; 1977-05-07; CEMENT 190 SXS CLASS 'B' W/ 1/4# GEL-FLAKE/S 3% CAACL CIRCULATED 10 BBLS TO SURF 1; Surface, 219:00ft/8; 9 5/8 in; 8:92 in; 12 ft/8; 219:00 ft/8 Intermediate Casing Cement, Casing, 5/14/1977 00:00; 1,60:00-2,973:00; 1977- 14; TOC 1600 'RAN BY TEMP SURVEY ON 5/14/1977. CEMENT W/ 113 SXS 65/35 C B' POLW / 12% GEL POLLOWED BY 70 SX CLASS 'B' W/ 2% CACL	-05- I LASS
2.828.1 2.967.8 2.972.1	— LEWIS (LEWIS (final)) —			2; Intermediate1, 2,973.00ftKB; 7 in; 6.46 i / 12.00 ftKB; 2,973.00 ftKB	in;
2,973.1	— CHACRA (CHACRA (final))			Production Casing Cement, Casing, 5/18/ 00:00; 2,823.00-5,347.00; 1977-05-18; TOC 2823: BY CIRCULATION ON 5/18/1977. CEMENT W/ 316 SXS 50/50 POZ Z, CLASS	
4,235.9	CLIFF HOUSE (CLIFF HOUSE (fi MENEFEE (MENEFEE (final))	nal))		W/ 2% GEL, 6.25# FINE GILSONITE/SX, 1/ GEL-FLAKE/SX & 0.6% D-60. REVERSE OL BBLS CEMENT	4#
4,859.9	-			4,860.0-5,193.0ftKB on 5/27/1977 00:00 (F	
4,991.1	POINT LOOKOUT (POINT LOOP	KOUT (final))		POINT LOOKOUT); 4,860.00-5,193.00; 197 27 Production Casing Cement, Casing, 5/18, 00:00 (plug); 5,200.00-5,347.00; 1977-05-1	/1977
5,168.0				TOC 2823' BY CIRCULATION ON 5/18/19/ CEMENT W/ 316 SXS 50/50 POZ Z, CLASS W/ 2% GEL, 6.25# FINE GILSONITE/SX, 1/	77. S 'B'
5,200.1	<typ></typ>	(PBTD); 5,200.00		GEL-FLAKE/SX & 0.6% D-60. REVERSE OU BBLS CEMENT	JT 8
5,346.1				3; Production1, 5,347.00ftKB; 4 1/2 in; 4.09 2,823.00 ftKB; 5,347.00 ftKB	
5,347.1			, r	Cement Plug, Plug, 5/19/1977 00:00; 5,34 5,354.00; 1977-05-19	7.00-
5,354.0	MANCOS (MANCOS (final))				
www.peloton		Page	1/1	Report Printed: 1	0/3/2

.



HILCORP ENERGY COMPANY Decker #3A MESAVERDE RECOMPLETE SUNDRY

PL/UWI 0045223 round Elevat		Surface Legal Location 023-032N-012W-F Original KBIRT Elevation (ft)				State/Province NEW MEXICO ange Distance (ft) K5-Tubing Hange	Well Configuration Type ar Distance (ft)
,218.00		6,230.00	1	12.00			
		1		Original Hole	•		
MD (ftKB)	TVD (ftKB)			Vertical sche	matic (actual)		
12.1 217.8 219.2 231.0 1.087.9 1.216.9 1.000.1 2.153.9 2.096.2 2.862.2 2.862.2 2.862.2 2.862.2 2.862.1 2.877.8 2.977.1 2.877.1 2.877.1 2.875.1 4.255.9 4.556.1 5.166.0 5.162.9		OJO ALAMO (OJO ALAMO OJO ALAMO (KIRTLAND (KIRTLAND (KIRTLAND (FRUITLAND (FRUITL	E (final)) E (final)) E (final)) E (final))	। य∖		Surface Casing Cement 00:00; 12:00-219:00; 19: 190 SXS CLASS 'B' W/ 190 SXS CLASS 'B' W/ 290	77-05-07; CEMENT W/ 14# GEI-RAKE/SX & 10 BBLS TO SURFACE 5/8 in; 8.92 in; 12.00 ment, Casing, 00,2973.00; 1977-05- TEMP SURVEY ON 113 SXS 65/35 CLASS LLOWED BY 70 SXS 110 WED BY 70 SXS 1000ftKB; 7 in; 6.46 in; 3 ment, Casing, 5/18/1977; 3,1977-05-18; TOC ON 5/18/1977, 0,50 POZ 2, CLASS 'B' GILSONITE/SX, 1/4# 0-60; REVERSE OUT B 5/27/1977 00:00 (PERF - 0.00-5/18/1977, 05- 1877.05-18; TOC- 1977-05-18; TON ON 5/18/1977, 1977-05-18; TON ON S/18/1977, 0,50 POZ 2, CLASS 'B' 0,000 S/18/1977, 0,000 S/18/1977,
5,200.1		< T)	p> (PBTD); 5,200.00		• • •	GEL-FLAKE/SX & 0.6% I BBLS CEMENT 3; Production1, 5,347.0	
5,346.1						2,823.00 ftKB; 5,347.00 f Cement Plug, Plug, 5/1	ŧкв
5,347.1					•	5,354.00; 1977-05-19	
5,354.0		— MANCOS (MANCOS (final)	0	*****			
www.pe	loton.co) m		Page 1/1		R	eport Printed: 10/3/202

Received by OCD: 2/27/2024 7:15:47 AM

NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

		All distances must	be from the outer boundaries	of the Section.		FUECTIVE 1-1-02
Operator	Car Company		Lease		······································	Well No.
Aztec Oil & Unit Letter Se	Gas Company	Township	Decker	County		34
F	23	32N	121	San Ju	ian	
Actual Footage Locatio			-1			······
<u>1180</u> f Ground Level Elev.	eet from the NOI Producing For		and 1450 Pocl	feet from the We		line
6218	Mesa V		Blanc	0	Dedic	ated Acreage: 320 Acres
1. Outline the a	acreage dedica	ted to the subject	t well by colored penci	l or hachure ma	arks on the pla	t below.
2. If more than interest and	one lease is royalty).	dedicated to the	well, outline each and i	dentify the own	nership thereo	f (both as to working
 If more than dated by com 	one lease of d munitization, u	ifferent ownership initization, force-p	is dedicated to the wel poling. etc?	l, have the inte	erests of all c	wners been conspli-
Yes] No If an	nswer is "yes," typ	e of consolidation			
this form if n	ecessary.)	· · · · · · · · · · · · · · · · · · ·	escriptions which have			
forced-pooling sion.	g, or otherwise)	or until a non-stan	all interests have beer dard unit, eliminating s	uch interests,	(by communit has been appro	ization, unitization, oved by the Commis-
		Western State Stat	1		CER	TIFICATION
	F		1			that the information con- true and complete to the
	11,80		l l		best of my know	
	F					
			ł		450000	
11,50,	- +- 					Tan Kyran
	1				Position District Pr	oduction Manager
					Company Aztec Oil &	Gas Company
	1				Date January 12,	1977
		Sec	<u> </u>		· · · · · · · · · · · · · · · · · · ·	
	1	23				
	E I		l			that the well location
	1					a: was plotted from field surveys made by me or
						ision, and that the same
					is true and co.	rect to the best of my
	1		1		knowledge and b	ellef.
· · · · · · · · · · · · · · · · · · ·						
	, 		•* •X	+ F	Date Surveyed	
	1				December 2	
					registered Profess Ind/or Land Survey Turney Fred B. Kei	- AN
	PERMIT	n na			Certificate No.	
0 930 066 0	1320 1650 198/	2310 2640 2	100% 1500 1000	500 0	3950	

Released to Imaging: 5/2/2024 2:12:40 PM

Page 6 of 14

Form C-102 Supersedes C-128 Effective 1-1-65

ľ	uge	U	IJ	1'

I. Operator: Hilcorp Energy Company

II. Type: \square Original \square Amendment due to \square 19.15.27.9.D(6)(a) NMAC \square 19.15.27.9.D(6)(b) NMAC \square Other.

If Other, please describe:

III. Well(s): Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D	Anticipated Gas MCF/D	Anticipated Produced Water BBL/D
Decker 3A	30-045-22320	F-23-32N-12W	1480FNL&1450FWL	0.25	200	3

IV. Central Delivery Point Name: Ignacio Processing Plant [See 19.15.27.9(D)(1) NMAC]

V. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

Well Name	API	Spud Date	TD Reached Date	Completion Commencement Date	Initial Flow Back Date	First Production Date
Decker 3A	30-045-22320					

VI. Separation Equipment: Attach a complete description of how Operator will size separation equipment to optimize gas capture.

VII. Operational Practices: 🛛 Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC.

VIII. Best Management Practices: Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

NATURAL GAS MANAGEMENT PLAN

Section 1 – Plan Description Effective May 25, 2021

OGRID: 372171 Date: 02/26/2024

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

 \boxtimes Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering	Available Maximum Daily Capacity
			Start Date	of System Segment Tie-in

XI. Map. \Box Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural gas gathering system \Box will \Box will not have capacity to gather 100% of the anticipated natural gas production volume from the well prior to the date of first production.

XIII. Line Pressure. Operator \Box does \Box does not anticipate that its existing well(s) connected to the same segment, or portion, of the natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s).

 \Box Attach Operator's plan to manage production in response to the increased line pressure.

XIV. Confidentiality: \Box Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided in Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information for which confidentiality is asserted and the basis for such assertion.

Section 3 - Certifications Effective May 25, 2021

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:

 \boxtimes Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or

 \Box Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. *If Operator checks this box, Operator will select one of the following:*

Well Shut-In. \Box Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or

Venting and Flaring Plan. \Box Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including:

- (a) power generation on lease;
- (b) power generation for grid;
- (c) compression on lease;
- (d) liquids removal on lease;
- (e) reinjection for underground storage;
- (f) reinjection for temporary storage;
- (g) reinjection for enhanced oil recovery;
- (h) fuel cell production; and
- (i) other alternative beneficial uses approved by the division.

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

(a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or

(b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.

2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature: Mattler		
Printed Name: Amanda Walker		
Title: Operations Regulatory Tech Sr.		
E-mail Address: <u>mwalker@hilcorp.com</u>		
Date: 2/26/2024		
Phone: 346-237-2177		
OIL CONSERVATION DIVISION (Only applicable when submitted as a standalone form)		
Approved By:		
Title:		
Approval Date:		
Approval Date: Conditions of Approval:		

VI. Separation Equipment:

Hilcorp Energy Company (HEC or Operator) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our recomplete project. HEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the recomplete to optimize gas capture and send gas to sales or flare based on analytical composition. HEC operates facilities that are typically one-well facilities. Production separation equipment is upgraded prior to well being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the recomplete operations.

VII. Operational Practices:

- 1. Subsection (A) Venting and Flaring of Natural Gas
 - HEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations
 - o This gas capture plan isn't for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion
 - Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
 - Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
 - HEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 1 4.
- 5. Subsection (E) Performance standards
 - All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste.
 - If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.

- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
 - Measurement equipment is installed to measure the volume of natural gas flared from process piping.
 - When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

VIII. Best Management Practices:

- 1. Operator has adequate storage and takeaway capacity for wells it chooses to recomplete as the flowlines at the sites are already in place and tied into a gathering system.
- 2. Operator will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. Operator combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. Operator will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.

Hilcorp Energy Interim Reclamation Plan **DECKER #3A** API: 30-045-22320 F – Sec.23-T032N-R012W Lat: 36.97501, Long: -108.06834 Footage: 1480' FNL & 1450' FWL San Juan County, NM

1. PRE- INTERIM RECLAMATION SITE INSPECTION

- 1.1) A pre-interim reclamation site inspection was completed by Roger Herrera with the BLM and Chad Perkins construction Foreman for Hilcorp Energy on October 17, 2023.
- 1.2) Location surface will be brush hogged or mulched and bladed as required within original disturbance to acquire additional working surface for well recompletion activities.

2. LOCATION INTERIM RECLAMATION PROCEDURE

- 2.1) Interim reclamation work will only be completed after well recompletion.
- 2.2) The interim reclamation work will be completed during spring or fall months.
- 2.3) Location tear drop will be re-defined as applicable for the interim reclamation.
- 2.4) All diversion ditches and silt traps will be cleaned and re-established as applicable for the interim reclamation.
- 2.5) All disturbed areas will be seeded, any disturbed areas that are compacted will be ripped before seeding.
- 2.6) All trash and debris will be removed within 50' buffer outside of the location disturbance during reclamation.

3. ACCESS ROAD RECLAMATION PROCEDURE:

- 3.1) No lease access road issues were identified at the time of onsite.
- 3.2) Lease access road will be maintained as applicable before, during, and after, recompletion activities.

4. SEEDING PROCDURE

- 4.1) A Pinion/Juniper seed mix will be used for all reclaimed and disturbed areas of the location.
- 4.2) Drill seeding will be done where applicable and all other disturbed areas will be broadcast seeded and harrowed, broadcast seeding will be applied at a double the rate of seed.
- 4.3) Timing of the seeding will take place when the ground is not frozen or saturated.

5. WEED MANAGEMENT

5.1) No action is required at this time for weed management, no noxious weeds were identified during the onsite.

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	317853
	Action Type:
	[C-103] NOI Recompletion (C-103E)

CONDITIONS

Created By	Condition	Condition Date
dmcclure	Notify NMOCD 24 Hours Prior to beginning operations.	5/2/2024
dmcclure	All conducted logs shall be submitted to the Division as a [UF-WL] EP Well Log Submission (WellLog).	5/2/2024
dmcclure	The appropriate compliance officer supervisor shall be consulted and remedial action conducted as directed if the cement sheath around the casing is not adequate to protect the casing and isolate strata from: (a) the uppermost perforation in each added pool to at least 150 feet above that perforation; and (b) the lowermost perforation in each added pool to at least 150 feet above that perforation; and (b)	5/2/2024
dmcclure	Once work is conducted, submit a C-104 Packet with the C-103T and amended C-104 and C-105 with the updated perf range. On the C-104 code the "Reason for Filing" as OAP.	5/2/2024

CONDITIONS

Action 317853