

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: DALSANT Well Location: T32N / R12W / SEC 24 / County or Parish/State: SAN

NWSE / 36.968216 / -108.044295 JUAN / NM

Well Number: 1B Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

WELL

Lease Number: NMSF078147 Unit or CA Name: DALSANT Unit or CA Number:

NMNM104846, NMNM73141

US Well Number: 3004530547 Well Status: Producing Gas Well Operator: HILCORP ENERGY

COMPANY

#### **Notice of Intent**

**Sundry ID: 2771558** 

Type of Submission: Notice of Intent

Type of Action: Workover Operations

Date Sundry Submitted: 01/24/2024 Time Sundry Submitted: 12:31

Date proposed operation will begin: 05/01/2024

**Procedure Description:** Hilcorp Energy Company requests permission to add pay to the existing Mesaverde formation in the subject well. Please see the attached procedure, current and proposed wellbore diagram, plat, natural gas management plan and reclamation plan. A Pre-Reclamation Onsite was conducted on 10/17/2023 with Roger Herrera/BLM. A closed loop system will be used.

# **Surface Disturbance**

Is any additional surface disturbance proposed?: No

# **NOI Attachments**

## **Procedure Description**

Dalsant\_1B\_NOI\_20240124123056.pdf

County or Parish/State: SAN 2 of Well Location: T32N / R12W / SEC 24 /

NWSE / 36.968216 / -108.044295

Well Number: 1B

Type of Well: CONVENTIONAL GAS

**Allottee or Tribe Name:** 

Unit or CA Name: DALSANT Lease Number: NMSF078147 **Unit or CA Number:** 

NMNM104846, NMNM73141

**US Well Number:** 3004530547 Well Status: Producing Gas Well **Operator: HILCORP ENERGY** 

COMPANY

JUAN / NM

# **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

**Operator Electronic Signature: AMANDA WALKER** Signed on: JAN 24, 2024 12:31 PM

Name: HILCORP ENERGY COMPANY Title: Operations/Regulatory Technician

Street Address: 1111 TRAVIS ST

City: HOUSTON State: TX

Phone: (346) 237-2177

Email address: MWALKER@HILCORP.COM

# **Field**

**Representative Name:** 

**Street Address:** 

City: State: Zip:

Phone:

**Email address:** 

# **BLM Point of Contact**

**BLM POC Name: KENNETH G RENNICK BLM POC Title:** Petroleum Engineer

**BLM POC Phone:** 5055647742 BLM POC Email Address: krennick@blm.gov

**Disposition:** Approved Disposition Date: 01/24/2024

Signature: Kenneth Rennick




# HILCORP ENERGY COMPANY DALSANT #1B MESAVERDE RECOMPLETE SUNDRY API 3004530547

#### JOB PROCEDURES

- 1. MIRU workover rig and associated equipment; NU and test BOP.
- 2. TOOH with tubing.
- 3. Set a plug within 50' of the top <code>Dakota</code> perforation (7,594') for zonal isolation.
- 4. Set a plug within 50' of the top Mesaverde perforation (5,191') for zonal isolation.
- 5. Load hole with fluid. RU WL and run CBL to verify TOC. Review results with operations engineer and regulatory agencies.
- 6. Perform MIT on casing with NMOCD witness (notify NMOCD 24+ hours before test) and submit results to regulatory group.
- 7. If frac'ing down casing: pressure test casing to frac pressure.
- 8. RU WL. Perforate the Mesaverde. Top perforation @ 4,599', bottom perforation @ 5,191'.
- 9. If frac'ing down frac string: RIH w/ frac string and packer.
- 10. ND BOP, NU frac stack. Pressure test frac stack to frac pressure. Pressure test frac string (if applicable) to frac pressure. RDMO.
- 11. RU stimulation crew. Frac the Mesaverde in one or more stages. Set plugs in between stages, if necessary.
- 12. MIRU workover rig and associated equipment; NU and test BOP.
- 13. If frac was performed down frac string: POOH w/ frac string and packer.
- 14. TIH with mill and clean out to isolation plug.
- 15. Mill out isolation plugs. Cleanout to PBTD. TOOH with cleanout assembly.
- 16. TIH and land production tubing. Flowback the well. Return well to production.




# HILCORP ENERGY COMPANY DALSANT #1B MESAVERDE RECOMPLETE SUNDRY





# HILCORP ENERGY COMPANY DALSANT #1B MESAVERDE RECOMPLETE SUNDRY



District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 **District III** 

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV** 

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr.

**Santa Fe, NM 87505** 

Form C-102 August 1, 2011

Permit 358362

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

| 1. API Number          | 2. Pool Code                               | 3. Pool Name                    |
|------------------------|--|---------------------------------|
| 30-045-30547           | 72319                                      | BLANCO-MESAVERDE (PRORATED GAS) |
| 4. Property Code       | 5. Property Name                           | 6. Well No.                     |
| 319152                 | DALSANT                                    | 001B                            |
| 7. OGRID No.<br>372171 | 8. Operator Name<br>HILCORP ENERGY COMPANY | 9. Elevation 6535               |

#### 10, Surface Location

| UL - Lot | Section | Township | Range | Lot Idn | Feet From | N/S Line | Feet From | E/W Line | County   |
|----------|---------|----------|-------|---------|-----------|----------|-----------|----------|----------|
| J        | 24      | 32N      | 12W   |         | 1610      | S        | 1835      | E        | SAN JUAN |

#### 11. Bottom Hole Location If Different From Surface

| UL - Lot                   | Section | Township            | Range | Lot Idn           | Feet From | N/S Line | Feet From     | E/W Line | County |
|----------------------------|---------|---------------------|-------|-------------------|-----------|----------|---------------|----------|--------|
| 12. Dedicated Acres 320.00 |         | 13. Joint or Infill |       | 14. Consolidation | n Code    |          | 15. Order No. |          |        |

#### NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

#### **OPERATOR CERTIFICATION**

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Watter

Title: Operations Regulatory Tech Sr.

Date: 1/24/2024

#### **SURVEYOR CERTIFICATION**

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Roy Rush
Date of Survey: 9/12/2000
Certificate Number: 8894

# State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

# NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

# Section 1 – Plan Description Effective May 25, 2021

| I. Operator: Hilcorp Energy Company   |            |              |        |      | 00                                   | GRID: | 372171                   | <b>Date:</b> <u>1/24/2024</u> |  |
|---|------------|--------------|--------|------|--------------------------------------|-------|--------------------------|-------------------------------|--|
| II. Type: ⊠ Original □ Amendment due to □ 19.15.27.9.D(6)(a) NMAC □ 19.15.27.9.D(6)(b) NMAC □ Other.  |            |              |        |      |                                      |       |                          |                               |  |
| If Other, please  | e describe | »:           |        |      |                                      |       |                          |                               |  |
|   |            |              |        |      | new or recomple<br>entral delivery p |       | ll or set of wells       | proposed to be dri            | lled or proposed to                    |
| Well Name   | AP         | I            | ULSTR  |      | Footages                             |       | Anticipated<br>Oil BBL/D | Anticipated<br>Gas MCF/D      | Anticipated<br>Produced Water<br>BBL/D |
| Dalsant 1B  | 3004530    | )547 J,24,32 | 2N,12W | 1610 | 0' FSL & 1835'                       | FEL   | 0.25                     | 200                           | _3                                     |
|   |            |              |        |      |                                      |       |                          |                               |  |
| V. Anticipated Schedule: Provide the proposed to be recompleted from a sing  Well Name API  |            |              | or con |      | al deliv                             |       | Initial Flow Back Date   | First Production Date         |  |
| Dalsant 1B  |            | 3004530547   |        |      |                                      |       |                          |                               |  |
| VI. Separation Equipment:   Attach a complete description of how Operator will size separation equipment to optimize gas capture.  VII. Operational Practices:   Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC.  VIII. Best Management Practices:   Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance. |            |              |        |      |                                      |       |                          |                               |  |

# Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

☑ Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

### IX. Anticipated Natural Gas Production:

| Well | API | Anticipated Average<br>Natural Gas Rate MCF/D | Anticipated Volume of Natural Gas for the First Year MCF |
|------|-----|---|--|
|      |     |   |  |
|      |     |   |  |

#### X. Natural Gas Gathering System (NGGS):

| Operator | System | ULSTR of Tie-in | Anticipated Gathering | Available Maximum Daily Capacity |
|----------|--------|-----------------|-----------------------|----------------------------------|
|          |        |                 | Start Date            | of System Segment Tie-in         |
|          |        |                 |                       |                                  |
|          |        |                 |                       |                                  |

| XI. Map. $\square$ Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the |
|---|
| production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of       |
| the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.   |

| XII. Line Capacity. The natural gas gathering system $\square$ will $\square$ will not have capacity to gather 100% of the a | nticipated natural gas |
|--|------------------------|
| production volume from the well prior to the date of first production.   |                        |

| XIII. Line Pressure. Operator $\square$ does $\square$ does not anticipate that its existing well(s) connected to the same segment, or por | tion, of the |
|--|--------------|
| natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the ne              | w well(s).   |

|   | Attach ( | Operator | e nlan t  | o manage | production | in response | to the | increased | lina | proceiire |
|---|----------|----------|-----------|----------|------------|-------------|--------|-----------|------|-----------|
| ш | Attach • | Oberator | 's bian i | o manage | production | in response | TO The | increased | iine | pressure  |

| XIV. Confidentiality: $\square$ Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided  | ı ın |
|---|------|
| Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information of the | tion |
| for which confidentiality is asserted and the basis for such assertion.   |      |

(i)

# Section 3 - Certifications Effective May 25, 2021

|   | <u>=====================================</u>  |
|---|---|
| Operator certifies that, a                        | fter reasonable inquiry and based on the available information at the time of submittal:  |
| one hundred percent of                            | to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport<br>the anticipated volume of natural gas produced from the well(s) commencing on the date of first production,<br>current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering   |
| hundred percent of the a into account the current | able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one inticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. box, Operator will select one of the following: |
| Well Shut-In. □ Operat<br>D of 19.15.27.9 NMAC    | for will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection ; or   |
| -   | lan.   Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential   |
| alternative beneficial use                        | es for the natural gas until a natural gas gathering system is available, including:  |
| (a)   | power generation on lease;  |
| <b>(b)</b>  | power generation for grid;  |
| (c)   | compression on lease;   |
| <b>(d)</b>  | liquids removal on lease;   |
| (e)   | reinjection for underground storage;  |
| <b>(f)</b>  | reinjection for temporary storage;  |
| <b>(g)</b>  | reinjection for enhanced oil recovery;  |
| (h)   | fuel cell production; and   |

# **Section 4 - Notices**

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

other alternative beneficial uses approved by the division.

- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

| Signature: Allateler                                  |
|---|
| Printed Name: Amanda Walker                           |
| Title: Operation Regulatory Tech Sr.                  |
| E-mail Address: mwalker@hilcorp.com                   |
| Date: 1/24/2024                                       |
| Phone: 346.237.2177                                   |
| OIL CONSERVATION DIVISION                             |
| (Only applicable when submitted as a standalone form) |
| Approved By:  |
| Title:  |
| Approval Date:  |
| Conditions of Approval:                               |
|   |
|   |
|   |
|   |

### VI. Separation Equipment:

Hilcorp Energy Company (HEC or Operator) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our recomplete project. HEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the recomplete to optimize gas capture and send gas to sales or flare based on analytical composition. HEC operates facilities that are typically one-well facilities. Production separation equipment is upgraded prior to well being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the recomplete operations.

## VII. Operational Practices:

- 1. Subsection (A) Venting and Flaring of Natural Gas
  - HEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations
  - o This gas capture plan isn't for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion
  - o Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
  - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations
  - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
  - o Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
  - o HEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 1-4.
- 5. Subsection (E) Performance standards
  - o All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste.
  - o If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
  - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.

- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
  - o Measurement equipment is installed to measure the volume of natural gas flared from process piping.
  - o When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

## VIII. Best Management Practices:

- 1. Operator has adequate storage and takeaway capacity for wells it chooses to recomplete as the flowlines at the sites are already in place and tied into a gathering system.
- 2. Operator will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. Operator combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. Operator will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.

Hilcorp Energy Interim Reclamation Plan

#### DALSANT #1B

API: 30-045-30547 J – Sec.24-T032N-R012W Lat: 36.96817, Long: -108.04368 Footage: 1610' FSL & 1835' FEL San Juan County, NM

#### 1. PRE- INTERIM RECLAMATION SITE INSPECTION

- 1.1) A pre-interim reclamation site inspection was completed by Roger Herrera with the BLM and Chad Perkins construction Foreman for Hilcorp Energy on October 17, 2023.
- 1.2) Location surface will be brush hogged or mulched and bladed as required within original disturbance to acquire additional working surface for well recompletion activities.

#### 2. LOCATION INTERIM RECLAMATION PROCEDURE

- 2.1) Interim reclamation work will only be completed after well recompletion.
- 2.2) The interim reclamation work will be completed during spring or fall months.
- 2.3) Location tear drop will be re-defined as applicable for the interim reclamation.
- 2.4) All diversion ditches and silt traps will be cleaned and re-established as applicable for the interim reclamation.
- 2.5) All disturbed areas will be seeded, any disturbed areas that are compacted will be ripped before seeding.
- 2.6) All trash and debris will be removed within 50' buffer outside of the location disturbance during reclamation.

#### 3. ACCESS ROAD RECLAMATION PROCEDURE:

- 3.1) No lease access road issues were identified at the time of onsite.
- 3.2) Lease access road will be maintained as applicable before, during, and after, recompletion activities.

#### 4. SEEDING PROCDURE

- 4.1) A Pinion/Juniper seed mix will be used for all reclaimed and disturbed areas of the location.
- 4.2) Drill seeding will be done where applicable and all other disturbed areas will be broadcast seeded and harrowed, broadcast seeding will be applied at a double the rate of seed.
- 4.3) Timing of the seeding will take place when the ground is not frozen or saturated.

#### 5. WEED MANAGEMENT

5.1) No action is required at this time for weed management, no noxious weeds were identified during the onsite.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 311160

#### **CONDITIONS**

| Operator:              | OGRID:                            |
|------------------------|-----------------------------------|
| HILCORP ENERGY COMPANY | 372171                            |
| 1111 Travis Street     | Action Number:                    |
| Houston, TX 77002      | 311160                            |
|                        | Action Type:                      |
|                        | [C-103] NOI Recompletion (C-103E) |

#### CONDITIONS

| Created By | Condition  | Condition<br>Date |
|------------|--|-------------------|
| dmcclure   | Notify NMOCD 24 Hours Prior to beginning operations.   | 5/2/2024          |
| dmcclure   | All conducted logs shall be submitted to the Division as a [UF-WL] EP Well Log Submission (WellLog).   | 5/2/2024          |
| dmcclure   | The appropriate compliance officer supervisor shall be consulted and remedial action conducted as directed if the cement sheath around the casing is not adequate to protect the casing and isolate strata from: (a) the uppermost perforation in each added pool to at least 150 feet above that perforation; and (b) the lowermost perforation in each added pool to at least 100 feet below that perforation. | 5/2/2024          |
| dmcclure   | Once work is conducted, submit a C-104 Packet with the C-103T and amended C-104 and C-105 with the updated perf range. On the C-104 code the "Reason for Filing" as OAP.   | 5/2/2024          |