

Submit a Copy To Appropriate District

Office

District I – (575) 393-6161

1625 N. French Dr., Hobbs, NM 88240

District II – (575) 748-1283

811 S. First St., Artesia, NM 88210

District III – (505) 334-6178

1000 Rio Brazos Rd., Aztec, NM 87410

District IV – (505) 476-3460

1220 S. St. Francis Dr., Santa Fe, NM

87505

State of New Mexico
Energy, Minerals and Natural ResourcesForm C-103
Revised July 18, 2013OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

| |
|---|
| WELL API NO. 30-025-51917 |
| 5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> |
| 6. State Oil & Gas Lease No. 98333 |
| 7. Lease Name or Unit Agreement Name CAPTAN 22301 32 5 STATE COM |
| 8. Well Number 5H |
| 9. OGRID Number 260297 |
| WC-025 G-09 S173615C; UPPER PENN |
| 10. Pool name or Wildcat |

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐2. Name of Operator
BTA OIL PRODUCERS, LLC3. Address of Operator
104 S. PECOS; MIDLAND, TX 797014. Well Location
Unit Letter_D_ 250 feet from the NORTH line and 1300 feet from the WEST line
Section 32 Township 16S Range 36E County LEA11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3925

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☒
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS ☐ P AND A ☐
 CASING/CEMENT JOB ☐
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

BTA is requesting an exemption from the tubing requirements in 19.15.16.10.J(3) NMAC.

BTA respectfully requests the ability to modify our procedure to set the first packer run higher, and subsequently returning to the wells and setting packers deeper once flow rates and pressures have subsided (albeit still more than 250ft). This will give BTA a safer and more reliable operation.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE *Katy Reddell* TITLE: REGULATORY ANALYST DATE 5/06/2024Type or print name KATY REDDELL_ E-mail address: kreddell@btaoil.com PHONE: 432-628-3753**For State Use Only**

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102 Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

| | | |
|---|--|--|
| ¹ API Number 30-025-51917 | ² Pool Code 98333 | ³ Pool Name WC-025 G-09 S173615C; UPPER PENN |
| ⁴ Property Code 334679 | ⁵ Property Name CAPITAN 22301 32-5 STATE COM | ⁶ Well Number 5H |
| ⁷ OGRID No. 260297 | ⁸ Operator Name BTA OIL PRODUCERS, LLC | ⁹ Elevation 3925' |

¹⁰ Surface Location

| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| D | 32 | 16S | 36E | | 250 | NORTH | 1300 | WEST | LEA |

¹¹ Bottom Hole Location If Different From Surface

| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| M | 5 | 17S | 36E | | 54 | SOUTH | 661 | WEST | LEA |

| | | | |
|---|-------------------------------|----------------------------------|-------------------------|
| ¹² Indicated Acres 319.17 | ¹³ Joint or Infill | ¹⁴ Consolidation Code | ¹⁵ Order No. |
|---|-------------------------------|----------------------------------|-------------------------|

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

| | | |
|--|---|---|
| <p>SURFACE HOLE LOCATION 250' FNL 1300' FWL, SECTION 32 0' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 833583.63' / Y: 687037.28' LAT: 32.88506070N / LON: 103.38132731W NAD 27, SPCS NM EAST X: 792405.49' / Y: 686972.67' LAT: 32.88494078N / LON: 103.38083029W</p> <p>KICK OFF POINT/FIRST TAKE POINT 403' FNL 641' FWL, SECTION 32 11500' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 832925.90' / Y: 686875.59' LAT: 32.88463263N / LON: 103.38347437W NAD 27, SPCS NM EAST X: 791747.76' / Y: 686810.96' LAT: 32.88451266N / LON: 103.38297732W</p> <p>LAST TAKE POINT 109' FSL 659' FWL, SECTION 5 21595' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 833064.49' / Y: 676806.08' LAT: 32.85695572N / LON: 103.38331817W NAD 27, SPCS NM EAST X: 791886.05' / Y: 676741.68' LAT: 32.85683554N / LON: 103.38282222W</p> <p>BOTTOM HOLE LOCATION 54' FSL 661' FWL, SECTION 5 21650' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 833066.41' / Y: 676751.12' LAT: 32.85680463N / LON: 103.38331352W NAD 27, SPCS NM EAST X: 791887.97' / Y: 676686.73' LAT: 32.85668445N / LON: 103.38281758W</p> | <p>CORNER COORDINATES NAD 83, SPCS NM EAST A - X: 834938.78' / Y: 687304.50' B - X: 834983.12' / Y: 684661.51' C - X: 835027.53' / Y: 682014.45' D - X: 835036.29' / Y: 679368.43' E - X: 835045.05' / Y: 676723.09' F - X: 832406.53' / Y: 676688.49' G - X: 832375.52' / Y: 679334.16' H - X: 832392.39' / Y: 682016.93' I - X: 832307.56' / Y: 684628.01' J - X: 832281.24' / Y: 687270.77'</p> <p>CORNER COORDINATES NAD 27, SPCS NM EAST A - X: 793760.65' / Y: 687239.93' B - X: 793804.91' / Y: 684597.00' C - X: 793849.24' / Y: 681950.00' D - X: 793857.93' / Y: 679304.05' E - X: 793866.61' / Y: 676658.76' F - X: 791228.09' / Y: 676624.08' G - X: 791197.16' / Y: 679269.68' H - X: 791214.11' / Y: 681952.39' I - X: 791129.35' / Y: 684563.41' J - X: 791103.11' / Y: 687206.11'</p> | <p>¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</p> <p>Katy Reddell 4/1/2024 Signature Date KATY REDDELL Printed Name kreddell@btaoil.com E-mail Address</p> <p>¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Data used for underground measurements were provided by others for reference only and does not constitute field measurements performed by Delta Field Services.</p> <p><i>Lloyd P. Short</i> Date of Survey: MARCH 22, 2024 Signature and Seal of Professional Surveyor</p> <p>LLOYD P. SHORT NEW MEXICO 21653 PROFESSIONAL SURVEYOR</p> |
|--|---|---|

SHEET 1 OF 1
JOB No. BTA_0015_CP
REV 1 BM 3/21/2024

Distances/areas relative to NAD 83 grid measurements. Combined Scale Factor: 0.99981955 and a Convergence Angle: 0.504669°

Submit 1 Copy To Appropriate District

Office

District I – (575) 393-6161

1625 N. French Dr., Hobbs, NM 88240

District II – (575) 748-1283

811 S. First St., Artesia, NM 88210

District III – (505) 334-6178

1000 Rio Brazos Rd., Aztec, NM 87410

District IV – (505) 476-3460

1220 S. St. Francis Dr., Santa Fe, NM

87505

State of New Mexico
Energy, Minerals and Natural ResourcesForm C-103
Revised July 18, 2013OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.

30-025-51917

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

98333

7. Lease Name or Unit Agreement Name

CAPTAN 22301 32 5 STATE COM

8. Well Number 5H

9. OGRID Number

260297

WC-025 G-09 S173615C; UPPER PENN

0. Pool name or Wildcat

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

BTA OIL PRODUCERS, LLC

3. Address of Operator

104 S. PECOS; MIDLAND, TX 79701

4. Well Location

Unit Letter_D_ 250 feet from the NORTH line and 1300 feet from the WEST line

Section 32 Township 16S Range 36E County LEA

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3925

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐TEMPORARILY ABANDON ☐ CHANGE PLANS ☒PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐DOWNHOLE COMMINGLE ☐CLOSED-LOOP SYSTEM ☐OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐COMMENCE DRILLING OPNS ☐ P AND A ☐CASING/CEMENT JOB ☐OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

BTA is requesting an exemption from the tubing requirements in 19.15.16.10.J(3) NMAC.

BTA respectfully requests the ability to modify our procedure to set the first packer run higher, and subsequently returning to the wells and setting packers deeper once flow rates and pressures have subsided (albeit still more than 250ft). This will give BTA a safer and more reliable operation.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE *Katy Reddell* TITLE: REGULATORY ANALYST

DATE 5/06/2024

Type or print name KATY REDDELL_ E-mail address: kreddell@btaoil.com PHONE: 432-628-3753**For State Use Only**

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 341283

CONDITIONS

| | |
|---|--|
| Operator: BTA OIL PRODUCERS, LLC 104 S Pecos Midland, TX 79701 | OGRID: 260297 |
| | Action Number: 341283 |
| | Action Type: [C-103] NOI Change of Plans (C-103A) |

CONDITIONS

| | | |
|------------|-----------|----------------|
| Created By | Condition | Condition Date |
| pkautz | None | 5/6/2024 |