Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

DEI	AKTIVILINI OF THE INTE	KIOK			r			
BUREAU OF LAND MANAGEMENT					5. Lease Serial No. NMNM127447			
Do not use this t	IOTICES AND REPORTS form for proposals to di Use Form 3160-3 (APD)	rill or to	re-enter an		Indian, Allottee o	r Tribe	Name	
SUBMIT IN	TRIPLICATE - Other instruction	ns on page	2	7. If	Unit of CA/Agree	ement,	Name and/or No.	
1. Type of Well				0 W	-11 Nr J Nr-			
✓ Oil Well Gas Well Other					8. Well Name and No. PAR THREE FED COM 25 36 06/105H			
2. Name of Operator AMEREDEV OPERATING LLC				9. AI	9. API Well No. 3002549630			
3a. Address 2901 VIA FORTUNA, SUITE 600, AUSTIN, TX 74 3b. Phone No. (include area code) (737) 300-4700				´	10. Field and Pool or Exploratory Area JAL/WOLFCAMP WEST			
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) SEC 6/T25S/R36E/NMP					11. Country or Parish, State LEA/NM			
12. CHE	CK THE APPROPRIATE BOX(E	S) TO INDI	CATE NATURE	E OF NOTICE, R	EPORT OR OTH	IER D	ATA	
TYPE OF SUBMISSION			TYI	PE OF ACTION				
Notice of Intent	Acidize	Deeper	ı	Production	(Start/Resume)		Water Shut-Off	
	Alter Casing	Hydrau	lic Fracturing	Reclamation	on		Well Integrity	
Subsequent Report	Casing Repair		onstruction	Recomplet		V	Other	
Final Abandonment Notice	Change Plans Convert to Injection	Plug an	d Abandon ock	Temporari Water Disp	ly Abandon posal			
Pump: Pump 40 bbl weighted 0.05% C-45 Econolite * 0.12% 10.50 ppg, 2.90 yield, 16.53 g 0.1%C-45 Econolite * 0.05% C	L-80 BTC Set @ 11,084'; Hole spacer. Pump 1000sx / 517 bb 6 CSA-10000FLA * 3.2#/skHGS gal/sks. Pump 270sx / 62 bbls T Citric Acid * 0.06%CSA-1000 FL m 30 minute casing test, 2500 p	ols Lead Ce S-7K32 Low all Cement A * 4%STE	ment (100%HS) Density Addit (50% Class H * 0.3%CFL-1	SLD 77 Cemen ive * 4% STE * Premium * 25% * 0.9#/sk Salt)	t * 0.3%C-23 Hi 2.5#/sk Phenos % Compass Poz at 14.20ppg, 1.	gh Te seal * ; z Mix * 29 yie	mp Retarder * 3#/sk KolSeal) at 25% CPO18 * Id, 5.90 gal/sk.	
14. I hereby certify that the foregoing is true and correct. Name (<i>Printed/Typed</i>) CHRISTIE HANNA / Ph: (737) 300-4723			Senior Engineering Technician Title					
Signature Christie Hanna		I	Date		04/01/2	022		
	THE SPACE FO	R FEDE	RAL OR ST	ATE OFICE	USE			
Approved by			Dates	oloum Engines:			04/49/2022	
Jonathon W Shepard / Ph: (575) 2			Title	oleum Engineer		Date	04/18/2022	
Conditions of approval, if any, are attack certify that the applicant holds legal or each which would entitle the applicant to con	equitable title to those rights in the			RLSBAD				
Title 18 U.S.C Section 1001 and Title 4	3 U.S.C Section 1212, make it a cr	rime for any	person knowing	ly and willfully	to make to any de	partme	ent or agency of the United States	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United State any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

Additional Information

Location of Well

0. SHL: NWNE / 200 FNL / 1800 FEL / TWSP: 25S / RANGE: 36E / SECTION: 6 / LAT: 32.1661497 / LONG: -103.3013178 (TVD: 0 feet, MD: 0 feet) PPP: NWSE / 2640 FSL / 2309 FEL / TWSP: 25S / RANGE: 36E / SECTION: 6 / LAT: 32.1594566 / LONG: -103.3030367 (TVD: 11743 feet, MD: 14622 feet) PPP: NWNE / 100 FNL / 2318 FEL / TWSP: 25S / RANGE: 36E / SECTION: 6 / LAT: 32.1664269 / LONG: -103.3029903 (TVD: 11743 feet, MD: 12086 feet) BHL: SWSE / 50 FSL / 2318 FEL / TWSP: 25S / RANGE: 36E / SECTION: 7 / LAT: 32.137796 / LONG: -103.3031808 (TVD: 11743 feet, MD: 22503 feet)



U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report 6

Well Name: PAR THREE FED COM 25 Well Location: T25S / R36E / SEC 6 / County or Parish/State: LEA /

36 06 NWNE / 32.1661497 / -103.3013178

Well Number: 105H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM127447 Unit or CA Name: Unit or CA Number:

US Well Number: 300254963000X1 Well Status: Drilling Well Operator: AMEREDEV

OPERATING LLC

Subsequent Report

Sundry ID: 2664947

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 04/01/2022 Time Sundry Submitted: 09:47

Date Operation Actually Began: 02/22/2022

Actual Procedure:

Spud Date: 01/06/2022; Casing Ran: 7.625" 29.7# HC L-80 BTC Set @ 11,084'; Hole Size: 9.875"; Hole Depth: 11,092';

Cement Job Date: 02/22/22 @ 20:00 Pump: Pump 40 bbl weighted spacer. Pump 1000 sx / 517 bbls Lead Cement (100% HSLD 77 Cement * 0.3%C-23 High Temp Retarder * 0.05% C-45 Econolite * 0.12% CSA-10000 FLA * 3.2#/sk HGS-7K32 Low Density Additive * 4% STE * 2.5#/sk Phenoseal * 3#/sk KolSeal) at 10.50 ppg, 2.90 yield, 16.53 gal/sks. Pump 270 sx / 62 bbls Tail Cement (50% Class H Premium * 25% Compass Poz Mix * 25% CPO18 * 0.1%C-45 Econolite * 0.05% Citric Acid * 0.06%CSA-1000 FLA * 4%STE * 0.3% CFL-1 * 0.9#/sk Salt) at 14.20 ppg, 1.29 yield, 5.90 gal/sk. Drop plug, bump plug, perform 30 minute casing test, 2500 psi, good test. Full returns throughout job, 168 sx / 87 bbls back to surface.

Rig release date: 03/11/2022 @ 13:00

Page 1 of 2

recived by OCD: 4/30/2024 8:07:14 AM Well Name: PAR THREE FED COM 25 Well Location: T25S / R36E / SEC 6 / County or Parish/State: LEAR

36 06 NWNE / 32.1661497 / -103.3013178

Mall Name Lang AGELL Transport Mall Oil WELL Allaston on Talla Name

Well Number: 105H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM127447 Unit or CA Name: Unit or CA Number:

US Well Number: 300254963000X1 **Well Status:** Drilling Well **Operator:** AMEREDEV

OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: CHRISTIE HANNA Signed on: APR 01, 2022 09:46 AM

Name: AMEREDEV OPERATING LLC

Title: Senior Engineering Technician

Street Address: 2901 VIA FORTUNA, SUITE 600

City: AUSTIN State: TX

Phone: (737) 300-4723

Email address: CHANNA@AMEREDEV.COM

Field Representative

Representative Name: Shane McNeely

Street Address: 2901 VIA FORTUNA STE. 600

City: AUSTIN State: TX Zip: 78746

Phone: (737)300-4729

Email address: smcneely@ameredev.com

BLM Point of Contact

BLM POC Name: Jonathon W Shepard BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted **Disposition Date:** 04/17/2022

Signature: Jonathon Shepard

Page 2 of 2

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 338962

CONDITIONS

Operator:	OGRID:
AMEREDEV OPERATING, LLC	372224
2901 Via Fortuna	Action Number:
Austin, TX 78746	338962
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	5/7/2024