

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: AGU Well Location: T22S / R36E / SEC 2 / County or Parish/State: LEA /

SESE / 32.4172026 / -103.2276468

Well Number: 359 Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: STATE Unit or CA Name: ARROWHEAD Unit or CA Number:

GRAYBURG UNIT NMNM84642X

Accepted for record only BLM approval required NMOCD 5/15/24 X 🗡

## **Notice of Intent**

**Sundry ID: 2789378** 

Type of Submission: Notice of Intent

Type of Action: Plug Back

Date Sundry Submitted: 05/09/2024 Time Sundry Submitted: 02:07

Date proposed operation will begin: 05/20/2024

**Procedure Description:** The CIBP will act as a barrier to isolate the lower zones of the Grayburg formation as this workover tests the upper zones. Due to the distance between the lowest perf and the CIBP setting depth, we are unable to spot or bail the amount of cement that would suffice the BLM's requirements. The CIBP will be drilled out prior to the well being plugged & abandoned as is required by the BLM and NMOCD.

### **Surface Disturbance**

Is any additional surface disturbance proposed?: No

### **NOI Attachments**

### **Procedure Description**

AGU\_359\_BLM\_Package\_04232024\_NS\_20240509140713.pdf

Page 1 of 2

eceived by OCD: 5/10/2024 7:14:52 AM Well Name: AGU

Well Location: T22S / R36E / SEC 2 /

SESE / 32.4172026 / -103.2276468

County or Parish/State: LEA/

NM

Well Number: 359

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: STATE

Unit or CA Name: ARROWHEAD

**GRAYBURG UNIT** 

**Unit or CA Number:** 

NMNM84642X

**US Well Number: 300253542300S1** 

Operator: EMPIRE NEW MEXICO LLC

## **Conditions of Approval**

### **Specialist Review**

AGU 359 2789378 PROCEDURE AND COA 20240509183542.pdf

## **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: NATHAN SANDEL Signed on: MAY 09, 2024 02:07 PM

Name: EMPIRE NEW MEXICO LLC

Title: Engineer

Street Address: 25025 INTERSTATE 45 STE 420

City: THE WOODLANDS State: TX

Phone: (918) 404-4202

Email address: NSANDEL@EMPIREPETROCORP.COM

#### **Field**

**Representative Name:** 

**Street Address:** 

City: State: Zip:

Phone:

**Email address:** 

## **BLM Point of Contact**

**BLM POC Name:** KEITH P IMMATTY **BLM POC Title:** ENGINEER

**BLM POC Phone:** 5759884722 **BLM POC Email Address:** KIMMATTY@BLM.GOV

**Disposition:** Approved **Disposition Date:** 05/09/2024

Signature: KEITH IMMATTY

Page 2 of 2

Form 3160-5

# UNITED STATES

FORM APPROVEI	)
OMB No. 1004-013	7
Expires: October 31, 2	02

(June 2019)	DEPARTMENT OF THE INTERIOR			Expires: October 31, 2021				
				5. Lease Serial No.				
	not use this	NOTICES AND REPO form for proposals t Use Form 3160-3 (A	o drill or to re-	enter an		6. If Indian, Allottee or	Tribe	e Name
	SUBMIT IN	TRIPLICATE - Other instru	ıctions on page 2			7. If Unit of CA/Agree	ment,	Name and/or No.
1. Type of Well						9 Wall Name and No.		
	Well Gas V	Vell Other				8. Well Name and No.		
2. Name of Operar	tor					9. API Well No.		
3a. Address			3b. Phone No. (inclu	de area code,	)	10. Field and Pool or E	xplor	atory Area
4. Location of We	ll (Footage, Sec., T.,I	R.,M., or Survey Description)				11. Country or Parish,	State	
	12. CHE	CK THE APPROPRIATE B	OX(ES) TO INDICA	ΓE NATURE	OF NOTI	CE, REPORT OR OTH	ER D	ATA
TYPE OF S	SUBMISSION			TYP	E OF ACT	TION		
Notice of I	ntent	Acidize	Deepen		Prod	uction (Start/Resume)		Water Shut-Off
		Alter Casing	Hydraulic 1	-	Recla	amation		Well Integrity
Subsequent	Report	Casing Repair	New Const		=	mplete		Other
Final Aban	donment Notice	Change Plans Convert to Injection	Plug and A Plug Back		= '	oorarily Abandon r Disposal		
is ready for in	nal inspection.)							
14. I haraby cartify	that the foregoing is	true and correct. Name (Pri	inted/Timed)					
	that the folegoing is	rtue and correct. Warne (177	Title	;				
Signature			Date	;				
		THE SPACE	FOR FEDERA	L OR ST	ATE OF	ICE USE		
Approved by				Tr'd				
Conditions of appr	oval if any are attac	hed. Approval of this notice	does not warrant or	Title		L	ate	
		equitable title to those rights		Office				

which would entitle the applicant to conduct operations thereon. Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States

(Instructions on page 2)

any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

#### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

#### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

#### **NOTICES**

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

### **Additional Information**


### **Location of Well**

 $0. \ SHL: \ SESE\ /\ 1310\ FSL\ /\ 50\ FEL\ /\ TWSP: \ 22S\ /\ RANGE: \ 36E\ /\ SECTION: \ 2\ /\ LAT: \ 32.4172026\ /\ LONG: \ -103.2276468\ (\ TVD: \ 0\ feet,\ MD: \ 0\ feet\ )$   $BHL: \ SESE\ /\ 1310\ FSL\ /\ 50\ FEL\ /\ TWSP: \ 22S\ /\ SECTION: \ /\ LAT: \ 0.0\ /\ LONG: \ 0.0\ (\ TVD: \ 0\ feet,\ MD: \ 0\ feet\ )$ 


## **Procedure**


- 1. MIRU WOR.
- 2. Load well with FSW.
- 3. MIRU spool and POOH with cable and ESP if present.
- 4. ND WH and NU BOP.
- 5. Release packer, RIH to tag for fill, then scan tubing OOH.
- 6. RIH with bit and scraper to 3750'. POOH.
- 7. MIRU WLU and RIH with 7" CIBP to 3740'. Pressure test to 500 psi.
  - a. The CIBP will act as a barrier to isolate the lower zones of the Grayburg formation as this workover tests the upper zones. Due to the distance between the lowest perf and the CIBP setting depth, we are unable to spot or bail the amount of cement that would suffice the BLM's requirements. The CIBP will be drilled out prior to the well being plugged & abandoned as is required by the BLM and NMOCD.
- 8. Perforate 3715' 30' (15') and 3691' 3706' (15') 6 spf at 120-degree phasing.
- 9. RIH with testing packer to 3675' and clean perfs with 4500 gallons of acid. Pump acid under 900 psi @ WH. POOH.
- 10. Swab well after acid job to determine inflow.
- 11. RIH with TAC and tubing. Set TAC.
- 12. RIH with downhole pump and rod string configuration. Seat pump.
- 13. Load and test tubing.
- 14. Notify NMOCD.
- 15. RDMO.

## **Current WBD**



## **Proposed WBD**






**AGU-359 Neutron-Density Log with Recommended Perforations** 

## **Procedure**


- 1. MIRU WOR.
- 2. Load well with FSW.
- 3. MIRU spool and POOH with cable and ESP if present.
- 4. ND WH and NU BOP.
- 5. Release packer, RIH to tag for fill, then scan tubing OOH.
- 6. RIH with bit and scraper to 3750'. POOH.
- 7. MIRU WLU and RIH with 7" CIBP to 3740'. Pressure test to 500 psi.
  - a. The CIBP will act as a barrier to isolate the lower zones of the Grayburg formation as this workover tests the upper zones. Due to the distance between the lowest perf and the CIBP setting depth, we are unable to spot or bail the amount of cement that would suffice the BLM's requirements. The CIBP will be drilled out prior to the well being plugged & abandoned as is required by the BLM and NMOCD.
- 8. Perforate 3715' 30' (15') and 3691' 3706' (15') 6 spf at 120-degree phasing.
- 9. RIH with testing packer to 3675' and clean perfs with 4500 gallons of acid. Pump acid under 900 psi @ WH. POOH.
- 10. Swab well after acid job to determine inflow.
- 11. RIH with TAC and tubing. Set TAC.
- 12. RIH with downhole pump and rod string configuration. Seat pump.
- 13. Load and test tubing.
- 14. Notify NMOCD.
- 15. RDMO.


Procedure OK as proposed. Please review COA below. Variance requested to not spot/ bail cement on top of CIBP. Reviewed and OK: Operator requests option to re-enter zones below. Zonal isolation will be established at or prior to P&A of the well. After operations are completed, please submit Recompletion Sundry to update Completion Report and a Subsequent Report to update well status

## **Current WBD**



## **Proposed WBD**





**AGU-359 Neutron-Density Log with Recommended Perforations** 

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 342805

#### **CONDITIONS**

Operator:	OGRID:
Empire New Mexico LLC	330679
2200 S. Utica Place	Action Number:
Tulsa, OK 74114	342805
	Action Type:
	[C-103] NOI Workover (C-103G)

#### CONDITIONS

Created By	Condition	Condition Date
kfortner	Like approval from BLM	5/13/2024