eceived by UCD: 3/15/2024 11:51:51 AM U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Repor
Well Name: HOWELL A	Well Location: T30N / R8W / SEC 8 / SWNE / 36.82809 / -107.69469	County or Parish/State: SAN JUAN / NM
Well Number: 1	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMSF078580	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004513298	Operator: HILCORP ENERGY COMPANY	

Notice of Intent

Sundry ID: 2790403

Type of Submission: Notice of Intent

Date Sundry Submitted: 05/15/2024

Date proposed operation will begin: 07/01/2024

Type of Action: Recompletion Time Sundry Submitted: 05:22

Procedure Description: Hilcorp Energy Company requests to REVISE the previously approved recomplete NOI to adjust the perforations. Please see the attached revised procedure, current and proposed wellbore diagram, plat and natural gas management plan. A closed loop system will be used. Hilcorp will contact the FFO Surface group within 90 days after the well has been recompleted, before any interim reclamation work, to conduct the onsite. A reclamation plan will be submitted after the onsite.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

Howell_A_1_REVISED_RC_NOI_20240515052220.pdf

Received by OCD: 5/15/2024 11:51:51 AM Well Name: HOWELL A	Well Location: T30N / R8W / SEC 8 / SWNE / 36.82809 / -107.69469	County or Parish/State: SAN
Well Number: 1	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMSF078580	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004513298	Operator: HILCORP ENERGY COMPANY	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: AMANDA WALKER

Name: HILCORP ENERGY COMPANY

Title: Operations/Regulatory Technician

Street Address: 1111 TRAVIS ST

City: HOUSTON

State: TX

Phone: (346) 237-2177

Email address: MWALKER@HILCORP.COM

Field

Representative Name: Street Address: City: State: Phone: Email address:

BLM Point of Contact

BLM POC Name: MATTHEW H KADE BLM POC Phone: 5055647736 Disposition: Approved Signature: Matthew Kade BLM POC Title: Petroleum Engineer BLM POC Email Address: MKADE@BLM.GOV

Zip:

Signed on: MAY 15, 2024 05:22 AM

Disposition Date: 05/15/2024



HILCORP ENERGY COMPANY HOWELL A 1 FRUITLAND COAL RECOMPLETION SUNDRY

Prepared by:	Scott Anderson		
Preparation Date:	May 14, 2024		

	WELL INFORMATION								
Well Name:	HOWELL A 1	State:	NM						
API #:	3004513298	County:	SAN JUAN						
Area:	4	Location:	1650' FNL & 1650' FEL - Unit G - Section 8 - T 030N - R 008W						
Route:	0407	Latitude:	36.82809 N						
Spud Date:	3/1/1951	Longitude:	-107.69469 W						

PROJECT DESCRIPTION

Isolate the Mesaverde, perforate and stimulate the Fruitland Coal in 1-2 stages via a frac string. Commingle the Fruitland Coal production with the existing Mesa Verde production. Strip facilities if necessary; repair production eqmt as needed, upgrade automation

CONTACTS									
Title	Name	Office Phone #	Cell Phone #						
Engineer	Scott Anderson		248-761-3965						
Area Foreman	Colter Faverino		326-9758						
Lead	Ramon Florez		599-3479						
Artificial Lift Tech	Jesse McDowell		386-8062						
Operator	Michael Archuleta		716-0118						


.




HILCORP ENERGY COMPANY HOWELL A 1 FRUITLAND COAL RECOMPLETION SUNDRY

	JOB PROCEDURES						
7 7	NMOCDContact OCD 24 hrs prior to MIRU. Record and document all casing pressures daily, including BH, IC (if present) andBLMPC. Comply with all NMOCD, BLM, and HEC safety and environmental regulations.						
1.	MIRU service rig and associated equipment. Pull insert pump and rods						
2.	Nipple down wellhead, nipple up and test BOPs per HEC, State, and Federal guidelines.						
3.	TOOH with 2-3/8" tubing						
4.	Set a 5-1/2" bridge plug @ 3,982' to isolate the Mesa Verde formation.						
5.	Load wellbore with fluid. RU wireline and run a CBL from the BP at 3,982' to surface						
6.	RU pressure test truck. Perform a Mechanical Integrity Test on the wellbore above the plug at 3,982'. Chart record the MIT test (Notify BLM and NMOCD +24hr before actual test).						
7.	Set a 5-1/2" Base of Frac plug ~50' below the bottom perforation						
8.	RU E-line crew. Perforate the Fruitland Coal. (Top perforation @ 2,820', Bottom perforation @ 3,168'). NOTE: perforation interval subject to change based on the results of the CBL run above. All changes will be communicated to the Regulatory Agencies prior to perforating.						
9.	Hydrotest frac string to frac pressure. RIH w/ 2-7/8" frac string and packer, land packer ~50' above the top perf.						
10.	N/D BOP, N/U 10K frac tree and test frac stack to frac pressure.						
11.	RU stimulation crew. Frac the Fruitland Coal in one or two stages.						
12.	Bleed off pressure. Kill well with water, if necessary						
13.	MIRU service rig. Nipple down frac stack, nipple up BOP and test.						
14.	POOH w/ frac string and packer						
15.	Drill out the Base of Frac and Mesaverde Isolation plug. Clean out to PBTD at 5,455'						
16.	TIH and land 2-3/8" production tubing.						
17.	Flowback well thru flowback separator and sand trap. Get a commingled Fruitland Coal / Mesa Verde flow rate.						

Hilcorp







HILCORP ENERGY COMPANY HOWELL A 1 FRUITLAND COAL RECOMPLETION SUNDRY

≱	lilcor	p Energy Company	Ŷ	WBD Proposed F	ormations 1			
	Name	: HOWELL A #		Field Name Ucense	No	State/Province		Well Configuration Type
3004513		008-030	N-008W-G	BLANCO MESAVERDE (PRORAT #0078		NEW MEXICO)	
Ground Elev 6,330.00	/ation (ft))	Casing Fla	nge Elevation (ft)	RKB to GL (ft) KB-Cas 10.00	ing Flange Distance (ft)	Original Spud Date 3/1/1951 00:00	b	Rig Release Date 3/7/2003 00:00
Most Re	ecent		nary Job Type	Secondary Job Type	Artics City	0.710	End Da	win.
Job Catego FACILIT			ary ood Type	Secondary 300 Type	Actual Start 10/7/200	6	End Da	5/2 5/2
TD: 5,	560.0							
				Original Ho	le			
MD (ftKB)	TVD (ftK B)	Formation Tops	MD		Vertical sche	matic (proposed)	
			<u> </u>					
9.8	1							
308.1 · 309.1 ·								
1,310.0								
1,432.1								
1,713.9	Ļ.,	OJO ALAMO	1,714.0					
1,898.0	÷ .	KIRTLAND	1,898.0					
2,730.0		FRUITLAND	2,730.0					
2,819.9	÷ -			2,820.0-3,168.0ftKB on 3/2/ 00:00 (PERF - FRUITLAND C			1, Hydrau	lic Frac; 2024-03-05; FRC
3,168.0	÷ -	PICTURED CLIFFS	3,168.0	2,820.00-3,168.00; 2024-0	3-02		Frac	
3,312.0					80			
3,314.0	- ·					\$ K89		
3,446.9	1	LEWIS	3,447.0			88		
3,930.1	1				80 S	Å 🗱		
4,032.2 · 4,151.9 ·					200 R	1 2 23		
4,151.9		CHACRA	4,208.0		288 3 I 288 3 I	18 188		
4.658.1	Ļ.,				(BB 3 1	18 級		
4,679.1	÷ .	CLIFFHOUSE	4,679.0					
4,752.0	÷ .							
4,784.1	÷ -							
4,785.1	-				ann			
4,793.0	÷ -							
4,965.9								
5,003.9 · 5,017.1 ·	1	MENEFEE	5,017.0					
5,017.1			5,01110		WW			
5,336.9					1			
5,357.0					3			
5,358.9						t		
5,369.1		POINT LOOKOUT	5,369.0		2			
5,390.1								
5,391.1					II I	F		
5,392.1								
5,429.1					⁰	8		
5,455.1				<typ> (PBTD); 5,45</typ>	5.00			
5,461.9	1							
5,462.9	1							
5,560.0	T T							

Regeived by OGD: 5/15/2024 11:51:51 AM

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505

1. API Number

Phone:(505) 476-3470 Fax:(505) 476-3462

Page 7 of 14

Form C-102 August 1, 2011 Permit 359791

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT 2. Pool Code 3. Pool Name 71629 BASIN FRUITLAND COAL (GAS)

30-045-13298	71629	BASIN FRUITLAND COAL (GAS)				
4. Property Code	5. Property Name	6. Well No.				
318562	HOWELL A	001				
7. OGRID No.	8. Operator Name	9. Elevation				
372171	HILCORP ENERGY COMPANY	6330				
10. Surface Location						

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
G	8	30N	08W		1650	N	1650	E	SAN JUAN

11. Bottom Hole Location If Different From Surface UL - Lot Section Township Range Lot Idn Feet From N/S Line Feet From E/W Line County 13. Joint or Infill 14. Consolidation Code 12. Dedicated Acres 15. Order No. 320.00

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

knowledge and belief, mineral interest in the this well at this locatio interest, or to a volunt by the division. E-Signed By	OPERATOR CERTIFICATION e information contained herein is true and complete to the best of my and that this organization either owns a working interest or unleased land including the proposed bottom hole location(s) or has a right to drill in pursuant to a contract with an owner of such a mineral or working ary pooling agreement or a compulsory pooling order heretofore entered www. Regulatory Tech Sr.
	SURVEYOR CERTIFICATION e well location shown on this plat was plotted from field notes of actual or under my supervision, and that the same is true and correct to the best
Surveyed By:	James Leese
Date of Survey:	6/24/1955
Certificate Number:	1463

Received by OCD: 5/15/2024 11:51:51 AM

Submit Electronically

Via E-permitting

State of New Mexico Energy, Minerals and Natural Resources Department

> **Oil Conservation Division** 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

I. Operator: Hilcorp Energy Company

OGRID: <u>372171</u> Date: 02/15/2024

II. Type: \square Original \square Amendment due to \square 19.15.27.9.D(6)(a) NMAC \square 19.15.27.9.D(6)(b) NMAC \square Other.

If Other, please describe:

III. Well(s): Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D	Anticipated Gas MCF/D	Anticipated Produced Water BBL/D
Howell A 1	30-045-13298	G-08-30N-08W	1650 FNL & 1650 FEL	0	200	1

IV. Central Delivery Point Name: Chaco Blanco Processing Plant [See 19.15.27.9(D)(1) NMAC]

V. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

Well Name	API	Spud Date	TD Reached Date	Completion Commencement Date	Initial Flow Back Date	First Production Date
Howell A 1	<u>30-045-13298</u>					

VI. Separation Equipment: Attach a complete description of how Operator will size separation equipment to optimize gas capture.

VII. Operational Practices: 🖂 Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC.

VIII. Best Management Practices: Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

 \boxtimes Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in

XI. Map. \Box Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural gas gathering system \Box will \Box will not have capacity to gather 100% of the anticipated natural gas production volume from the well prior to the date of first production.

XIII. Line Pressure. Operator \Box does \Box does not anticipate that its existing well(s) connected to the same segment, or portion, of the natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s).

 \Box Attach Operator's plan to manage production in response to the increased line pressure.

XIV. Confidentiality: \Box Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided in Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information for which confidentiality is asserted and the basis for such assertion.

Section 3 - Certifications Effective May 25, 2021

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:

 \square Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or

 \Box Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. *If Operator checks this box, Operator will select one of the following:*

Well Shut-In. \Box Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or

Venting and Flaring Plan. \Box Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including:

- (a) power generation on lease;
- (b) power generation for grid;
- (c) compression on lease;
- (d) liquids removal on lease;
- (e) reinjection for underground storage;
- (f) reinjection for temporary storage;
- (g) reinjection for enhanced oil recovery;
- (h) fuel cell production; and
- (i) other alternative beneficial uses approved by the division.

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

(a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or

(b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.

2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature:
Printed Name: Amanda Walker
Title: Operation Regulatory Tech Sr.
E-mail Address: <u>mwalker@hilcorp.com</u>
Date: 2/15/2024
Phone: 346-237-2177
OIL CONSERVATION DIVISION (Only applicable when submitted as a standalone form)
Approved By:
Approved By: Title:
Title:
Title: Approval Date:
Title: Approval Date:
Title: Approval Date:

VI. Separation Equipment:

Hilcorp Energy Company (HEC or Operator) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our recomplete project. HEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the recomplete to optimize gas capture and send gas to sales or flare based on analytical composition. HEC operates facilities that are typically one-well facilities. Production separation equipment is upgraded prior to well being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the recomplete operations.

VII. Operational Practices:

- 1. Subsection (A) Venting and Flaring of Natural Gas
 - HEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations
 - This gas capture plan isn't for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion
 - Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
 - Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
 - HEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 1 4.
- 5. Subsection (E) Performance standards
 - All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste.
 - If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.

- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
 - Measurement equipment is installed to measure the volume of natural gas flared from process piping.
 - When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

VIII. Best Management Practices:

- 1. Operator has adequate storage and takeaway capacity for wells it chooses to recomplete as the flowlines at the sites are already in place and tied into a gathering system.
- 2. Operator will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. Operator combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. Operator will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	344687
	Action Type:
	[C-103] NOL Recompletion (C-103E)

CONDITIONS

Constituente		
Created By	Condition	Condition Date
dmcclure	Notify NMOCD 24 Hours Prior to beginning operations.	5/20/2024
dmcclure	DHC required	5/20/2024
dmcclure	All conducted logs shall be submitted to the Division as a [UF-WL] EP Well Log Submission (WellLog).	5/20/2024
dmcclure	The appropriate compliance officer supervisor shall be consulted and remedial action conducted as directed if the cement sheath around the casing is not adequate to protect the casing and isolate strata from: (a) the uppermost perforation in each added pool to at least 150 feet above that perforation; and (b) the lowermost perforation in each added pool to at least 100 feet below that perforation.	5/20/2024

Action 344687