

Submit a Copy To Appropriate District

Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM  
 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised August 1, 2011

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO.  30-025-29217
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator J R Oil Ltd. Co.		6. State Oil & Gas Lease No.
3. Address of Operator PO Box 2975, Hobbs, NM 88241		7. Lease Name or Unit Agreement Name  Speight
4. Well Location Unit Letter <u>K</u> : <u>1980</u> feet from the <u>South</u> line and <u>1980</u> feet from the <u>East</u> line Section <u>7</u> Township <u>21S</u> Range <u>37E</u> NMPM Lea County		8. Well Number 001
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 256073
		10. Pool name or Wildcat Eumont; Yates-7RVRS-Queen (Oil)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
 DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
 COMMENCE DRILLING OPNS. ☐ P AND A ☒ XX  
 CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

**SEE ATTACHED**

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Maren Latimer TITLE Agent DATE 3/6/2024

Type or print name Maren Latimer E-mail address mlatimer@ravenop.com PHONE: 575-691-6790  
**For State Use Only**

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
 Conditions of Approval (if any): \_\_\_\_\_

**Plugging Report  
J R Oil Ltd. Co.  
Speight #1  
API 30-025-29217**

1/29/2024      Move in and rig up. Unseated pump and laid down rods. Dug out wellhead and plumbed to pit.

1/30/2024      Install BOP and unseat anchor. POOH with tubing and set 5 ½" CIBP at 3490'. RIH with tubing and tagged CIBP. Circulated MLF and tested casing to 550#. Good. Spot 25 sx Class C cement on top of CIBP. POOH and SION.

1/31/2024      Tagged cement at 3253'. Ran cement bond log. TOC at 150'. Reported to OCD. RIH with tubing to 3051' and spot 25 sx cement. POOH to 1450' and spot 25 sx cement. POOH to 392' and spot 25 sx cement. POOH with all tubing and SION.

2/2/2024      Tagged cement at 148'. Perforated at 130'. Circulated cement in/out 5 ½" casing with 35 sx. Rigged down.

2/5/2024      Dug out and cut off wellhead. Topped off casing strings with less than 1 sack of cement. Installed BGM. Removed the anchors.

Submit a Copy To Appropriate District

## Office

District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM  
 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

Form C-103  
 Revised August 1, 2011

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		WELL API NO. 30-025-29217 5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator J R Oil Ltd. Co.		6. State Oil & Gas Lease No.
3. Address of Operator PO Box 2975, Hobbs, NM 88241		7. Lease Name or Unit Agreement Name Speight
4. Well Location Unit Letter <u>K</u> : <u>1980</u> feet from the <u>South</u> line and <u>1980</u> feet from the <u>East</u> line Section <u>7</u> Township <u>21S</u> Range <u>37E</u> NMPM Lea County		8. Well Number 001
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 256073
10. Pool name or Wildcat Eumont; Yates-7RVRS-Queen (Oil)		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
 DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
 COMMENCE DRILLING OPNS. ☐ P AND A ☒ XX  
 CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

**SEE ATTACHED**

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Maren Latimer TITLE Agent DATE 3/6/2024

Type or print name Maren Latimer E-mail address mlatimer@ravenop.com PHONE: 575-691-6790  
**For State Use Only**

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
 Conditions of Approval (if any): \_\_\_\_\_

**Plugging Report  
J R Oil Ltd. Co.  
Speight #1  
API 30-025-29217**

1/29/2024      Move in and rig up. Unseated pump and laid down rods. Dug out wellhead and plumbed to pit.

1/30/2024      Install BOP and unseat anchor. POOH with tubing and set 5 ½" CIBP at 3490'. RIH with tubing and tagged CIBP. Circulated MLF and tested casing to 550#. Good. Spot 25 sx Class C cement on top of CIBP. POOH and SION.


1/31/2024      Tagged cement at 3253'. Ran cement bond log. TOC at 150'. Reported to OCD. RIH with tubing to 3051' and spot 25 sx cement. POOH to 1450' and spot 25 sx cement. POOH to 392' and spot 25 sx cement. POOH with all tubing and SION.

2/2/2024      Tagged cement at 148'. Perforated at 130'. Circulated cement in/out 5 ½" casing with 35 sx. Rigged down.

2/5/2024      Dug out and cut off wellhead. Topped off casing strings with less than 1 sack of cement. Installed BGM. Removed the anchors.

JR Oil Ltd.

Speight #1



WELL NAME: Speight #1				FORMATION: Queen				KB:				
API NO: 30-025-29217				FIELD: Eumont				PBTD: 4,201				
SPUD DATE: April 24, 1985				COUNTY: Lea				TD: 4,250				
CASING								CEMENT & HOLE DATA				
	joints	OD	lb/ft	grade	ID (in)	drift (in)	top	bottom	bit size	depth	sacks	TOC
Surface	9	8 5/8	24.00	J-55	8.097	7.972	0'	303'	11	303'	150	circ.
Production	116	5 1/2	17.00	J-55	4.892	4.767	0'	4,250'	7 7/8	4,250'	1,075	circ.
History: 4/24/1985 Spud by Kern Co. 5/5/1985 Log CH neutron, <b>perf Queen</b> , acidize 1,500 gal 15% NEFE, TR 6.8 TP 2,900, swab dry, frac 62k# sand in 40k gal 50% CO2, TR 30 TP 2,390, ISIP 1,180, IP 4 BOPD, 298 MCFD, 1 BWPD, API 39 7/20/2002 3/4" <b>body break (145) RFS due to severe corrosion</b> , corrosion too much to fish, body break (119) JFS, <b>tag fish @ 3,640'</b> , RIH production tbg, pump, and rods, L&T failed, hole 58 JFS, SV test 2k held, RIH, tbg test failed, POOH all & tested back in, replaced (8) jts w/ new 11/12/2002 <b>Prffn @ 1,200'</b> , ran happy tool, couldn't fish SV due to prffn, POOH tbg, SN had lots of <b>iron sulfide, scale, and prffn</b> , hot oil 12 bbls, pump good, added 4' blast jt and 10' IPC, LD top jt (was new 4 months ago), (5) new jts on top, (7) new jts above SN, rplc (19) 3/4 boxes due to wear 1/10/2003 <b>Tag fish @ 3,783, replace entire tbg string</b> w/ YB except for the (11) jts above SN new from prev. pull, pump checked, re-ran 3/1/2011 <b>Hot oil</b> csg 35 BO, PS, and soap 9/10/2012 <b>Pump stuck</b> , strip, removed mud anchor, perf sub OE, tbg stacked 4 stands off bottom, bad collar 4 jts above TAC, left TAC in well, screwed into, trip, pump & rods stacked @ 750', <b>hot oil/water</b> 45 bbls, RIH pump & rods, L&T failed, POOH, <b>split 10 jts above TAC, replaced bottom 15 jts</b> w/ new, SN 13' lower, RTP 7/12/2017 Long stroke 5/6/2022 Hot water rods & tbg, replace (23) rods & (8) additional couplings, tag fill 3,745', test tbg, jts 28, 27, and 3 were bent, ran pump, pump clogged with sludge and iron sulfide, swabbed clean, RTP 1/29/2024 Lay down rods 1/30/2024 <b>CIBP @ 3,490'</b> , circ. MLF, test casing, held 550 psi, <b>spot 25 sx</b> cement 1/31/2024 <b>Tag 3,253'</b> , CBL, <b>TOC 150', spot 25 sx @ 3,051', spot 25 sx @ 1,450' spot 25 sx @ 392'</b> 2/2/2024 <b>Tag 148', perf 130', circ. 35 sx</b> cement to surface 2/5/2024 Cut off well head 3' beneath grade, top off cement <1 sack, install <b>below-ground marker</b> , back fill, <b>well P&amp;A'd</b> .								PERFORATIONS				
								top	bottom	zone	status	tft shots
3,556'	3,684'	Queen	plugged	32	05/11/85							
TUBING (none)								OD (in)	ID (in)	joints	length (ft)	depth (ft)
RODS (none)								OD (in)	grade	rods	length (ft)	depth (ft)
197'												
98'												
ment @ 3,051'												
3,253'												
ment												
90'												
erfs @ 3,556' - 684'												
(2022)												
,783' (2003)												
4,201'												

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

COMMENTS  
  
Action 331379

COMMENTS

Operator: J R OIL, LTD. CO. P.O. Box 53657 Lubbock, TX 79453	OGRID: 256073
	Action Number: 331379
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM	5/28/2024

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 331379

CONDITIONS

Operator: J R OIL, LTD. CO. P.O. Box 53657 Lubbock, TX 79453	OGRID: 256073
	Action Number: 331379
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	well head cut off 2/5/24. CBL in well file	5/28/2024