

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: MONEY GRAHAM FED Well Location: T26S / R29E / SEC 32 / County or Parish/State: EDDY /

COM LOT 4 / 32.0008001 / -104.0005814

Well Number: 144H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM138607 Unit or CA Name: Unit or CA Number:

US Well Number: 3001553589 Well Status: Drilling Well Operator: TAP ROCK

OPERATING LLC

Subsequent Report

Sundry ID: 2737093

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 06/21/2023 Time Sundry Submitted: 08:58

Date Operation Actually Began: 05/26/2023

Actual Procedure: Well spud on 5/26/2023 at 17:00 5/26/2023: Drill 17.5 inch surface hole to 405 ft. 5/26/2023: Run 13.375 inch 54.5 lb J-55 surface casing to 390 ft. Pump 20 bbl water spacer, followed by 500 sks of 14.8 ppg tail cmt. Drop plug and displace with 53 bbls freshwater. 5 bbls of cement returned back to surface. EST TOC at 0 ft. Pressure test casing to 1500 PSI for 30 minutes, good test. 5/29/2023: Test BOPS. Drill 12.25 intermediate hole to 2831 ft. 5/30/2023: Run 9.625 inch 40 lb J-55 intermediate casing to 2817 ft. Pump 20 bbls water spacer, followed by 860 sks of 13.2 ppg lead cmt 210 sks of 14.8 ppg tail cmt. Drop plug and displace with 210 bbls of brine. 106 bbls cement to surface. EST TOC at 0 ft. Pressure test casing to 1500 for 30 minutes, good test. 6/9/2023: Drill 8.75 inch production hole to 6583 ft then switch to 7.785 inch hole to 14516. 6/15/2023: Run 5.5 inch 20 lb P-110 production casing to 14496 ft MD. Pump 40 bbls water spacer, then 420 sks of 11.0 ppg lead cmt and 1405 sks of 13.2 tail cmt. Drop plug and displace with 20 bbls sugar water and 300 bbls fresh water. 0 bbls cement returned to surface. Est TOC at 2200 ft. Surface Casing Details: Casing ran: 5/26/2023, Fluid Type Fresh Water, Hole 17.5 inch, Csg Size 13.375 inch, Weight 54.5 lbs, Grade J-55, Est TOC 0 ft, Depth set 390 ft, Cement 500 sacks, Yield 1.34 tail, Class C. Pressure test: 1500 PSI, Pressure Drop: 0. Intermediate Casing Details: Casing ran: 5/30/2023, Fluid Type diesel brine emulsion, Hole 12.5 inch to 2831, Csg Size 9.625 inch, Weight 40 lbs, Grade J-55, Est TOC 0 ft, Depth set 2817 ft, Cement 1070 sks, Yield 1.67 lead/1.34 tail, Class C, Pressure Held 1500 psi, Pres Drop 0. Production Casing details: Casing Date: 6/15/2023, Fluid Type oil based mud, Hole 8.75 inch to 6583 ft then 7.875 inch to 14516, Csg Size, 5.5 inch, Weight 20 lbs, Grade P-110, Depth set 14496 ft, EST TOC 2200 ft, Cement 1825 sacks, yield 3.35 lead/1.53 tail, Class H/C. 6/14/2023: TD Reached at 14516 MD, 7179 ft TVD. Plug Back Measured depth at 14445 ft MD, 7177 ft TVD. Rig Release on 6/16/2023 at 07:00

eived by OCD: 6/29/2923 7:13:41 AM Well Name: MONEY GRAHAM FED

COM

Well Location: T26S / R29E / SEC 32 / LOT 4 / 32.0008001 / -104.0005814

County or Parish/State: EDD 1/2

Well Number: 144H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM138607

Unit or CA Name:

Unit or CA Number:

US Well Number: 3001553589 Well Status: Drilling Well **Operator: TAP ROCK** OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JEFFREY TRLICA Signed on: JUN 21, 2023 08:58 AM

Name: TAP ROCK OPERATING LLC

Title: Regulatory Analyst

Street Address: 523 PARK POINT DRIVE SUITE 200

City: GOLDEN State: CO

Phone: (720) 772-5910

Email address: JTRLICA@TAPRK.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Phone: 5752345972

Disposition: Accepted

Signature: Jonathon Shepard

BLM POC Title: Petroleum Engineer

BLM POC Email Address: jshepard@blm.gov

Disposition Date: 06/28/2023

Page 2 of 2

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 234192

CONDITIONS

Operator:	OGRID:
TAP ROCK OPERATING, LLC	372043
523 Park Point Drive	Action Number:
Golden, CO 80401	234192
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartine	z None	5/29/2024