

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Mewbourne Oil Company PO Box 5270 Hobbs, NM 88240		² OGRID Number 14744
		³ Reason for Filing Code/ Effective Date NW / 06/15/2021
⁴ API Number 30 - 025-48039	⁵ Pool Name Sanders Tank; Upper Wolfcamp	⁶ Pool Code 98097
⁷ Property Code 329858	⁸ Property Name Salado Draw 9 W0CN Fed Com	⁹ Well Number 1H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
C	9	26S	33E		345	North	1900	West	Lea

¹¹ Bottom Hole Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	9	26S	33E		100	South	1652	West	Lea
¹² Lse Code F	¹³ Producing Method Code Gaslift	¹⁴ Gas Connection Date 06/15/2021	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters


¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
195739	Plains Pipeline 5500 Ming Ave Suite 300 Bakersfield, CA 93309	O
314437	Delaware Basin Midstream PO Box 1330 Houston, TX 77251	G

IV. Well Completion Data

²¹ Spud Date 04/04/2021	²² Ready Date 06/15/2021	²³ TD 17080'	²⁴ PBDT 17040' 14040'	²⁵ Perforations 12245' - 17025'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17 ½"	13 ¾" 54# J55	964'	825		
12 ¼"	9 ⅝" 40# HCL80	4875'	1400		
8 ¾"	7" 29# HCP110	11555	675		
6 ⅞"	4 ½" Liner 2 ⅞"	11374' – 17080' 11343'	650		

V. Well Test Data

³¹ Date New Oil 06/15/2021	³² Gas Delivery Date 06/15/2021	³³ Test Date 06/20/2021	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 2560	³⁶ Csg. Pressure 45
³⁷ Choke Size 34/64"	³⁸ Oil 1578	³⁹ Water 3035	⁴⁰ Gas 2945		⁴¹ Test Method Production

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 		OIL CONSERVATION DIVISION	
Printed name: Jackie Lathan		Approved by: PATRICIA MARTINEZ	
Title: Regulatory		Title: PETROLEUM SPECIALIST	
E-mail Address: jlathan@mewbourne.com		Approval Date: 6/6/2024	
Date: 08/13/2021	Phone: 575-393-5905		

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT
AS DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-48039		² Pool Code 98097		³ Pool Name Sanders Tank; Upper Wolfcamp	
⁴ Property Code 329858		⁵ Property Name SALADO DRAW 9 WOCN FED COM			⁶ Well Number 1H
⁷ GRID NO. 14744		⁸ Operator Name MEWBOURNE OIL COMPANY			⁹ Elevation 3308'
¹⁰ Surface Location					
UL or lot no. C	Section 9	Township 26S	Range 33E	Lot Idn 345	Feet from the 1900
North/South line NORTH		East/West line WEST		County LEA	
¹¹ Bottom Hole Location If Different From Surface					
UL or lot no. N	Section 9	Township 26S	Range 33E	Lot Idn 100	Feet from the 1652
North/South line SOUTH		East/West line WEST		County LEA	
¹² Dedicated Acres 160		¹³ Joint or Infill		¹⁴ Consolidation Code	
¹⁵ Order No.					

No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.

		¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature: <i>Jackie Lathan</i> Date: 08/13/2021 Printed Name: Jackie Lathan E-mail Address: jathan@mewbourne.com
GEODETIC DATA NAD 83 GRID - NM EAST <u>SURFACE LOCATION</u> N: 387955.9 - E: 774812.5 LAT: 32.0643296° N LONG: 103.5796422° W <u>BOTTOM HOLE LOCATION</u> N: 383121.4 - E: 774597.9 LAT: 32.0510447° N LONG: 103.5804435° W CORNER DATA NAD 83 GRID - NM EAST A: FOUND BRASS CAP "1913" N: 383014.7 - E: 772949.0 B: FOUND BRASS CAP "1913" N: 385651.9 - E: 772929.6 C: FOUND BRASS CAP "1913" N: 388291.5 - E: 772910.2 D: FOUND BRASS CAP "1913" N: 388317.6 - E: 778194.4 E: FOUND BRASS CAP "1913" N: 385677.6 - E: 778212.9 F: CALCULATED CORNER N: 383036.8 - E: 778228.5 G: FOUND BRASS CAP "1913" N: 383025.5 - E: 775592.5		¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. 1-21-19 Date of Survey Signature and Seal of Professional Surveyor 19680 Certificate Number



Project: Lea County, NM (NAD83)
 Site: Sec 09-T26S-R33E
 Well: Salado Draw 9 W0CN Fed Com #1H
 345 FNL, 1900 FWL
 Wellbore: Wellbore #1
 Design: Plan #1

Map System: US State Plane 1983
 Datum: North American Datum 1983
 Ellipsoid: GRS 1980
 Zone Name: New Mexico Eastern Zone




Azimuths to Grid North
 True North: -0.40°
 Magnetic North: 6.13°
 Magnetic Field
 Strength: 47571.8nT
 Dip Angle: 59.67°
 Date: 2/18/2021
 Model: BGM2020


WELL DETAILS

3308 GL + 28 KB @ 3336.00usft (P 594)

+N/-S	+E/-W	Northing	Easting	Latitude	Longitude
0.00	0.00	387955.900	774812.500	32° 3' 51.586114 N	103° 34' 46.711316 W



North/South hard lines are 100' FNL & 100' FSL
 East/West hard lines are 1652' FWL & 2314' FWL



P 594

Mewbourne Oil Company

Lea County, NM (NAD83) Sec 09-T26S-R33E

API#

Salado Draw 9 W0CN Fed Com #1H

345 FNL, 1900 FWL

Wellbore #1

Design: Final Surveys

Sperry Drilling Services

Combo Report

26 April, 2021

Well Coordinates: 32° 3' 51.586114 N
103° 34' 46.711316 W

North American Datum 1983
New Mexico Eastern Zone
387,955.90 N
774,812.50 E

Ground Level: 3,308.00 usft

Local Coordinate Origin:

Centered on Well Salado Draw 9 W0CN Fed Com #1H

Viewing Datum:

3308 GL + 28 KB @ 3336.00usft (P 594)

TVDs to System:

N

North Reference:

Grid

Unit System:

Midcon (2 decimal)

Compass Version: 5000.15 Build: 91E

Report Version: Midcon Combo v1.15

HALLIBURTON

Mewbourne Oil Company

Lea County, NM (NAD83)

HALLIBURTON**Design Report for Salado Draw 9 W0CN Fed Com #1H - Final Surveys**

Measured Depth (usft)	Inclination (°)	Grid Azimuth (°)	Vertical Depth (usft)	Local Coordinates		Map Coordinates		Dogleg Rate (°/100usft)	Vertical Section (usft)	Toolface Angle (°)	Comments
				Northing (usft)	Easting (usft)	Northing (usft)	Easting (usft)				
0.00	0.00	0.00	0.00	0.00 N	0.00 E	387,955.900	774,812.500	0.00	0.00	0.00	
170.00	0.40	242.58	170.00	0.27 S	0.53 W	387,955.627	774,811.973	0.24	0.28	242.58	Start MWD Survey @ 170.00' MD
232.00	0.50	7.58	232.00	0.10 S	0.68 W	387,955.795	774,811.817	1.29	0.11	149.19	
357.00	1.10	358.58	356.98	1.64 N	0.64 W	387,957.535	774,811.859	0.49	-1.63	-16.35	
420.00	1.20	353.58	419.97	2.90 N	0.73 W	387,958.795	774,811.770	0.22	-2.89	-47.62	
482.00	1.60	0.58	481.95	4.41 N	0.79 W	387,960.306	774,811.706	0.70	-4.40	26.67	
545.00	2.10	348.58	544.92	6.42 N	1.01 W	387,962.317	774,811.487	1.00	-6.41	-43.87	
669.00	2.40	344.58	668.83	11.15 N	2.15 W	387,967.047	774,810.347	0.27	-11.12	-29.64	
859.00	2.30	336.58	858.67	18.48 N	4.73 W	387,974.380	774,807.774	0.18	-18.43	-110.92	
956.00	2.70	327.58	955.57	22.19 N	6.72 W	387,978.095	774,805.775	0.58	-22.12	-49.02	
1,062.00	3.12	320.61	1,061.44	26.53 N	9.89 W	387,982.432	774,802.606	0.52	-26.42	-43.63	
1,247.00	1.77	321.82	1,246.26	32.67 N	14.86 W	387,988.569	774,797.645	0.73	-32.51	178.41	
1,431.00	1.13	315.62	1,430.20	36.20 N	17.88 W	387,992.099	774,794.619	0.36	-36.01	-169.31	
1,616.00	0.91	307.08	1,615.18	38.39 N	20.33 W	387,994.289	774,792.171	0.14	-38.17	-149.57	
1,803.00	0.57	300.82	1,802.16	39.76 N	22.31 W	387,995.661	774,790.188	0.19	-39.52	-169.74	
1,991.00	0.94	303.04	1,990.14	41.08 N	24.41 W	387,996.981	774,788.092	0.20	-40.82	5.63	
2,179.00	0.46	337.93	2,178.13	42.62 N	25.98 W	387,998.521	774,786.516	0.33	-42.34	154.94	
2,368.00	0.53	42.73	2,367.12	43.97 N	25.68 W	387,999.866	774,786.824	0.28	-43.69	116.04	
2,556.00	0.86	53.04	2,555.11	45.45 N	23.96 W	388,001.353	774,788.541	0.19	-45.19	25.96	
2,743.00	1.00	53.04	2,742.08	47.28 N	21.53 W	388,003.178	774,790.966	0.07	-47.05	0.00	
2,931.00	1.25	60.43	2,930.05	49.28 N	18.44 W	388,005.176	774,794.061	0.15	-49.08	33.86	
3,119.00	1.70	65.50	3,117.99	51.44 N	14.12 W	388,007.345	774,798.382	0.25	-51.29	18.72	
3,308.00	1.63	90.95	3,306.91	52.56 N	8.88 W	388,008.463	774,803.621	0.39	-52.46	108.04	
3,497.00	1.80	84.07	3,495.82	52.82 N	3.24 W	388,008.725	774,809.261	0.14	-52.79	-53.93	
3,685.00	2.18	68.77	3,683.71	54.42 N	3.03 E	388,010.325	774,815.531	0.35	-54.45	-62.23	
3,873.00	1.81	6.59	3,871.62	58.67 N	6.70 E	388,014.569	774,819.205	1.11	-58.74	-129.82	
4,061.00	2.96	332.65	4,059.46	65.93 N	4.82 E	388,021.831	774,817.315	0.94	-65.98	-68.64	
4,249.00	3.42	347.60	4,247.17	75.72 N	1.38 E	388,031.619	774,813.881	0.50	-75.73	68.66	
4,438.00	3.41	351.43	4,435.84	86.78 N	0.67 W	388,042.683	774,811.833	0.12	-86.77	94.42	
4,532.00	3.10	353.77	4,529.68	92.07 N	1.36 W	388,047.974	774,811.140	0.36	-92.05	157.97	
4,721.00	2.72	14.37	4,718.45	101.50 N	0.80 W	388,057.399	774,811.699	0.58	-101.48	120.06	
4,815.00	2.71	0.40	4,812.34	105.88 N	0.23 W	388,061.782	774,812.268	0.70	-105.87	-97.84	
4,918.00	3.26	339.72	4,915.20	111.06 N	1.23 W	388,066.964	774,811.270	1.17	-111.04	-73.53	
5,106.00	3.32	339.68	5,102.89	121.18 N	4.97 W	388,077.083	774,807.527	0.03	-121.12	-2.21	
5,294.00	3.10	338.86	5,290.60	131.03 N	8.70 W	388,086.930	774,803.803	0.12	-130.93	-168.62	
5,483.00	3.22	331.05	5,479.31	140.44 N	13.11 W	388,096.341	774,799.390	0.24	-140.29	-78.35	

Mewbourne Oil Company

Lea County, NM (NAD83)

HALLIBURTON**Design Report for Salado Draw 9 W0CN Fed Com #1H - Final Surveys**

Measured Depth (usft)	Inclination (°)	Grid Azimuth (°)	Vertical Depth (usft)	Local Coordinates		Map Coordinates		Dogleg Rate (°/100usft)	Vertical Section (usft)	Toolface Angle (°)	Comments
				Northing (usft)	Easting (usft)	Northing (usft)	Easting (usft)				
5,671.00	2.74	352.90	5,667.06	149.52 N	16.22 W	388,105.421	774,796.279	0.65	-149.34	123.57	
5,860.00	2.82	348.86	5,855.84	158.57 N	17.68 W	388,114.465	774,794.823	0.11	-158.37	-69.82	
6,048.00	2.86	343.52	6,043.61	167.60 N	19.90 W	388,123.500	774,792.598	0.14	-167.38	-84.08	
6,237.00	2.97	342.97	6,232.37	176.80 N	22.67 W	388,132.703	774,789.827	0.06	-176.55	-14.54	
6,426.00	3.01	341.30	6,421.11	186.19 N	25.70 W	388,142.085	774,786.802	0.05	-185.90	-66.17	
6,614.00	2.84	344.10	6,608.86	195.34 N	28.56 W	388,151.240	774,783.943	0.12	-195.02	141.35	
6,803.00	2.95	336.85	6,797.62	204.31 N	31.75 W	388,160.215	774,780.749	0.20	-203.96	-76.92	
6,991.00	2.56	335.33	6,985.41	212.58 N	35.41 W	388,168.478	774,777.094	0.21	-212.19	-170.15	
7,179.00	2.51	325.07	7,173.22	219.77 N	39.52 W	388,175.668	774,772.985	0.24	-219.33	-101.40	
7,368.00	2.61	324.00	7,362.03	226.64 N	44.41 W	388,182.543	774,768.086	0.06	-226.15	-26.08	
7,556.00	2.79	320.62	7,549.83	233.64 N	49.83 W	388,189.543	774,762.667	0.13	-233.10	-43.19	
7,744.00	2.17	314.87	7,737.65	239.69 N	55.26 W	388,195.590	774,757.241	0.35	-239.09	-160.99	
7,891.00	2.88	325.81	7,884.51	244.71 N	59.31 W	388,200.611	774,753.191	0.58	-244.06	39.61	Hardline Crossing @ 7891.00' MD
7,933.00	3.10	327.98	7,926.45	246.55 N	60.50 W	388,202.448	774,751.996	0.58	-245.89	28.68	
8,122.00	3.33	353.83	8,115.16	256.34 N	63.80 W	388,212.239	774,748.696	0.77	-255.64	94.04	
8,311.00	2.97	359.61	8,303.88	266.69 N	64.43 W	388,222.593	774,748.072	0.25	-265.99	141.44	
8,500.00	3.49	349.76	8,492.58	277.25 N	65.48 W	388,233.150	774,747.017	0.40	-276.53	-51.85	
8,689.00	3.16	344.68	8,681.26	287.94 N	67.88 W	388,243.835	774,744.617	0.23	-287.19	-140.76	
8,877.00	2.87	341.07	8,869.00	297.38 N	70.78 W	388,253.285	774,741.722	0.18	-296.61	-148.58	
9,065.00	2.28	339.55	9,056.81	305.34 N	73.61 W	388,261.241	774,738.888	0.32	-304.54	-174.16	
9,253.00	2.32	322.64	9,244.66	311.87 N	77.23 W	388,267.769	774,735.272	0.36	-311.03	-95.10	
9,441.00	1.85	308.48	9,432.53	316.78 N	81.91 W	388,272.682	774,730.588	0.37	-315.89	-139.30	
9,628.00	3.47	289.88	9,619.33	320.58 N	89.60 W	388,276.485	774,722.902	0.97	-319.61	-37.55	
9,816.00	2.38	329.66	9,807.10	325.89 N	96.92 W	388,281.789	774,715.579	1.19	-324.83	137.13	
10,005.00	0.47	322.89	9,996.03	329.89 N	99.37 W	388,285.795	774,713.129	1.01	-328.81	-178.34	
10,193.00	0.97	291.43	10,184.02	331.09 N	101.32 W	388,286.991	774,711.182	0.33	-329.99	-54.78	
10,380.00	0.68	105.14	10,371.01	331.38 N	101.72 W	388,287.280	774,710.780	0.88	-330.27	177.41	
10,568.00	1.19	81.91	10,558.99	331.36 N	98.71 W	388,287.263	774,713.790	0.33	-330.29	-48.62	
10,756.00	1.63	147.24	10,746.94	329.39 N	95.33 W	388,285.289	774,717.170	0.83	-328.35	108.98	
10,945.00	2.35	168.50	10,935.83	323.33 N	93.10 W	388,279.231	774,719.397	0.54	-322.32	56.67	
11,133.00	1.16	216.96	11,123.74	318.03 N	93.48 W	388,273.933	774,719.021	0.96	-317.02	151.22	
11,322.00	1.86	271.20	11,312.69	316.57 N	97.70 W	388,272.469	774,714.804	0.80	-315.51	92.76	
11,510.00	1.87	221.30	11,500.60	314.33 N	102.77 W	388,270.228	774,709.729	0.84	-313.21	-114.61	
11,581.00	1.96	218.14	11,571.56	312.50 N	104.29 W	388,268.403	774,708.214	0.20	-311.37	-51.15	
11,639.00	2.51	203.26	11,629.51	310.56 N	105.40 W	388,266.456	774,707.100	1.37	-309.41	-54.13	
11,686.00	12.85	174.19	11,676.04	304.39 N	105.28 W	388,260.293	774,707.223	22.82	-303.25	-35.50	
11,733.00	24.19	174.21	11,720.53	289.56 N	103.77 W	388,245.465	774,708.729	24.13	-288.44	0.04	

Mewbourne Oil Company

Lea County, NM (NAD83)

HALLIBURTON**Design Report for Salado Draw 9 W0CN Fed Com #1H - Final Surveys**

Measured Depth (usft)	Inclination (°)	Grid Azimuth (°)	Vertical Depth (usft)	Local Coordinates		Map Coordinates		Dogleg Rate (°/100usft)	Vertical Section (usft)	Toolface Angle (°)	Comments
				Northing (usft)	Easting (usft)	Northing (usft)	Easting (usft)				
11,780.00	29.97	171.59	11,762.36	268.35 N	101.08 W	388,224.252	774,711.419	12.55	-267.26	-12.83	
11,825.00	34.70	176.66	11,800.38	244.43 N	98.69 W	388,200.330	774,713.811	12.10	-243.36	32.03	Hardline Crossing @ 11825.00' MD
11,827.00	34.91	176.86	11,802.03	243.29 N	98.62 W	388,199.190	774,713.875	12.10	-242.22	27.74	
11,874.00	34.58	177.19	11,840.65	216.54 N	97.23 W	388,172.440	774,715.266	0.81	-215.49	150.46	
11,921.00	34.60	177.07	11,879.34	189.89 N	95.90 W	388,145.791	774,716.602	0.15	-188.85	-73.69	
11,968.00	35.70	177.23	11,917.77	162.87 N	94.55 W	388,118.766	774,717.946	2.35	-161.85	4.85	
12,015.00	38.14	175.17	11,955.34	134.70 N	92.67 W	388,090.602	774,719.831	5.82	-133.70	-27.72	
12,062.00	40.20	173.35	11,991.78	105.17 N	89.69 W	388,061.070	774,722.810	5.02	-104.20	-29.87	
12,109.00	45.32	175.89	12,026.28	73.41 N	86.73 W	388,029.314	774,725.767	11.49	-72.48	19.56	
12,156.00	51.66	178.11	12,057.41	38.29 N	84.93 W	387,994.187	774,727.574	13.94	-37.38	15.44	
12,203.00	54.66	178.98	12,085.59	0.69 N	83.98 W	387,956.589	774,728.524	6.55	0.21	13.33	
12,250.00	58.80	179.17	12,111.37	38.59 S	83.34 W	387,917.306	774,729.156	8.81	39.48	2.25	
12,298.00	64.86	178.87	12,134.02	80.88 S	82.62 W	387,875.018	774,729.883	12.64	81.76	-2.57	
12,345.00	67.35	179.70	12,153.05	123.85 S	82.08 W	387,832.053	774,730.416	5.54	124.72	17.12	
12,392.00	69.63	180.76	12,170.29	167.57 S	82.26 W	387,788.331	774,730.237	5.29	168.44	23.59	
12,439.00	71.67	180.93	12,185.86	211.91 S	82.92 W	387,743.993	774,729.583	4.35	212.78	4.52	
12,486.00	78.21	181.91	12,198.06	257.25 S	84.05 W	387,698.647	774,728.453	14.06	258.14	8.37	
12,581.00	84.99	183.77	12,211.93	351.06 S	88.71 W	387,604.841	774,723.786	7.39	351.99	15.33	
12,675.00	91.67	182.05	12,214.67	444.84 S	93.48 W	387,511.058	774,719.021	7.34	445.82	-14.47	
12,769.00	91.58	181.82	12,212.01	538.75 S	96.65 W	387,417.150	774,715.849	0.26	539.75	-111.38	
12,864.00	91.73	182.06	12,209.26	633.66 S	99.87 W	387,322.244	774,712.634	0.30	634.69	57.98	
12,959.00	90.12	178.47	12,207.73	728.62 S	100.30 W	387,227.276	774,712.195	4.14	729.65	-114.12	
13,053.00	89.82	177.86	12,207.78	822.58 S	97.29 W	387,133.325	774,715.205	0.72	823.57	-116.19	
13,148.00	91.27	178.27	12,206.87	917.51 S	94.09 W	387,038.386	774,718.413	1.59	918.47	15.79	
13,243.00	91.05	177.83	12,204.95	1,012.44 S	90.86 W	386,943.461	774,721.645	0.52	1,013.35	-116.57	
13,337.00	89.41	177.91	12,204.67	1,106.37 S	87.36 W	386,849.530	774,725.138	1.75	1,107.24	177.21	
13,431.00	88.95	177.27	12,205.92	1,200.28 S	83.41 W	386,755.623	774,729.091	0.84	1,201.10	-125.71	
13,525.00	90.00	179.46	12,206.78	1,294.23 S	80.73 W	386,661.673	774,731.772	2.58	1,295.02	64.40	
13,620.00	90.59	179.23	12,206.29	1,389.22 S	79.64 W	386,566.681	774,732.858	0.67	1,389.99	-21.30	
13,714.00	90.80	178.74	12,205.15	1,483.20 S	77.98 W	386,472.703	774,734.523	0.57	1,483.95	-66.80	
13,772.00	89.72	177.33	12,204.89	1,541.16 S	75.99 W	386,414.740	774,736.512	3.06	1,541.89	-127.45	
13,840.00	89.79	180.39	12,205.18	1,609.14 S	74.64 W	386,346.762	774,737.865	4.50	1,609.84	88.70	
13,935.00	89.85	179.91	12,205.48	1,704.14 S	74.88 W	386,251.763	774,737.616	0.51	1,704.84	-82.88	
14,029.00	89.54	178.91	12,205.98	1,798.13 S	73.92 W	386,157.770	774,738.584	1.11	1,798.82	-107.23	
14,123.00	89.44	180.39	12,206.81	1,892.12 S	73.34 W	386,063.779	774,739.158	1.58	1,892.80	93.87	
14,218.00	89.54	179.23	12,207.66	1,987.12 S	73.03 W	385,968.784	774,739.473	1.23	1,987.78	-85.08	
14,312.00	89.44	179.11	12,208.50	2,081.10 S	71.67 W	385,874.798	774,740.835	0.17	2,081.75	-129.81	

Mewbourne Oil Company

Lea County, NM (NAD83)

HALLIBURTON**Design Report for Salado Draw 9 W0CN Fed Com #1H - Final Surveys**

Measured Depth (usft)	Inclination (°)	Grid Azimuth (°)	Vertical Depth (usft)	Local Coordinates		Map Coordinates		Dogleg Rate (°/100usft)	Vertical Section (usft)	Toolface Angle (°)	Comments
				Northing (usft)	Easting (usft)	Northing (usft)	Easting (usft)				
14,407.00	90.56	180.03	12,208.50	2,176.10 S	70.95 W	385,779.803	774,741.547	1.53	2,176.73	39.40	
14,501.00	91.77	181.34	12,206.59	2,270.07 S	72.08 W	385,685.833	774,740.424	1.90	2,270.71	47.26	
14,596.00	89.98	181.19	12,205.14	2,365.03 S	74.17 W	385,590.871	774,738.327	1.89	2,365.69	-175.21	
14,690.00	90.08	181.29	12,205.09	2,459.01 S	76.21 W	385,496.893	774,736.293	0.15	2,459.68	45.00	
14,784.00	90.29	180.28	12,204.78	2,553.00 S	77.49 W	385,402.904	774,735.005	1.10	2,553.68	-78.25	
14,879.00	89.11	179.38	12,205.28	2,647.99 S	77.21 W	385,307.908	774,735.287	1.56	2,648.67	-142.67	
14,973.00	89.99	180.71	12,206.02	2,741.99 S	77.29 W	385,213.914	774,735.213	1.70	2,742.66	56.52	
15,068.00	89.80	179.30	12,206.19	2,836.98 S	77.30 W	385,118.917	774,735.205	1.50	2,837.65	-97.68	
15,162.00	89.81	178.83	12,206.51	2,930.97 S	75.76 W	385,024.930	774,736.739	0.50	2,931.61	-88.78	
15,256.00	89.90	180.32	12,206.75	3,024.96 S	75.06 W	384,930.936	774,737.436	1.59	3,025.59	86.55	
15,350.00	89.61	179.07	12,207.15	3,118.96 S	74.56 W	384,836.940	774,737.936	1.37	3,119.58	-103.06	
15,445.00	89.61	179.00	12,207.80	3,213.94 S	72.96 W	384,741.956	774,739.536	0.07	3,214.54	-90.00	
15,539.00	89.91	179.50	12,208.19	3,307.94 S	71.73 W	384,647.965	774,740.767	0.62	3,308.51	59.04	
15,633.00	89.88	180.00	12,208.36	3,401.93 S	71.32 W	384,553.966	774,741.177	0.53	3,402.50	93.43	
15,728.00	89.58	179.12	12,208.81	3,496.93 S	70.59 W	384,458.971	774,741.906	0.98	3,497.48	-108.83	
15,823.00	89.64	179.50	12,209.46	3,591.92 S	69.45 W	384,363.980	774,743.050	0.40	3,592.46	81.03	
15,917.00	89.92	179.22	12,209.82	3,685.91 S	68.40 W	384,269.987	774,744.100	0.42	3,686.43	-45.00	
16,011.00	88.38	178.58	12,211.21	3,779.88 S	66.60 W	384,176.018	774,745.905	1.77	3,780.38	-157.44	
16,105.00	89.95	180.77	12,212.58	3,873.86 S	66.06 W	384,082.038	774,746.437	2.87	3,874.35	54.38	
16,199.00	89.72	179.42	12,212.86	3,967.86 S	66.22 W	383,988.041	774,746.281	1.46	3,968.34	-99.67	
16,293.00	90.01	180.02	12,213.08	4,061.86 S	65.76 W	383,894.043	774,746.741	0.71	4,062.33	64.20	
16,387.00	89.48	178.59	12,213.49	4,155.85 S	64.62 W	383,800.054	774,747.881	1.62	4,156.30	-110.34	
16,481.00	90.93	178.26	12,213.16	4,249.81 S	62.04 W	383,706.092	774,750.464	1.58	4,250.23	-12.82	
16,575.00	90.66	178.76	12,211.85	4,343.77 S	59.59 W	383,612.134	774,752.908	0.60	4,344.16	118.37	
16,669.00	90.28	178.13	12,211.08	4,437.73 S	57.04 W	383,518.172	774,755.459	0.78	4,438.08	-121.10	
16,763.00	90.06	179.75	12,210.80	4,531.71 S	55.30 W	383,424.192	774,757.198	1.74	4,532.04	97.73	
16,857.00	89.93	179.21	12,210.81	4,625.70 S	54.45 W	383,330.196	774,758.051	0.59	4,626.02	-103.54	
16,951.00	90.39	179.39	12,210.55	4,719.70 S	53.30 W	383,236.204	774,759.200	0.53	4,720.00	21.37	
17,045.00	89.56	179.40	12,210.59	4,813.69 S	52.31 W	383,142.210	774,760.192	0.88	4,813.97	179.31	
17,060.00	89.54	179.23	12,210.71	4,828.69 S	52.13 W	383,127.211	774,760.371	1.14	4,828.97	-96.71	Last MWD Survey @ 17060.00' MD
17,065.00	89.54	179.23	12,210.75	4,833.69 S	52.06 W	383,122.212	774,760.439	0.00	4,833.97	0.00	Hardline Crossing @ 17065.00' MD
17,080.00	89.54	179.23	12,210.87	4,848.69 S	51.86 W	383,107.214	774,760.640	0.00	4,848.96	0.00	Projection to Blt @ 17080.00' MD

Mewbourne Oil Company

Lea County, NM (NAD83)

HALLIBURTON**Design Report for Salado Draw 9 W0CN Fed Com #1H - Final Surveys****Design Annotations**

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
170.00	170.00	-0.27	-0.53	Start MWD Survey @ 170.00' MD
7,891.00	7,884.51	244.71	-59.31	Hardline Crossing @ 7891.00' MD
11,825.00	11,800.38	244.43	-98.69	Hardline Crossing @ 11825.00' MD
17,060.00	12,210.71	-4,828.69	-52.13	Last MWD Survey @ 17060.00' MD
17,065.00	12,210.75	-4,833.69	-52.06	Hardline Crossing @ 17065.00' MD
17,080.00	12,210.87	-4,848.69	-51.86	Projection to Bit @ 17080.00' MD

Vertical Section Information

Angle Type	Target	Azimuth (°)	Origin Type	Origin +N/-S (usft)	Origin +E/-W (usft)	Start TVD (usft)
TD	No Target (Freehand)	180.61	Slot	0.00	0.00	0.00

Survey tool program

From (usft)	To (usft)	Survey/Plan	Survey Tool
170.00	1,062.00	Surface	3_MWD+HRGM
1,247.00	11,639.00	Intermediate	3_MWD+HRGM
11,686.00	12,675.00	Curve	3_MWD+HRGM
12,769.00	17,060.00	Lateral	3_MWD+HRGM
17,080.00	17,080.00	PTD	3_Blind

Design Targets

Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (°)	+N/-S (°)	+E/-W (°)	Northing (°)	Easting (°)	Latitude	Longitude
()									

Mewbourne Oil Company

Lea County, NM (NAD83)

HALLIBURTON**North Reference Sheet for Sec 09-T26S-R33E - Salado Draw 9 W0CN Fed Com #1H - Wellbore #1**

All data is in US Feet unless otherwise stated. Directions and Coordinates are relative to Grid North Reference.

Vertical Depths are relative to 3308 GL + 28 KB @ 3336.00usft (P 594). Northing and Easting are relative to Salado Draw 9 W0CN Fed Com #1H

Coordinate System is US State Plane 1983, New Mexico Eastern Zone using datum North American Datum 1983, ellipsoid GRS 1980

Projection method is Transverse Mercator (Gauss-Kruger)

Central Meridian is 104° 19' 60.000000 W°, Longitude Origin:0° 0' 0.000000 E°, Latitude Origin:0° 0' 0.000000 N°

False Easting: 541,337.500usft, False Northing: 0.000usft, Scale Reduction: 0.99997152

Grid Coordinates of Well: 387,955.900 usft N, 774,812.500 usft E


Geographical Coordinates of Well: 32° 3' 51.586114 N, 103° 34' 46.711316 W

Grid Convergence at Surface is: 0.40°

Based upon Minimum Curvature type calculations, at a Measured Depth of 17,080.00usft

the Bottom Hole Displacement is 4,848.96usft in the Direction of 180.61° (Grid).

Magnetic Convergence at surface is: -6.13° (18 February 2021, , BGGM2020)



Intent ☐ As Drilled ☒

API # 30-025-48039		
Operator Name: Mewbourne Oil Co.	Property Name: Salado Draw 9 W0CN Fed Com	Well Number 1H

Kick Off Point (KOP)

UL C	Section 9	Township 26S	Range 33E	Lot	Feet 2	From N/S N	Feet 2483	From E/W W	County Eddy
Latitude 32.0652966					Longitude -103.5777612				NAD 83

First Take Point (FTP)

UL C	Section 9	Township 26S	Range 33E	Lot	Feet 349	From N/S N	Feet 2501	From E/W W	County Eddy
Latitude 32.0643427					Longitude -103.5777015				NAD 83

Last Take Point (LTP)

UL N	Section 9	Township 26S	Range 33E	Lot	Feet 143	From N/S S	Feet 2497	From E/W W	County Eddy
Latitude 32.0511583					Longitude -103.5777089				NAD 83

Is this well the defining well for the Horizontal Spacing Unit? ☐ NIs this well an infill well? ☐ Y

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API # 30-025-48040		
Operator Name: Mewbourne Oil Co.	Property Name: Salado Draw 9 W1CN Fed Com	Well Number 2H

KZ 06/29/2018



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Sundry Print Report

02/15/2022

Well Name: SALADO DRAW 9 W0CN FED COM	Well Location: T26S / R33E / SEC 9 / TR C / 32.0643295 / -103.579642	County or Parish/State: LEA / NM
Well Number: 1H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM0000127A, NMNM02127A	Unit or CA Name:	Unit or CA Number: NMNM135614
US Well Number: 3002548039	Well Status: Drilling Well	Operator: MEWBOURNE OIL COMPANY

Subsequent Report**Sundry ID:** 2628896**Type of Submission:** Subsequent Report**Type of Action:** Hydraulic Fracturing**Date Sundry Submitted:** 08/13/2021**Time Sundry Submitted:** 12:44**Date Operation Actually Began:** 05/28/2021

Actual Procedure: Frac horizontal Wolfcamp from 12245' MD to 17025' MD w/11,845,092 gals Slickwater carrying 14,367,190# local 100 mesh sand. Flowback well for cleanup. 06/09/2021 Drill out frac plugs to PBTD @ 17040'. 06/13/2021 RIH w/2 7/8" 6.5# L80 IPC tbg & GLVs to 11343'. 06/15/2021 PWOL. FORMATION TOPS: Rustler 910', T/salt 1220', B/salt 4690', Delaware 4919', Bell Canyon 4944', Cherry Canyon 5945', Manzanita Marker 6185', Brushy Canyon 7510', Bone Spring 9018', 1st Bone Spring 9976', 2nd Bone Spring 10504', 3rd Bone Spring 11637', Wolfcamp 12062'. REQUEST FOR OCD EXTENSION OF TIME TO FILE BLM APPROVED FORM 3160-4.

Well Name: SALADO DRAW 9 W0CN FED COM	Well Location: T26S / R33E / SEC 9 / TR C / 32.0643295 / -103.579642	County or Parish/State: LEA / NM
Well Number: 1H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM000012/A, NMNM02127A	Unit or CA Name:	Unit or CA Number: NMNM135614
US Well Number: 3002548039	Well Status: Drilling Well	Operator: MEWBOURNE OIL COMPANY

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: BRADLEY BISHOP**Signed on:** AUG 13, 2021 12:40 PM**Name:** MEWBOURNE OIL COMPANY**Title:** Regulatory**Street Address:** PO Box 5270**City:** Hobbs**State:** NM**Phone:** (575) 393-5905**Email address:** bbishop@mewbourne.com**Field Representative****Representative Name:** Jackie Lathan**Street Address:** PO Box 5270**City:** Hobbs**State:** NM**Zip:** 88241**Phone:** (575)393-5905**Email address:** jlathan@mewbourne.com**BLM Point of Contact****BLM POC Name:** Jonathon W Shepard**BLM POC Title:** Petroleum Engineer**BLM POC Phone:** 5752345972**BLM POC Email Address:** jshepard@blm.gov**Disposition:** Accepted**Disposition Date:** 10/14/2021**Signature:** Jonathon Shepard



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Well Completion Print Report

09/27/2021

Operator Name MEWBOURNE OIL COMPANY SHL Tract C Sec 9 26S 33E	Well Name SALADO DRAW 9 W0CN FED COM	Well Number 1H	US Well Number 3002548039
Well Type CONVENTIONAL GAS WELL	County LEA	State NM	Lease Number(s) NMNM0000127A, NMNM02127A, NMNM02127A
Allottee/Tribe Name	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM135614, NMNM135614
	Well Pad Name null	Well Pad Number null	ID 10400041946

Section 1 - General

Well Completion Report Id: 79512**Submission Date:** N/A until DB Work**BLM Office:** Hobbs Field Station**User:** Bradley Bishop**Title:** Regulatory**Federal/Indian:** FEDERAL**Lease Number:** NMNM0000127A**Lease Acres:** 320**Agreement in place?:** YES**Federal or Indian Agreement:** FEDERAL**Agreement Number:** NMNM135614**Agreement Name:****Keep this Well Completion Report confidential?:** YES**APD Operator:** MEWBOURNE OIL
COMPANY

Section 2 - Well Information

Field/Pool or Exploratory: Field/Pool**Pool Name:** WOLFCAMP**Field Name:** Sanders Tank Upper**Well Type:** CONVENTIONAL GAS WELL**Spud Date:** 04-04-2021**Date Total Measured Depth Reached:** 04-23-2021**Drill & Abandon or Ready To Produce:** READY TO PRODUCE**Well Class:** HORIZONTAL

Section 3 - Geologic Formations

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral Resources
UNKNOWN	ANHYDRITE		3308	27	27	NONE	

Operator Name MEWBOURNE OIL COMPANY SHL Tract C Sec 9 26S 33E	Well Name SALADO DRAW 9 W0CN FED COM	Well Number 1H	US Well Number 3002548039
Well Type CONVENTIONAL GAS WELL	County LEA	State NM	Lease Number(s) NMNM0000127A, NMNM02127A, NMNM02127A
Allottee/Tribe Name	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM135614, NMNM135614
	Well Pad Name null	Well Pad Number null	ID 10400041946

Section 3 - Geologic Formations

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral Resources
RUSTLER	ANHYDRITE, DOLOMITE		2463	845	845	USEABLE WATER	
TOP SALT	SALT		2092	1216	1216	NONE	
BOTTOM SALT	SALT		-1372	4680	4680	NONE	
LAMAR	LIMESTONE		-1602	4910	4910	NATURAL GAS, OIL	
BELL CANYON	SANDSTONE		-1632	4940	4940	NATURAL GAS, OIL	
CHERRY CANYON	SANDSTONE		-2732	6040	6040	NATURAL GAS, OIL	
MANZANITA	LIMESTONE		-2881	6189	6189	NATURAL GAS, OIL	
BONE SPRING	LIMESTONE, SHALE		-5652	8960	8960	NATURAL GAS, OIL	
BONE SPRING 1ST	SANDSTONE		-6657	9965	9965	NATURAL GAS, OIL	
BONE SPRING 2ND	SANDSTONE		-7212	10520	10520	NATURAL GAS, OIL	
BONE SPRING 3RD	SANDSTONE		-8297	11605	11605	NATURAL GAS, OIL	
WOLFCAMP	LIMESTONE, SANDSTONE, SHALE		-8903	12211	17080	NATURAL GAS, OIL	

Completion and Completed Intervals

Operator Name MEWBOURNE OIL COMPANY SHL Tract C Sec 9 26S 33E	Well Name SALADO DRAW 9 W0CN FED COM	Well Number 1H	US Well Number 3002548039
Well Type CONVENTIONAL GAS WELL	County LEA	State NM	Lease Number(s) NMNM0000127A, NMNM02127A, NMNM02127A
Allottee/Tribe Name	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM135614, NMNM135614
	Well Pad Name null	Well Pad Number null	ID 10400041946

Completion Data

Wellbore Code	Completion Code	Interval Number	Case Number	Lease Number	Well Completion Type	Describe Well Completion Type	Completion Status	Date Completed	Date First Produced	Formation	Interval Top (MD)	Interval Bottom (MD)	Interval Perforated?	Perforation Size	Number of Holes	Status of Interval
00	X1	1	NMNM135614	NMNM02127A	NEW		DRG	06-04-2020	06-16-2021	WOLFCA MP	12245	17025	Y	.39	1368	OPEN

Treatment Data

Wellbore Code	Completion Code	Interval Number	Interval Treated?	Treatment Type	Total Fluid (bbls)	Total Proppant (lbs)	Treatment Remarks
00	X1	1	Y	FRAC	282026		11,845,092 gals Slickwater carrying 14,367,190 # local 100 mesh sand.

Production Data

Wellbore Code	Completion Code	Interval Number	API Oil Gravity	Gas Gravity	Production Method	Describe Production	Disposition of Gas	Describe Disposition
00	X1	1			GAS LIFT		SOLD	

Operator Name MEWBOURNE OIL COMPANY SHL Tract C Sec 9 26S 33E	Well Name SALADO DRAW 9 W0CN FED COM	Well Number 1H	US Well Number 3002548039
Well Type CONVENTIONAL GAS WELL	County LEA	State NM	Lease Number(s) NMNM0000127A, NMNM02127A, NMNM02127A
Allottee/Tribe Name	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM135614, NMNM135614
	Well Pad Name null	Well Pad Number null	ID 10400041946

Test Data

Wellbore Code	Completion Code	Interval Number	Test Date	Hours Tested	24-Hour Rate Oil (bbls)	24-Hour Rate Gas (MCF)	24-Hour Rate Water(BWPD)	Gas-Oil Ratio (SCF/Bbl)	Choke Size	Tubing Pressure	Tubing Pressure Shut-In (psi)	Casing Pressure (psi)
00	X1	1	06/20/2021	24	1578	2945	3035	1866	34/64	2560		45

Well Location

Survey Type: RECTANGULAR

Survey Number:

Datum: NAD83

Vertical Datum: NAVD88

Reference Datum:

State	Meridian	County	Latitude	Longitude	Elevation (MSL)	Lease Type	Lease Number	Plug TVD (ft)	Plug MD (ft)	Plug Type	NS-Foot	NS-Indicator	EW-Foot	EW-Indicator	Township	Range	Section	Aliquot/Lo/Tract
SHL	NEW MEXICO	NEW MEXICO PRINCIPAL	LEA	32.0643295	-103.579642	3308	FEDERAL	NMNM0127A			345	FNL	1900	FWL	26S	33E	9	Tract C
KOP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	LEA	32.0652793	-103.5804422	-8416	FEDERAL	NMNM0127A			10	FNL	1652	FWL	26S	33E	9	Tract C
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	LEA	32.058022	-103.580439	-8895	FEE	FEE			2638	FSL	1652	FWL	26S	33E	9	Tract K
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	LEA	32.0650319	-103.5804421	-8695	FEDERAL	NMNM0127A			100	FNL	1652	FWL	26S	33E	9	Tract C

Operator Name MEWBOURNE OIL COMPANY SHL Tract C Sec 9 26S 33E	Well Name SALADO DRAW 9 W0CN FED COM	Well Number 1H	US Well Number 3002548039
Well Type CONVENTIONAL GAS WELL	County LEA	State NM	Lease Number(s) NMNM0000127A, NMNM02127A, NMNM02127A
Allottee/Tribe Name	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM135614, NMNM135614
	Well Pad Name null	Well Pad Number null	ID 10400041946

	State	Meridian	County	Latitude	Longitude	Elevation (MSL)	Lease Type	Lease Number	Plug TVD (ft)	Plug MD (ft)	Plug Type	NS-Foot	NS-Indicator	EW-Foot	EW-Indicator	Township	Range	Section	Aliquot/Lo/Tract
EXIT Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	LEA	32.0510453	-103.5804358	-8898	FEE	FEE				100	FSL	1652	FWL	26S	33E	9	Tract N
BHL Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	LEA	32.0510453	-103.5804358	-8898	FEE	FEE				100	FSL	1652	FWL	26S	33E	9	Tract N

Casing, Liner and Tubing

Casing and Liner

Wellbore Code	Casing String Type	Hole Size	Top Setting Depth (MD)	Bottom Setting Depth (MD)	Casing Size	Wt(lbs/ft)	Casing Grade	Describe Other Casing Grade	Joint	Other Joint	Amount Pulled (ft)
00	SURFACE	17.5	0	964	13.375	54.5	J-55		ST&C		
00	INTERMEDIATE	12.25	0	4875	9.625	40	HCL-80		LT&C		

Operator Name MEWBOURNE OIL COMPANY SHL Tract C Sec 9 26S 33E	Well Name SALADO DRAW 9 W0CN FED COM	Well Number 1H	US Well Number 3002548039
	County LEA	State NM	Lease Number(s) NMNM0000127A, NMNM02127A, NMNM02127A
Well Type CONVENTIONAL GAS WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM135614, NMNM135614
Allottee/Tribe Name	Well Pad Name null	Well Pad Number null	ID 10400041946

Casing and Liner

Wellbore Code	Casing String Type	Hole Size	Top Setting Depth (MD)	Bottom Setting Depth (MD)	Casing Size	Wt(lbs/ft)	Casing Grade	Describe Other Casing Grade	Joint	Other Joint	Amount Pulled (ft)
00	PRODUCTION	8.75	0	11555	7.0	29	HCP-110		LT&C		
00	LINER	6.125	11374	17080	4.5	13.5	OTHER	ICP110	OTHER	BPN	

Cementing

Wellbore Code	Casing String Type	Stage Tool Depth	Cement Lead Type	Cement Lead Qty (sks)	Cement Lead Yield (cu.ft/sks)	Cement Lead Top (MD)	Cement Tail Type	Cement Tail Qty (sks)	Cement Tail Yield(cu.ft/sks)	Cement Tail Top (MD)	Total (Lead + Tail) Cement Slurry Volume (bbis)
00	SURFACE		Class C	625	1.73	0	Class C	200	1.34		240.3
00	INTERMEDIATE		Class C	1200	2.12	0	Class C	200	1.33		500.5
00	PRODUCTION	6189	Class C	275	4.03	4350	Class H	400	1.18		281.4
00	LINER		Class H	650	1.26	11374				925	145.9

Tubing

Wellbore Code	Tubing Size	Describe Other	Tubing Setting Depth (MD/ft)	Packer Depth (MD/ft)	Tubing Weight	Tubing Grade	Describe Other	Tubing Coupling	Describe Other
00	2.875		11343	11328	6	L-80		OTHER	EUE

Operator Name MEWBOURNE OIL COMPANY SHL Tract C Sec 9 26S 33E	Well Name SALADO DRAW 9 W0CN FED COM	Well Number 1H	US Well Number 3002548039
Well Type CONVENTIONAL GAS WELL	County LEA	State NM	Lease Number(s) NMNM0000127A, NMNM02127A, NMNM02127A
Allottee/Tribe Name	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM135614, NMNM135614
	Well Pad Name null	Well Pad Number null	ID 10400041946

Logs

Wellbore Code	Log Upload	Was Well Cored?	Was DST Run?	Directional Survey?	Geologic Report Completed?	Wellbore Diagram
00	YES	NO	NO	YES	NO	YES

Operator Certification

I hereby certify that the foregoing and attached information is complete and correct as determined from all available records. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Well Completion Reports through this system satisfies regulations requiring a submission of Form 3160-4 or a Well Completion Report.

Name: MEWBOURNE OIL COMPANY

Signed By: Bradley Bishop

Title: Regulatory

Signed on: 09/23/2021

Street Address: PO Box 5270

City: Hobbs

State: NM

Zip: 88260

Phone: (575)393-5905

Email address: bbishop@mewbourne.com

Field Representative

Representative Name: Jackie Lathan

Street Address: PO Box 5270

City: Hobbs

State: NM

Zip: 88241

Phone: (575)393-5905

Extension:

Email address: jlathan@mewbourne.com

Operator Name MEWBOURNE OIL COMPANY SHL Tract C Sec 9 26S 33E	Well Name SALADO DRAW 9 W0CN FED COM	Well Number 1H	US Well Number 3002548039
	County LEA	State NM	Lease Number(s) NMNM0000127A, NMNM02127A, NMNM02127A
Well Type CONVENTIONAL GAS WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM135614, NMNM135614
Allottee/Tribe Name	Well Pad Name null	Well Pad Number null	ID 10400041946

Attachments

Salado_Draw_9_W0CN_Fed_Com_1H_480_MD_20210810142858.pdf

Salado_Draw_9_W0CN_Fed_Com_1H_480_TVD_20210810142927.pdf

Salado_Draw_9_W0CN_Fed_Com_1H_PVA_20210923061039.pdf

20210923061330_20210923061331.pdf

Mewbourne Oil Company

Well Name: Salado Draw 9 W0CN Fed Com #1H

Updated by: Andy Taylor

Spud Date: 4/4/2021

Date Updated: 9/17/2021

Surface

17 1/2" x 13 3/4" 54.5# J55
Set @ 964'
Cmt w/ 825 sx
Circ. 250 sx to pit

Intermediate

12 3/4" x 9 3/4" 40# HCL80
Set @ 4875'
Cmt w/ 1400 sx
Circ. 117 sx to pit

Production

8 3/4" x 7" 29# HCP110
Set @ 11,555'
Cmt w/ 675 sx
TOC @ 4350' (est.)

Liner

6 1/8" x 4 1/2" HCP110
Set @ 11,374' - 17,080'
Cmt w/ 650 sx
TOC @ 11,374'

TBG Detail:

1	2 7/8" Sub w/ Collar	6.00'
1	2 7/8" x 7" AS 1X Pkr	9.75'
1	2 7/8" 6.5# L80 IPC tbg	32.65'
1	2 7/8" L80 GLV #1	4.10'
1	2 7/8" SN & Collar	1.10'
19	2 7/8" 6.5# L80 IPC tbg	615.20'
1	2 7/8" L80 GLV #2	4.10'
19	2 7/8" 6.5# L80 IPC tbg	617.95'
1	2 7/8" L80 GLV #3	4.10'
19	2 7/8" 6.5# L80 IPC tbg	620.36'
1	2 7/8" L80 GLV #4	4.10'
18	2 7/8" 6.5# L80 IPC tbg	587.85'
1	2 7/8" L80 GLV #5	4.10'
19	2 7/8" 6.5# L80 IPC tbg	620.17'
1	2 7/8" L80 GLV #6	4.10'
19	2 7/8" 6.5# L80 IPC tbg	620.45'
1	2 7/8" L80 GLV #7	4.10'
19	2 7/8" 6.5# L80 IPC tbg	620.53'
1	2 7/8" L80 GLV #8	4.10'
19	2 7/8" 6.5# L80 IPC tbg	620.70'
1	2 7/8" L80 GLV #9	4.10'
19	2 7/8" 6.5# L80 IPC tbg	620.45'
1	2 7/8" L80 GLV #10	4.10'
19	2 7/8" 6.5# L80 IPC tbg	617.48'
1	2 7/8" L80 GLV #11	4.10'
20	2 7/8" 6.5# L80 IPC tbg	650.23'
1	2 7/8" L80 GLV #12	4.10'
26	2 7/8" 6.5# L80 IPC tbg	848.70'
1	2 7/8" L80 GLV #13	4.10'
45	2 7/8" 6.5# L80 IPC tbg	1466.72'
1	2 7/8" L80 GLV #14	4.10'
63	2 7/8" 6.5# L80 IPC tbg	2048.88'
2	2 7/8" 6.5# L80 IPC subs	12.00'
1	2 7/8" 6.5# L80 IPC tbg	32.46'
Total tbg		11315.01'
KB Correction		28.00'
Tbg set @		11343.01'

KOP @ 11,581'
Dev @ KOP: 1.96°

TVD @ 12,215'
TD 6 1/8" hole @ 17,080'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 82145

ACKNOWLEDGMENTS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 82145
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 82145

CONDITIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 82145
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	6/6/2024