

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: TALLANT Well Location: T30N / R8W / SEC 26 / C

NWSE / 36.77977 / -107.64046

County or Parish/State: SAN

JUAN / NM

Well Number: 1 Type of Well: CONVENTIONAL GAS

WELL

Allottee or Tribe Name:

VV

Unit or CA Name:

**Unit or CA Number:** 

**US Well Number: 3004529058** 

Lease Number: NMSF080597

**Operator: SIMCOE LLC** 

## **Notice of Intent**

**Sundry ID: 2792403** 

Type of Submission: Notice of Intent

Date Sundry Submitted: 05/24/2024

Date proposed operation will begin: 04/25/2024

Type of Action: Temporary Abandonment

**Time Sundry Submitted: 11:37** 

**Procedure Description:** 

## **Surface Disturbance**

Is any additional surface disturbance proposed?: No

## **NOI Attachments**

## **Procedure Description**

Tallant\_001\_TA\_Procedure\_20240524113623.pdf

Well Location: T30N / R8W / SEC 26 /

NWSE / 36.77977 / -107.64046

County or Parish/State: SAN 2 of

JUAN / NM

Well Number: 1

Type of Well: CONVENTIONAL GAS

**Allottee or Tribe Name:** 

Lease Number: NMSF080597

**Unit or CA Name:** 

**Unit or CA Number:** 

**US Well Number:** 3004529058

**Operator: SIMCOE LLC** 

## **Conditions of Approval**

### **Specialist Review**

Tallant\_1\_ID\_2791715\_TA\_COAs\_MHK\_05.28.2024\_20240528120451.pdf

Tallant\_1\_ID\_2792403\_TA\_COAs\_MHK\_05.28.2024\_20240528114947.pdf

## **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

**Operator Electronic Signature: GINA DOERNER** Signed on: MAY 24, 2024 11:36 AM

Name: SIMCOE LLC

Title: Regulatory Analyst

Street Address: 1199 MAIN AVENUE SUITE 101

City: DURANGO State: CO

Phone: (970) 852-0082

Email address: GINA.DOERNER@IKAVENERGY.COM

## **Field**

**Representative Name:** 

**Street Address:** 

City: State: Zip:

Phone:

**Email address:** 

## **BLM Point of Contact**

**BLM POC Name: MATTHEW H KADE BLM POC Title:** Petroleum Engineer

**BLM POC Phone:** 5055647736 BLM POC Email Address: MKADE@BLM.GOV

**Disposition:** Approved Disposition Date: 05/28/2024

Signature: MATTHEW KADE

Form 3160-5 (June 2019)

# UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

DEI	THE THE HALL					
BUREAU OF LAND MANAGEMENT			5. Lease Seria	5. Lease Serial No.		
Do not use this t	NOTICES AND REPORTS ON V form for proposals to drill or t Use Form 3160-3 (APD) for su	o re-enter an	6. If Indian, A	allottee or Tribe	e Name	
SUBMIT IN	TRIPLICATE - Other instructions on pag	ge 2	7. If Unit of C	CA/Agreement,	Name and/or No.	
1. Type of Well	_		8. Well Name	and No		
Oil Well Gas V	Vell Other					
2. Name of Operator			9. API Well N	lo.		
3a. Address	. (include area code)	10. Field and	Pool or Explor	atory Area		
4. Location of Well (Footage, Sec., T., F	R.,M., or Survey Description)		11. Country o	r Parish, State		
12. CHE	CK THE APPROPRIATE BOX(ES) TO IN	DICATE NATURE O	F NOTICE, REPORT	OR OTHER D	ATA	
TYPE OF SUBMISSION		TYPE	OF ACTION			
Notice of Intent	Acidize Dee	pen	Production (Start/R	tesume)	Water Shut-Off	
		raulic Fracturing	Reclamation		Well Integrity	
Subsequent Report		Construction _	Recomplete		Other	
Final Abandonment Notice		g and Abandon	Temporarily Aband Water Disposal	lon		
is ready for final inspection.)	tices must be filed only after all requiremen	is, morating rectament	on, nave occur compre	ect and the ope	rator has determined that the site	
14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)						
		Title				
Signature		Date				
	THE SPACE FOR FED	ERAL OR STAT	E OFICE USE			
Approved by						
		Title		Date		
	hed. Approval of this notice does not warran equitable title to those rights in the subject landuct operations thereon.			ı		
Title 18 IJ S C Section 1001 and Title 4	3 IJ S C Section 1212 make it a crime for a	ny nerson knowingly s	and willfully to make t	to any denartm	ent or agency of the United States	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United State any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

#### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

#### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

#### **NOTICES**

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

## **Additional Information**

## **Location of Well**

 $0. \ SHL: \ NWSE\ /\ 1510\ FSL\ /\ 1460\ FEL\ /\ TWSP: \ 30N\ /\ RANGE: \ 8W\ /\ SECTION: \ 26\ /\ LAT: \ 36.77977\ /\ LONG: \ -107.64046\ (\ TVD: \ 0\ feet,\ MD: \ 0\ feet\ )$  BHL: \ NWSE\ /\ 1510\ FSL\ /\ 1460\ FEL\ /\ TWSP: \ 30N\ /\ SECTION: \ /\ LAT: \ 36.77977\ /\ LONG: \ 107.64046\ (\ TVD: \ 0\ feet,\ MD: \ 0\ feet\ )

#### **Procedure - Temporary Abandonment**

Tallant #001 (J) Sec 26, T30N, R8W San Juan County 30-045-29058

AFE# 240171

CC # 1000261941-009

MIRU service unit.

Pull rodstring/pump/tubing if present in well.

TIH 7" casing scraper to 4450'.

RIH cast iron bridge plug and set at 4400'

Top off casing with 2% KCl w/packer fluid supplied by Western Chemical.

Pressure test casing to 500 psi for 30 min with rig pump. Pressure shall not decrease more than 50 psi over the 30 min period

Open casing valves to check for flow or pressure change.

Test shall be recorded using a chart recorder with a maximum two hour clock and 1000 pound spring, calibrated within six months prior to MIT of casing

Submit chart, C-103, and wellbore diagram showing well details and plug set depth.

Air gap and blind flange production flow lines.

After a period not to exceed 5 years after the temporary abandoment has been completed, a workover rig will remove the cast iron bridge plug and monitor pressure buildup of the well for a two week period to determine if the well will return to a production status. If the decision is made to not produce the well, a request for plugging and abandonment will be submitted.


If the decision is made to produce the well, all necessary flow and production lines will be reinstalled for a flow ready status up to and including any removed flowmeters and well ties. Surface facilities will be placed for production puroposes.

GL: 5938'

API #: 30-045-29058 J-26-30N-08W

San Juan, NM

San Jose Surface Ojo Alamo Formation 1725' Kirtland Formation 1825' Fruitland Formation 2485' Pictured Cliffs Formation 2766' Lewis Formation 2915' Mesa Verde Top 4467' 6835' Mancos - Greenhorn Mancos - Graneros Dakota Formation 7061'



Morrison Formation

7382'

Tallant #001 MV API #: 30-045-29058 J-26-30N-08W		Planned Temporary Abondoment
San Juan, NM		GL: 5938'
San Jose	Surface	13-3/8" 61# H-40 @ 400' 17-1/2" hole
Ojo Alamo Formation	1725'	500 sks cmt TOC @ surf. (10 bbls circ.)
Kirtland Formation	1825'	
Fruitland Formation	2485'	
Pictured Cliffs Formation	2766'	
Lewis Formation	2915'	9-5/8" 36# J-55 @ 3030' 8-3/4" hole 1275 sks cmt TOC @ 1900'
Mace Varda Tan	44671	CIBP set @ 4400'  Mass Varda Producina Interval
Mesa Verde Top	4467'	4467' Mesa Verde Producing Interval
		5259' Cement plug @ 5610' - 5710'
		Top of Liner @ 6984'
		7" 23# J-55 @ 6984' 8-5/8" hole
Mancos - Greenhorn	6835'	775 sks cmt TOC @ 2600'
Mancos - Graneros	7002'	Cement plug @ 6930' - 7030'
Dakota Formation	7061'	7062' CIBP set @ 7030' Dakota abandoned 3/28/2002
Morrison Formation	7382'	7280'
		4-1/2" 10.5# J-55 @ 7435' 100 sks cmt
		PBTD: 7400' TOC @ Liner Top TD: 7435'



# United States Department of the Interior

BUREAU OF LAND MANAGEMENT Farmington District Office 6251 College Boulevard, Suite A Farmington, New Mexico 87402 http://www.blm.gov/nm



May 28, 2024

## CONDITIONS OF APPROVAL

**Sundry Notice of Intent ID # 2791715 Request for Temporary Abandonment Status** 

**Operator:** Simcoe LLC **Lease:** NMSF 080597

**Well(s):** Tallant 1, API # 30-045-29058

**Location:** NWSE Sec 26 T30N R8W (San Juan County, NM)

The request for temporary abandonment (TA) is approved with the following conditions:

- 1. No well shall be TA without prior approval from the authorized officer or representative.
- 2. This approval is granted for a 12-month period until May 15, 2024. <u>Before this approval expires</u> one of the following shall be submitted:
  - a. A sundry notice (Notice of Intent Temporary Abandonment) to keep the well in TA status with engineering and/or economic justification for another 12-month period. Provide details on the future beneficial use for the well with proposed dates of when work would be completed. Dates do not have to be exact but should be reasonable.
  - b. A sundry notice (Notification Resume Production) reporting resumption of production within five business days after resuming production.
  - c. A sundry notice (Notice of Intent Plug and Abandonment) to plug and abandon (P&A) the well. The sundry should include plugging procedure, current wellbore diagram, proposed wellbore diagram, and a reclamation plan. While not necessary to P&A before May 15, 2024, a sundry notice must be submitted prior to that date. The P&A will have to occur within one year of the approval of the NOI.
- 3. This agency reserves the right to modify or rescind approval. A plug or produce order may still be issued at the discretion of the authorized officer.

4. The lease is currently held by production from other wells. Should production from the lease cease, the BLM may require this well be returned to production or P&A, regardless of the amount of time the TA status is still approved for.

For questions concerning this matter, please contact Matthew Kade, Petroleum Engineer at the BLM Farmington Field Office, at (505) 564-7736 or mkade@blm.gov.



# United States Department of the Interior

BUREAU OF LAND MANAGEMENT Farmington District Office 6251 College Boulevard, Suite A Farmington, New Mexico 87402 <a href="http://www.blm.gov/nm">http://www.blm.gov/nm</a>



May 28, 2024

## CONDITIONS OF APPROVAL

Sundry Notice of Intent ID # 2792403 Proposed Work to Temporary Abandonment

**Operator:** Simcoe LLC **Lease:** NMSF 29058

**Well(s):** Tallant 1, API # 30-045-29058

**Location:** NWSE Sec 26 T30N R8W (San Juan County, NM)

The request to temporarily abandon the above well is accepted with the following conditions of approval:

- 1. After work is completed, send in Sundry Notice Subsequent Report detailing actual work completed with exact dates (month, day, year). And the updated wellbore schematic. The report must be submitted within 30 days after work is completed.
- 2. Also, after work is completed, send in a Sundry Notice Notice of Intent requesting temporary abandonment status. Note approval is based on the discretion of this agency. This request must be submitted within 30 days after work is completed.

Include in the Notice of Intent the following:

- a. Proposed exact expiration date (month, day, year). Cannot be later than 12-months from date of submission. The date can also be when the current TA approval will expire.
- b. Confirmation of other production on lease, or agreement.
- c. Plans for the well.
- 3. This agency reserves the right to modify or rescind approval. A plug or produce order may still be issued at the discretion of the authorized officer.
- 4. The lease is currently held by production from other wells. Should production from the lease cease, the BLM may require this well be returned to production or P&A, regardless of the amount of time the TA status is still approved for.

For questions concerning this matter, please contact Matthew Kade, Petroleum Engineer at the BLM Farmington Field Office, at (505) 564-7736 or mkade@blm.gov.

#### **Procedure - Temporary Abandonment**

Tallant #001
(J) Sec 26, T30N, R8W
San Juan County
30-045-29058

MIRU service unit.

Pull rodstring/pump/tubing if present in well.

TIH 7" casing scraper to 4450'.

RIH cast iron bridge plug and set at 4400'

Top off casing with 2% KCl w/packer fluid supplied by Western Chemical.

Pressure test casing to 500 psi for 30 min with rig pump. Pressure shall not decrease more than 50 psi over the 30 min period

Open casing valves to check for flow or pressure change.

Test shall be recorded using a chart recorder with a maximum two hour clock and 1000 pound spring, calibrated within six months prior to MIT of casing

Submit chart, C-103, and wellbore diagram showing well details and plug set depth.

Air gap and blind flange production flow lines.

After a period not to exceed 5 years after the temporary abandoment has been completed, a workover rig will remove the cast iron bridge plug and monitor pressure buildup of the well for a two week period to determine if the well will return to a production status. If the decision is made to not produce the well, a request for plugging and abandonment will be submitted.

If the decision is made to produce the well, all necessary flow and production lines will be reinstalled for a flow ready status up to and including any removed flowmeters and well ties. Surface facilities will be placed for production puroposes.

GL: 5938'

API #: 30-045-29058 J-26-30N-08W

San Juan, NM

San Jose Surface 13-3/8" 61# H-40 @ 400' 17-1/2" hole 500 sks cmt Ojo Alamo Formation 1725' TOC @ surf. (10 bbls circ.) Kirtland Formation 1825' 2485' Fruitland Formation Pictured Cliffs Formation 2766' Lewis Formation 2915' 9-5/8" 36# J-55 @ 3030' 8-3/4" hole 1275 sks cmt TOC @ 1900' 2-3/8" 4.7# J-55, @ 5302' (163 jts) 1.780" ID F-Nipple @ 5302' 2-3/8" 4.7# J-55, MA, EOT @ 5323' Mesa Verde Top 4467' 4467' Mesa Verde Producing Interval 5259' Cement plug @ 5610' - 5710' Top of Liner @ 6984' 7" 23# J-55 @ 6984' 8-5/8" hole 775 sks cmt TOC @ 2600' 6835' Mancos - Greenhorn Mancos - Graneros Cement plug @ 6930' - 7030' CIBP set @ 7030' 7062' Dakota abandoned 3/28/2002 Dakota Formation 7061' 7280' Morrison Formation 7382' 4-1/2" 10.5# J-55 @ 7435' 100 sks cmt PBTD: 7400' TOC @ Liner Top TD: 7435'

Tallant #001

MV API #: 30-045-29058 J-26-30N-08W		Planned Temporary Abondoment
San Juan, NM		GL: 5938'
San Jose	Surface	13-3/8" 61# H-40 @ 400' 17-1/2" hole
Ojo Alamo Formation	1725'	500 sks cmt TOC @ surf. (10 bbls circ.)
Kirtland Formation	1825'	
Fruitland Formation	2485'	
Pictured Cliffs Formation	2766'	
Lewis Formation	2915'	9-5/8" 36# J-55 @ 3030' 8-3/4" hole 1275 sks cmt TOC @ 1900'
Mesa Verde Top	4467'	Mesa Verde Producing Interval 5259'  Cement plug @ 5610' - 5710'
		Top of Liner @ 6984'
		7" 23# J-55 @ 6984' 8-5/8" hole 775 sks cmt TOC @ 2600'
Mancos - Greenhorn Mancos - Graneros	6835' 7002'	Cement plug @ 6930' - 7030'
Dakota Formation	7061'	7062' CIBP set @ 7030' Dakota abandoned 3/28/2002
Morrison Formation	7382'	4-1/2" 10.5# J-55 @ 7435'
		100 sks cmt PBTD: 7400' TOC @ Liner Top TD: 7435'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 349376

#### **CONDITIONS**

Operator:	OGRID:
SIMCOE LLC	329736
1199 Main Ave., Suite 101	Action Number:
Durango, CO 81301	349376
	Action Type:
	[C-103] NOI Temporary Abandonment (C-103I)

#### CONDITIONS

Created By	Condition	Condition Date
mkuehling	If plugging is decided the cement plug at 5610 -5710 will have to be drilled out and the proper plug be set from 50 feet below intermediate shoe to 100 feet above top of liner. Notify NMOCD 24 hours prior to testing. A bradenhead test is required prior to MIT day of MIT - Pressure cannot drop below 500 on a TA'd well.	6/6/2024