

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 25-50356	⁵ Pool Name TRIPLE X; BONE SPRING, WEST	⁶ Pool Code 96674
⁷ Property Code 325410	⁸ Property Name HYPERION STATE	⁹ Well Number 127H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
C	20	24S	33E	-	540	NORTH	2029	WEST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	20	24S	33E	-	23	SOUTH	2298	WEST	LEA
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 1/9/2023	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	PLAINS ALL AMERICAN 333 CLAY STREET SUITE 1600 HOUSTON, TX 77002	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 8/14/2022	²² Ready Date 12/31/2022	²³ TD 15904' 15925	²⁴ PBTB 15858'	²⁵ Perforations 10920 ft to 15790 ft	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	1272'	920 sks		
12.25"	9.625"	5457' 5174	1165 sks		
8.75"/7.875"	5.5"	15904'	1580 sks		

V. Well Test Data

³¹ Date New Oil 1/9/2023	³² Gas Delivery Date 1/9/2023	³³ Test Date 1/28/2023	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 850
³⁷ Choke Size 30/64	³⁸ Oil 418	³⁹ Water 2189	⁴⁰ Gas 521	⁴¹ Test Method Flowing	
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 6/27/2024		
Date: 1/30/2023		Phone: 720-772-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT
AS-DRILLED

AS-DRILLED AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-50356	² Pool Code 96674	³ Pool Name TRIPLE X; BONE SPRING, WEST
⁴ Property Code 325410	⁵ Property Name HYPERION STATE	⁶ Well Number 127H
⁷ GRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3544'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	20	24-S	33-E	-	540'	NORTH	2029'	WEST	LEA

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	20	24-S	33-E	-	23'	SOUTH	2298'	WEST	LEA

¹² Dedicated Acres 160	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

[Signature]

1/20/2023

Signature

Date

Jeff Trlica

Printed Name

jtrlica@taprk.com


E-mail Address

¹⁸SURVEYOR CERTIFICATION


I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

06/16/2022

Date of Survey
Signature and Seal of Professional Surveyor



Certificate Number

SECTION 20, TOWNSHIP 24-S, RANGE 33-E, N.M.P.M.
LEA COUNTY, NEW MEXICO

LEASE NAME & WELL NO.: _____ HYPERION STATE 127H
 SECTION 20 TWP 24-S RGE 33-E SURVEY N.M.P.M.
 COUNTY LEA STATE NM ELEVATION 3544'
 DESCRIPTION 540' FNL & 2029' FWL



TOPOGRAPHIC
 LOYALTY INNOVATION LEGACY
 481 WINSCOTT ROAD, Ste. 200 • BENBROOK, TEXAS 76126
 TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
 TEXAS FIRM REGISTRATION NO. 10042504
 WWW.TOPOGRAPHIC.COM



Ramon A. Dominguez, P.S. No. 24508
 January 13, 2023

HYPERION STATE 127H AS-DRILLED	REVISION:		NOTES:
	INT	DATE	
DATE: 01/13/23			1. ORIGINAL DOCUMENT SIZE: 8.5" X 11" 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET. 3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.
FILE:AD_HYPERION_STATE_127H_REV1			
DRAWN BY: GJU			
SHEET: 2 OF 2			

S:\SURVEY\TAPROCK\HYPERION_UNIT\FINAL_PRODUCT\SD_HYPERION_STATE_127H_REV1.DWG 1/25/2023 7:32:27 AM kmatheny



Operator: Tap Rock Resources, LLC.
Well Name: Hyperion State Fed Com #127H
County: Lea County
State: New Mexico
Rig Name: H&P 264
API: 30-025-50356

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 120.00' MD – 15,857.00' MD
Projection to Bit: 15,925.00' MD
Dates Performed: 08/14/2022 – 09/03/2022
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "George Dominguez".

George Dominguez
MWD Coordinator
Intrepid Directional Drilling Specialists





Operator: Tap Rock Resources, LLC.

Well Name: Hyperion State Com 127H

Job Number: ID3566

Survey Company: Intrepid Directional Drilling Specialists

Rig Name: H&P 264

Target KBTVD: 10884.00

Target Inclination: 90.40°

Declination Correction: 5.89°

DF Elevation: 3,570

Vertical Section Calculated Along Azimuth: 179.55°

Survey Calculation Method: Minimum Curvature

TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
GYRO	1	94.87	0.68	299.45	95	94.87	-0.28	0.28	-0.49	0.72
GYRO	2	183.53	0.86	313.35	89	183.52	-1.00	0.99	-1.43	0.29
GYRO	3	272.19	0.86	325.02	89	272.17	-2.01	1.99	-2.30	0.20
GYRO	4	364.89	0.78	333.54	93	364.86	-3.15	3.13	-2.98	0.16
GYRO	5	457.59	0.48	352.84	93	457.55	-4.11	4.08	-3.31	0.39
GYRO	6	550.29	0.59	25.97	93	550.25	-4.92	4.90	-3.15	0.35
GYRO	7	642.99	0.93	45.43	93	642.94	-5.88	5.86	-2.40	0.46
GYRO	8	735.69	1.07	44.75	93	735.63	-7.01	7.00	-1.25	0.15
GYRO	9	828.39	0.98	42.17	93	828.31	-8.20	8.20	-0.11	0.11
GYRO	10	921.09	0.78	32.78	93	921.00	-9.31	9.31	0.76	0.26
GYRO	11	1013.79	0.59	5.73	93	1013.70	-10.30	10.31	1.14	0.40
GYRO	12	1106.49	0.73	324.21	93	1106.39	-11.26	11.26	0.85	0.52
GYRO	13	1199.19	0.80	320.89	93	1199.08	-12.24	12.25	0.09	0.09
GYRO	14	1294.89	1.00	307.69	96	1294.77	-13.28	13.28	-0.99	0.30
GYRO	15	1390.62	0.67	318.47	96	1390.49	-14.22	14.21	-2.02	0.38
GYRO	16	1486.29	1.43	36.95	96	1486.15	-15.59	15.58	-1.67	1.52
GYRO	17	1581.97	3.34	43.66	96	1581.74	-18.55	18.55	0.97	2.02
GYRO	18	1677.69	5.54	44.02	96	1677.17	-23.85	23.89	6.11	2.29
GYRO	19	1773.31	6.04	43.38	96	1772.30	-30.77	30.87	12.77	0.53
GYRO	20	1869.05	5.92	41.00	96	1867.52	-38.10	38.25	19.46	0.29
GYRO	21	1964.75	5.83	39.08	96	1962.72	-45.54	45.75	25.76	0.22
GYRO	22	2060.43	5.97	38.67	96	2057.89	-53.15	53.41	31.94	0.15
GYRO	23	2156.18	5.82	38.35	96	2153.13	-60.80	61.10	38.06	0.16
GYRO	24	2251.88	5.66	36.52	96	2248.35	-68.36	68.71	43.88	0.25
GYRO	25	2347.52	6.84	39.46	96	2343.42	-76.50	76.89	50.31	1.28
GYRO	26	2443.36	7.26	38.07	96	2438.54	-85.61	86.07	57.67	0.48
GYRO	27	2539.06	8.74	37.45	96	2533.30	-96.08	96.60	65.82	1.55
GYRO	28	2634.81	9.33	41.66	96	2627.87	-107.58	108.18	75.41	0.93
GYRO	29	2730.52	9.52	41.47	96	2722.28	-119.23	119.91	85.81	0.20
GYRO	30	2826.29	9.46	42.57	96	2816.74	-130.88	131.64	96.39	0.20
GYRO	31	2921.91	9.45	43.02	96	2911.06	-142.33	143.17	107.06	0.08
GYRO	32	3017.58	9.36	44.24	96	3005.45	-153.56	154.49	117.85	0.23
GYRO	33	3112.54	9.22	43.95	95	3099.16	-164.48	165.50	128.51	0.16
GYRO	34	3208.22	8.50	43.35	96	3193.70	-175.06	176.16	138.69	0.75
GYRO	35	3303.87	8.43	43.44	96	3288.31	-185.21	186.39	148.36	0.08
GYRO	36	3399.49	8.24	43.44	96	3382.92	-195.20	196.45	157.89	0.19
GYRO	37	3495.87	7.94	44.24	96	3478.34	-204.92	206.24	167.28	0.33
GYRO	38	3590.69	7.58	42.83	95	3572.29	-214.13	215.52	176.11	0.43
GYRO	39	3686.33	7.33	43.97	96	3667.12	-223.08	224.53	184.63	0.30
GYRO	40	3781.45	7.10	46.03	95	3761.49	-231.46	232.98	193.07	0.37
GYRO	41	3877.44	6.65	46.49	96	3856.79	-239.34	240.93	201.37	0.47
GYRO	42	3973.08	6.34	46.57	96	3951.81	-246.72	248.37	209.23	0.33
GYRO	43	4068.68	5.92	46.49	96	4046.86	-253.69	255.40	216.64	0.44
GYRO	44	4164.63	5.74	43.48	96	4142.32	-260.53	262.29	223.53	0.37
GYRO	45	4260.03	6.74	35.08	95	4237.15	-268.52	270.34	230.04	1.41
GYRO	46	4355.65	6.60	41.19	96	4332.13	-277.19	279.06	236.88	0.76
GYRO	47	4451.30	7.75	39.62	96	4427.03	-286.23	288.16	244.61	1.22
GYRO	48	4547.04	7.49	38.14	96	4521.92	-296.05	298.04	252.58	0.34
GYRO	49	4642.63	8.84	35.85	96	4616.54	-306.84	308.90	260.73	1.45
GYRO	50	4737.89	10.28	36.29	95	4710.48	-319.55	321.68	270.04	1.51
GYRO	51	4833.61	10.18	37.05	96	4804.68	-333.10	335.31	280.19	0.18
GYRO	52	4929.30	9.51	36.97	96	4898.96	-346.09	348.37	290.04	0.70
GYRO	53	5025.15	8.70	36.97	96	4993.60	-358.13	360.49	299.16	0.85
MWD	54	5115	8.26	38.23	90	5082.47	-368.56	370.99	307.24	0.53
MWD	55	5261	9.80	45.62	146	5226.66	-385.37	387.92	322.61	1.32
MWD	56	5357	11.65	47.90	96	5320.98	-397.48	400.13	335.64	1.98
MWD	57	5452	11.21	46.93	95	5414.09	-410.11	412.87	349.51	0.51
MWD	58	5548	11.25	44.65	96	5508.25	-423.04	425.90	362.90	0.46
MWD	59	5643	9.76	43.42	95	5601.66	-435.39	438.34	374.95	1.59
MWD	60	5739	8.92	45.62	96	5696.39	-446.42	449.46	385.86	0.95
MWD	61	5834	8.00	50.45	95	5790.35	-455.70	458.82	396.23	1.22
MWD	62	5930	5.76	52.38	96	5885.66	-462.82	466.02	405.19	2.35
MWD	63	6025	4.44	46.06	95	5980.28	-468.23	471.48	411.62	1.51
MWD	64	6121	4.88	48.43	96	6075.96	-473.47	476.77	417.35	0.50
MWD	65	6216	2.99	31.11	95	6170.74	-478.24	481.57	421.65	2.33

MWD	66	6312	2.37	13.62	96	6266.63	-482.30	485.64	423.41	1.06
MWD	67	6407	1.45	48.17	95	6361.58	-485.00	488.35	424.77	1.51
MWD	68	6503	1.63	68.03	96	6457.55	-486.31	489.67	426.94	0.58
MWD	69	6598	2.07	77.78	95	6552.50	-487.15	490.54	429.87	0.57
MWD	70	6694	0.79	52.38	96	6648.47	-487.91	491.31	432.09	1.46
MWD	71	6790	1.01	279.41	96	6744.46	-488.45	491.86	431.78	1.72
MWD	72	6885	1.19	281.60	95	6839.44	-488.80	492.19	429.99	0.19
MWD	73	6981	1.36	293.91	96	6935.42	-489.48	492.85	427.97	0.33
MWD	74	7076	1.19	283.10	95	7030.40	-490.17	493.53	425.98	0.31
MWD	75	7172	0.57	307.35	96	7126.38	-490.70	494.05	424.63	0.74
MWD	76	7268	1.01	291.45	96	7222.38	-491.31	494.65	423.46	0.51
MWD	77	7364	1.23	255.06	96	7318.36	-491.37	494.69	421.68	0.76
MWD	78	7459	0.84	237.66	95	7413.34	-490.74	494.06	420.11	0.52
MWD	79	7555	1.10	253.65	96	7509.33	-490.12	493.42	418.63	0.39
MWD	80	7650	0.88	235.99	95	7604.32	-489.47	492.76	417.15	0.39
MWD	81	7746	0.44	351.39	96	7700.31	-489.42	492.71	416.48	1.19
MWD	82	7841	0.26	33.31	95	7795.31	-489.96	493.25	416.54	0.32
MWD	83	7937	0.70	10.99	96	7891.31	-490.72	494.01	416.78	0.49
MWD	84	8032	0.35	95.80	95	7986.30	-491.26	494.55	417.18	0.79
MWD	85	8128	0.26	41.57	96	8082.30	-491.39	494.68	417.61	0.30
MWD	86	8224	0.26	307.18	96	8178.30	-491.68	494.98	417.58	0.40
MWD	87	8319	0.09	146.87	95	8273.30	-491.75	495.04	417.45	0.36
MWD	88	8415	0.75	245.39	96	8369.30	-491.43	494.72	416.92	0.80
MWD	89	8511	0.75	211.03	96	8465.29	-490.64	493.92	416.03	0.46
MWD	90	8606	0.44	217.88	95	8560.29	-489.82	493.10	415.48	0.33
MWD	91	8702	0.88	198.11	96	8656.28	-488.83	492.11	415.03	0.51
MWD	92	8797	1.05	232.74	95	8751.27	-487.62	490.89	414.11	0.63
MWD	93	8893	0.26	32.96	96	8847.26	-487.27	490.54	413.53	1.35
MWD	94	8989	1.05	354.02	96	8943.25	-488.33	491.59	413.55	0.90
MWD	95	9084	1.36	31.82	95	9038.24	-490.15	493.42	414.06	0.88
MWD	96	9180	1.49	28.83	96	9134.21	-492.20	495.48	415.26	0.16
MWD	97	9276	0.79	19.43	96	9230.19	-493.91	497.20	416.08	0.75
MWD	98	9371	0.40	324.05	95	9325.18	-494.80	498.08	416.10	0.69
MWD	99	9467	0.70	334.16	96	9421.18	-495.60	498.88	415.65	0.33
MWD	100	9562	0.53	348.40	95	9516.17	-496.56	499.83	415.31	0.24
MWD	101	9658	0.53	98.44	96	9612.17	-496.92	500.20	415.66	0.90
MWD	102	9754	1.32	134.47	96	9708.16	-496.07	499.36	416.89	0.98
MWD	103	9849	2.20	145.81	95	9803.11	-493.79	497.09	418.69	0.99
MWD	104	9945	1.45	178.07	96	9899.06	-491.04	494.35	419.77	1.30
MWD	105	10040	1.98	185.45	95	9994.02	-488.20	491.52	419.65	0.60
MWD	106	10136	1.85	200.30	96	10089.97	-485.11	488.41	418.96	0.53
MWD	107	10232	1.67	190.37	96	10185.92	-482.28	485.58	418.17	0.37
MWD	108	10314	1.85	201.89	82	10267.88	-479.89	483.18	417.46	0.48
MWD	109	10365	1.71	192.13	51	10318.86	-478.38	481.67	416.99	0.65
MWD	110	10461	6.51	208.21	96	10414.59	-472.20	475.47	414.12	5.09
MWD	111	10556	16.40	213.75	95	10507.58	-456.35	459.53	404.10	10.46
MWD	112	10652	28.00	213.40	96	10596.31	-426.32	429.35	384.10	12.08
MWD	113	10748	34.77	197.93	96	10678.35	-381.50	384.37	363.21	10.91
MWD	114	10843	46.46	195.56	95	10750.35	-322.49	325.22	345.57	12.41
MWD	115	10939	56.79	193.01	96	10809.87	-249.78	252.36	327.14	10.96
MWD	116	11034	67.82	190.81	95	10853.96	-167.73	170.17	309.89	11.79
MWD	117	11130	79.03	188.00	96	10881.31	-77.22	79.54	294.94	12.01
MWD	118	11225	88.18	181.41	95	10891.89	16.65	-14.40	287.26	11.84
MWD	119	11264	88.70	180.97	39	10892.95	55.62	-53.37	286.45	1.75
MWD	120	11360	88.88	182.20	96	10894.98	151.54	-149.31	283.80	1.29
MWD	121	11455	90.07	181.67	95	10895.85	246.45	-244.25	280.59	1.37
MWD	122	11551	89.49	181.93	96	10896.22	342.38	-340.21	277.57	0.66
MWD	123	11647	93.23	181.32	96	10893.94	438.27	-436.12	274.85	3.95
MWD	124	11742	92.13	182.02	95	10889.50	533.10	-530.98	272.09	1.37
MWD	125	11838	91.34	182.20	96	10886.59	628.96	-626.87	268.55	0.84
MWD	126	11934	92.35	181.14	96	10883.50	724.84	-722.77	265.76	1.52
MWD	127	12029	91.74	178.16	95	10880.11	819.77	-817.70	266.34	3.20
MWD	128	12125	91.34	178.86	96	10877.53	915.72	-913.63	268.83	0.84
MWD	129	12221	90.95	178.68	96	10875.61	1011.69	-1009.59	270.89	0.45
MWD	130	12316	90.64	178.51	95	10874.29	1106.66	-1104.55	273.22	0.37
MWD	131	12412	90.42	178.24	96	10873.40	1202.64	-1200.51	275.95	0.36
MWD	132	12507	89.89	177.63	95	10873.15	1297.60	-1295.45	279.37	0.85
MWD	133	12603	89.63	177.54	96	10873.55	1393.54	-1391.36	283.41	0.29
MWD	134	12698	89.23	177.10	95	10874.49	1488.47	-1486.25	287.86	0.63
MWD	135	12794	90.86	178.07	96	10874.42	1584.41	-1582.16	291.90	1.98
MWD	136	12890	91.30	177.80	96	10872.61	1680.35	-1678.08	295.36	0.54
MWD	137	12985	91.03	177.63	95	10870.68	1775.28	-1772.99	299.15	0.34
MWD	138	13081	90.59	177.63	96	10869.32	1871.22	-1868.90	303.12	0.46
MWD	139	13177	91.56	179.12	96	10867.52	1967.18	-1964.84	305.84	1.85
MWD	140	13272	91.82	179.30	95	10864.72	2062.13	-2059.79	307.15	0.33
MWD	141	13368	91.52	179.47	96	10861.92	2158.09	-2155.74	308.18	0.36
MWD	142	13464	91.21	179.21	96	10859.63	2254.07	-2251.71	309.28	0.42
MWD	143	13559	90.51	179.74	95	10858.21	2349.05	-2346.69	310.15	0.92
MWD	144	13655	90.07	179.47	96	10857.72	2445.05	-2442.69	310.81	0.54

MWD	145	13750	91.30	179.47	95	10856.58	2540.04	-2537.67	311.69	1.29
MWD	146	13846	91.47	179.30	96	10854.26	2636.01	-2633.64	312.72	0.25
MWD	147	13941	91.03	179.21	95	10852.19	2730.99	-2728.61	313.96	0.47
MWD	148	14037	90.73	179.30	96	10850.72	2826.98	-2824.59	315.21	0.33
MWD	149	14133	89.85	179.39	96	10850.23	2922.97	-2920.58	316.30	0.92
MWD	150	14228	91.38	180.88	95	10849.21	3017.96	-3015.57	316.08	2.25
MWD	151	14324	91.25	181.50	96	10847.01	3113.89	-3111.52	314.09	0.66
MWD	152	14419	90.46	181.50	95	10845.59	3208.83	-3206.48	311.60	0.83
MWD	153	14515	89.98	181.50	96	10845.22	3304.77	-3302.45	309.09	0.50
MWD	154	14611	89.41	181.93	96	10845.73	3400.70	-3398.40	306.21	0.74
MWD	155	14706	89.71	180.62	95	10846.46	3495.65	-3493.37	304.10	1.41
MWD	156	14802	89.63	179.56	96	10847.02	3591.65	-3589.37	303.95	1.11
MWD	157	14897	90.64	179.12	95	10846.79	3686.64	-3684.36	305.04	1.16
MWD	158	14993	90.33	179.30	96	10845.98	3782.64	-3780.35	306.37	0.37
MWD	159	15088	92.31	179.21	95	10843.79	3877.61	-3875.31	307.60	2.09
MWD	160	15184	92.75	178.95	96	10839.55	3973.51	-3971.20	309.14	0.53
MWD	161	15279	92.79	179.74	95	10834.96	4068.40	-4066.09	310.23	0.83
MWD	162	15375	92.62	179.83	96	10830.43	4164.29	-4161.98	310.59	0.20
MWD	163	15471	90.86	180.35	96	10827.52	4260.24	-4257.93	310.44	1.91
MWD	164	15566	90.33	180.62	95	10826.53	4355.22	-4352.92	309.63	0.63
MWD	165	15662	89.80	180.53	96	10826.42	4451.20	-4448.92	308.67	0.56
MWD	166	15758	89.14	180.53	96	10827.31	4547.18	-4544.91	307.78	0.69
MWD	167	15857	88.79	180.53	99	10829.10	4646.15	-4643.89	306.86	0.35
PTB	168	15925	88.79	180.53	68	10830.53	4714.13	-4711.87	306.24	0.00

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017													
WELL COMPLETION OR RECOMPLETION REPORT AND LOG																		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name HYPERION STATE										
								6. Well Number: 127H										
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER																		
8. Name of Operator TAP ROCK OPERATING, LLC							9. OGRID 372043											
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO							11. Pool name or Wildcat TRIPLE X; BONE SPRING, WEST											
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County								
Surface:	C	20	24S	33E	-	540	NORTH	2029	WEST	LEA								
BH:	N	20	24S	33E	-	23	SOUTH	2298	WEST	LEA								
13. Date Spudded 8/14/2022	14. Date T.D. Reached 9/2/2022		15. Date Rig Released 9/4/2022		16. Date Completed (Ready to Produce) 12/30/2022			17. Elevations (DF and RKB, RT, GR, etc.) 3544 GR										
18. Total Measured Depth of Well 15904 ft 15925			19. Plug Back Measured Depth 15858 ft		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run GAMMA										
22. Producing Interval(s), of this completion - Top, Bottom, Name 10920 ft to 15790 ft							BONE SPRING											
23. CASING RECORD (Report all strings set in well)																		
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED								
13.375"		54.5		1272'		17.5"		920 sks		0								
9.625"		40		5157' 5174		12.25"		1165 sks		0								
5.5"		20		15904'		8.75"/7.875"		1580 sks		0								
24. LINER RECORD						25. TUBING RECORD												
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET		PACKER SET									
26. Perforation record (interval, size, and number) Perforate from 10920 ft to 15790 ft, 1 SPF, .55 inch holes with 208 total shots						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>10920 ft to 15790 ft</td> <td>16 stage frac with 11,090,060 lbs of 100 mesh sand</td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </table>					DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	10920 ft to 15790 ft	16 stage frac with 11,090,060 lbs of 100 mesh sand				
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																	
10920 ft to 15790 ft	16 stage frac with 11,090,060 lbs of 100 mesh sand																	
28. PRODUCTION																		
Date First Production 1/9/2023		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing												
Date of Test 1/28/2023	Hours Tested 24 hrs	Choke Size 30/64	Prod'n For Test Period	Oil - Bbl 418	Gas - MCF 521	Water - Bbl. 2189	Gas - Oil Ratio 1246											
Flow Tubing Press. 0	Casing Pressure 850	Calculated 24-Hour Rate	Oil - Bbl. 418	Gas - MCF 521	Water - Bbl. 2189	Oil Gravity - API - (Corr.)												
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By											
31. List Attachments C-102, Directional Survey																		
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:											
34. If an on-site burial was used at the well, report the exact location of the on-site burial:																		
Latitude			Longitude			NAD83												
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief																		
Signature		Printed Name			Title			Date										
		Jeff Trlica			Regulatory Analyst			1/30/2023										
E-mail Address jtrlica@taprllc.com																		

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	1308		Quaternary					
1308	1771		Rustler					
1771	4965		Top of Salt					
4965	5206		Base of Salt					
5206	5235		Lamar					
5235	6150		Bell Canyon					
6150	7629		Cherry Canyon					
7629	9063		Brushy Canyon					
9063	9549		Bone Spring					
9549	10083		Avalon					
10083			1st Bone Spring Sand					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 182093

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 182093
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 182093

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 182093
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	6/27/2024