Received by OCD 17/9/2024 3:08:30 PM Office	State of field in			Form C-103 ^f Revised August 1, 2011
<u>District I</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Na	lural Resources	WELL API NO.	
<u>District II</u> – (575) 748-1283	OIL CONSERVATIO	NIDIVISION		nd 30-025-42139
811 S. First St., Artesia, NM 88210 District III – (505) 334-6178			5. Indicate Type	e of Lease
1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Fr		STATE	
<u>District IV</u> – (505) 476-3460	Santa Fe, NM 87505		6. State Oil & C	as Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505			V07530-0001	
	ES AND REPORTS ON WELL	ĴS	7. Lease Name	or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSA DIFFERENT RESERVOIR. USE "APPLICA PROPOSALS.)			Linam AGI	_
·	Gas Well 🛛 Other		8. Wells Number 1 and 2	
2. Name of Operator			9. OGRID Num	lber 36785
DCP Operating Company, LP				
3. Address of Operator			10. Pool name or Wildcat	
6900 E. Layton Ave, Suite 900, Den	ver CO 80237		Wildcat	
4. Well Location		41 337 41		
	m the South line and 1980 feet f			
Section 30	Township 18S	Range 37E	NMPM	County Lea
	11. Elevation <i>(Show whether D</i> 3736 GR	<i>R</i> , <i>RKB</i> , <i>K</i> 1, <i>GR</i> , <i>etc</i> .)	
12. Check Appropriate Box to I	ndicate Nature of Notice, F	Report or Other Da	ata	
NOTICE OF INT	ENTION TO:	SUB	SEQUENT RE	EPORT OF:
PERFORM REMEDIAL WORK 🗌	PLUG AND ABANDON	REMEDIAL WOR		ALTERING CASING
	CHANGE PLANS	COMMENCE DR		P AND A
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMEN	Т ЈОВ	
OTHER:				o Workover C-103
13. Describe proposed or completed o	perations. (Clearly state all pertinen	nt details, and give perti	nent dates, including	g estimated date of starting any

proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Report for the Month ending May 31, 2024 Pursuant to Workover C-103 for Linam AGI #1 and AGI #2

This is the 145th monthly submittal of data as agreed between DCP and OCD relative to injection pressure, TAG temperature and casing annulus pressure and bottom hole data for Linam AGI #1. Since the data for both wells provide the best overall picture of the performance of the AGI system, the data for both wells are analyzed and presented herein even though that analysis is required only on a quarterly basis for AGI #2.

All flow this month was directed to AGI #2. Injection parameters being monitored for AGI #1 (currently static) were as follows (Figures 1, 2, 3, 4): Average Injection Rate: 0 scf/hr, Average TAG Injection Pressure: 1,161 psig, Average TAG Temperature: 80 °F, Average Annulus Pressure: 319 psig, Average Pressure Differential: 843 psig. Bottom hole (BH) sensors provided the average BH pressure for the entire period of 4,075 psig and BH temperature of 138 °F (Figures 8 and 9). The BH pressure quickly responded to the switchover to AGI #2. This is a very good indication of the continued resilience of the injection zone and the excess capacity available for TAG at current injection rates.

The recorded injection parameters for AGI #2 for the month were: Average Injection Rate 115,359 scf/hr (AGI #2 was the only well used this month), Average Injection Pressure: 1,320 psig, Average TAG Temperature: 102 °F, Average Annulus Pressure: 1 psig (minor leak detected in surface flange), Average Pressure Differential: 1,319 psig (Figures 5, 6, 7).

The Linam AGI #1 and AGI #2 wells are serving as a safe, effective, and environmentally friendly system to dispose of, and permanently sequester, Class II wastes consisting of H_2S and CO_2 . The Linam AGI Facility permanently sequestered 3,342 Metric Tons of CO_2 for this month (Figure 10). The two wells provide the required redundancy to the plant that allows for operation with disposal to either or both wells. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE	TITLE Consultant to DCP Operating Company, LP/ Geolex, Inc. DATE 6/6/2024			
Type or print name Alberto A. Gutierrez, RC	E-mail address: <u>aag@geolex.com</u>	PHONE: <u>505-842-8000</u>		
For State Use Only				
APPROVED BY:	TITLE	DATE		

Conditions of Approval (if any):

2

Figure #1: Linam AGI #1 and #2 Combined TAG Injection Flow Rate




Figure #2: Linam AGI #1 Surface TAG Injection Pressure and Annular Pressure




Figure #3: Linam AGI #1 TAG Injection Pressure, Casing Annulus Pressure and TAG Injection Temperature




Figure #4: Linam AGI #1 TAG Injection Pressure and Casing Annular Pressure Differential





Figure #5: Linam AGI #2 Injection Pressure, Rate and Casing Annulus Pressure






Figure #7: Linam AGI #2 TAG Injection Pressure and Casing Annular Pressure Differential (psig)




Figure #8: Linam AGI #1 Bottom Hole Pressure and Temperature






Figure #9: Linam AGI #1 Surface Injection Pressure and Bottom Hole Pressure



CO2 Sequestered (metric tons)

Figure #10: Linam AGI Facility Daily Metric Tons of Carbon Sequestered



District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
DCP OPERATING COMPANY, LP	36785
2331 Citywest Blvd	Action Number:
Houston, TX 77042	362382
	Action Type:
	[C-103] Sub. General Sundry (C-103Z)

CONDITIONS

Created By	Condition	Condition Date
mgebremichael	None	7/11/2024

Page 12 of 12

Action 362382