

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: SAN JUAN 32 FEDERAL

COM 7

Well Location: T32N / R9W / SEC 7 /

NESW / 36.995979 / -107.821313

County or Parish/State: SAN

JUAN / NM

Well Number: 1 Type of Well: OTHER Allottee or Tribe Name:

Lease Number: NMSF079148 Unit or CA Name: Unit or CA Number:

NMNM99406

COMPANY

Notice of Intent

Sundry ID: 2798612

Type of Submission: Notice of Intent

Type of Action: Workover Operations

Date Sundry Submitted: 07/02/2024 Time Sundry Submitted: 11:36

Date proposed operation will begin: 08/02/2024

Procedure Description: Hilcorp Energy Company requests to pull the existing liner, rerun a new liner and install a rod pump. Please see the attached procedure, with the current and proposed wellbore diagram.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

San_Juan_32_Fed_Com_7_1__API_3004529585__liner_pull_procedure_NOI_HEC07022024_202407021135 56.pdf

Page 1 of 2

eived by OCD: 7/2/2024 1:39:58 PM Well Name: SAN JUAN 32 FEDERAL

COM 7

Well Location: T32N / R9W / SEC 7 / NESW / 36.995979 / -107.821313

County or Parish/State: SAN 2 0

JUAN / NM

Well Number: 1

Type of Well: OTHER

Allottee or Tribe Name:

Lease Number: NMSF079148

Unit or CA Name:

Unit or CA Number:

NMNM99406

US Well Number: 3004529585

Operator: HILCORP ENERGY COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Signed on: JUL 02, 2024 11:36 AM **Operator Electronic Signature: AMANDA WALKER**

Name: HILCORP ENERGY COMPANY Title: Operations/Regulatory Technician

Street Address: 1111 TRAVIS ST

City: HOUSTON State: TX

Phone: (346) 237-2177

Email address: MWALKER@HILCORP.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Phone: 5055647742

Disposition: Approved

Signature: Kenneth Rennick

BLM POC Title: Petroleum Engineer

BLM POC Email Address: krennick@blm.gov

Disposition Date: 07/02/2024

Page 2 of 2



Prepared by:	Scott Anderson
Preparation Date:	July 2, 2024

WELL INFORMATION						
Well Name:	SAN JUAN 32 FEDERAL COM 7 1	State: NM				
API #:	3004529585	County:	SAN JUAN			
Area:	4	Location:	9' FSL & 1522' FWL. Spot K. Section NESW -T 0032N -R 000			
Route:	0400	Latitude:	Lat +36.99591			
Spud Date:	6/13/1998	Longitude:	Long -107.82059			

PROJECT DESCRIPTION

Pull the rods. Pull the tubing and liner. Cleanout to PBTD with a rock bit. Underream the openhole. Run an unperforated liner back to bottom, wash out to PBTD in order to land the liner. Perforate the liner. Run tubing, pump and rods


CONTACTS						
Title	Name	Office Phone #	Cell Phone #			
Engineer	Scott Anderson		248-761-3965			
Area Foreman	Colter Faverino		326-9758			
Lead	Ramon Florez		599-3479			
Artificial Lift Tech	Jesse McDowell		386-8062			
Operator	John Rants		970-623-3241			




JOB PROCEDURES

- ✓ NMOCD
 ✓ Contact OCD 24 hrs prior to MIRU. Record and document all casing pressures <u>daily</u>, including BH, IC (if present) and PC. Comply with all NMOCD, BLM, and HEC safety and environmental regulations.
- 1. MIRU service rig and associated equipment. Pull insert pump and rods
- Pull rods
- 3. Nipple down wellhead, nipple up and test BOPs per HEC, State, and Federal guidelines.
- 4. TOOH with 2-7/8" tubing, lay down
- 5. Liner should pull with tubing. IF liner does not pull with tubing, either spear liner to recover or regroup and reevaluate path forward
- 6. Cleanout wellbore
- 7. Run new casing string, wash/turn to ~3,857', drop off liner @ ~3,608'
- 8. Perforate liner per the original depths (3,660-3,840')
- 9. Run 2-3/8" production tubing. ND BOPs, NU wellhead
- 10. Run pump and rods









District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 360581

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	360581
	Action Type:
	[C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	None	7/18/2024