

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-35915
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other SALT WATER DISPOSAL		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator Permian Water Solutions		6. State Oil & Gas Lease No. 322734
3. Address of Operator PO BOX 2106 MIDLAND, TX 79792		7. Lease Name or Unit Agreement Name Hobbs State
4. Well Location Unit Letter <u>F</u> : <u>2565</u> feet from the <u>NORTH</u> line and <u>2330</u> feet from the <u>WEST</u> line Section <u>29</u> Township <u>18S</u> Range <u>38E</u> NMPM County <u>LEA</u>		8. Well Number #010
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3655' GR		9. OGRID Number 373626
		10. Pool name or Wildcat BSW; SALADO

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	PNR
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

6.19.24. Move equipment to location, RU all Equipment. 6.20.24. POH w/70 jts (Dragging). Spoke with Kerry Fortner @ OCD. Authorized Spot plug from 1750-1600'. Plug #1: 26 SXS, 14.8#, Class C CMT from 1750-ETOC 1600'. 6.21.24. RIH w/TBG. No Tag. OCD Kerry authorized 60 sxs spot from 1750'. Plug #1A. 60 sxs, 79.2 CF, 14.8# Class C CMT from 1750-1600'. No Tag. Plug #1B. 60 sxs, 79.2 CF, 14.8# C CMT from 1725-1377'. 6.24.24. RIH w/TBG. No Tag. Request 50 sxs w/LCM Plug #1C (w/3% LCM) 50 sxs, 66CF, 14.8# Class C CMT from 1693-1403'. WOC/Tag @ 1687'. Request 30 sxs w/LCM. Plug #1D (w/3% LCM). 30 sxs, 39.6 CF, 14.8# Class C CMT from 1687-1513'. 6.25.24. RIH w/TBG. Tag @ 1665'. OCD request 100 sxs w/LCM. Plug #2 (w/3% LCM) 100 sxs, 132CF, 14.8# Class C CMT from 1665'to 1085'. WOC/Tag @ 1662'. OCD requested same plug. Plug #2A (w/3% LCM) 100 sxs, 132 CF, 14.8# Class C from 1662-1082'. WOC/SDFN. 6.26.24'. RIH w/TBG. Tag @ 1646'. OCD recommended 25 sxs. Plug #2B: 25 sxs, 33 CF, 14.8 C from 1646'1501'. Tag @ 1631'. OCD Arrived. Requested CBL and perforations @ 500', 150'. RUWL AAA WL. Perf @ 500 & 150'. Plug #2C. 170 sxs, 224.4, CF, 14.8# Class C CMT from 1419-432'. 6.27.24. RIH w/TBG Tag @ 1298'. OCD Requests plug from 1298-500'. Plug #2D 140 sxs, 184 CF, 14.8# class C Cmt from 1298-500. WOC/Tag @ 376. Plug #3. 63 sxs. 83.16, 14.8# class C CMT from 376-0'. RD All Equip. C&C Well.

Spud Date:

Rig Release Date:

6/27/24
 Marker in place

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jenni Usher TITLE REGULATORY ANALYST DATE 7/8/2024

Type or print name JENNI USHER E-mail address: JENNI@PERMIANWS.COM PHONE: 512.820.8772

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 7/29/24

Conditions of Approval (if any):

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-35915
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/> SALT WATER DISPOSAL		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator Permian Water Solutions		6. State Oil & Gas Lease No. 322734
3. Address of Operator PO BOX 2106 MIDLAND, TX 79792		7. Lease Name or Unit Agreement Name Hobbs State
4. Well Location Unit Letter F : 2565 feet from the NORTH line and 2330 feet from the WEST line Section 29 Township 18S Range 38E NMPM County LEA		8. Well Number #010
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3655' GR		9. OGRID Number 373626
		10. Pool name or Wildcat BSW; SALADO

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
CLOSED-LOOP SYSTEM <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>
OTHER: <input type="checkbox"/>	OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

6.19.24. Move equipment to location, RU all Equipment. 6.20.24. POH w/70 jts (Dragging). Spoke with Kerry Fortner @ OCD. Authorized Spot plug from 1750-1600'. Plug #1: 26 SXS, 14.8#, Class C CMT from 1750-ETOC 1600'. 6.21.24. RIH w/TBG. No Tag. OCD Kerry authorized 60 sxs spot from 1750'. Plug #1A. 60 sxs, 79.2 CF, 14.8# Class C CMT from 1750-1600'. No Tag. Plug #1B. 60 sxs, 79.2 CF, 14.8# C CMT from 1725-1377'. 6.24.24. RIH w/TBG. No Tag. Request 50 sxs w/LCM Plug #1C (w/3% LCM) 50 sxs, 66CF, 14.8# Class C CMT from 1693-1403'. WOC/Tag @ 1687'. Request 30 sxs w/LCM. Plug #1D (w/3% LCM). 30 sxs, 39.6 CF, 14.8# Class C CMT from 1687-1513'. 6.25.24. RIH w/TBG. Tag @ 1665'. OCD request 100 sxs w/LCM. Plug #2 (w/3% LCM) 100 sxs, 132CF, 14.8# Class C CMT from 1665'to 1085'. WOC/Tag @ 1662'. OCD requested same plug. Plug #2A (w/3% LCM) 100 sxs, 132 CF, 14.8# Class C from 1662-1082'. WOC/SDFN. 6.26.24'. RIH w/TBG. Tag @ 1646'. OCD recommended 25 sxs. Plug #2B: 25 sxs, 33 CF, 14.8 C from 1646'1501'. Tag @ 1631'. OCD Arrived. Requested CBL and perforations @ 500', 150'. RUWL AAA WL. Perf @ 500 & 150'. Plug #2C. 170 sxs, 224.4, CF, 14.8# Class C CMT from 1419-432'. 6.27.24. RIH w/TBG Tag @ 1298'. OCD Requests plug from 1298-500'. Plug #2D 140 sxs, 184 CF, 14.8# class C Cmt from 1298-500. WOC/Tag @ 376. Plug #3. 63 sxs. 83.16, 14.8# class C CMT from 376-0'. RD All Equip. C&C Well.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jenni Usher TITLE REGULATORY ANALYST DATE 7/8/2024

Type or print name JENNI USHER E-mail address: JENNI@PERMIANWS.COM PHONE: 512.820.8772

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

COMPLETED P&A WELLBORE SCHEMATIC ELEVATION 3655' GR

824 SKS CLASS C TOTAL FROM 1687-0'

6/19/24 PLUG #1: 26 SKS @ 1750-1600'. NO TAG
 PLUG #1A: 60 SKS @ 1750-1600'. NO TAG
 PLUG #1B: 60 SKS @ 1725-1377'. NO TAG
 6/24/24 PLUG #1C: 50 SKS @ 1693-1403'. TAG @ 1687'
 PLUG #1D: 30 SKS @ 1687-1513'. TAG @ 1665'
 6/25/24 PLUG #2: 100 SKS @ 1665-1085'. WOC/TAG @ 1662'
 PLUG #2A: 100 SKS @ 1662-1082'. TAG @ 1646'
 6/26/24 PLUG #2B: 25 SKS @ 1646-1501'. TAG @ 1631'
 OCD ONSITE. RUN CBL. PERF @ 500' AND 150'
 PLUG #2C: 170 SKS @ 1419-432'. TAG @ 1298'
 6/27/24 PLUG #2D: 140 SKS @ 1298-500'. TAG @ 376'
 PLUG #3: 63 SKS @ 376-0'

TOP OF SALT
@ 1645'

9-5/8" 28 # CASING SET @
450' IN 12-1/4" HOLE.
CEMENT CIRCULATED TO
SURFACE W/150 SKS

7" 23# CASING SET @
1700' IN 8-5/8 HOLE.
CEMENT CIRCULATED TO
SURFACE W/ 300 SKS

OPEN HOLE:
6" to 2400'

TOTAL DEPTH 2400'

PERMIAN WATER SOLUTIONS, LLC

HOBBS STATE #010, BRINE WELL

Latitude 32.718647 Longitude -103.1716614

2565' FNL & 2330' FWL OF SEC 29 T18S R38E, LEA COUNTY, NEW MEXICO

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 361825

CONDITIONS

Operator: Permian Water Solutions, LLC PO Box 2106 Midland, TX 79702	OGRID: 373626
	Action Number: 361825
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Need C103Q and marker photo to release CBL in File Marker installed 6/27/24	7/29/2024