ceived by OCD-S/16/2024 9:26:48 AM U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Repoi
Well Name: TURNER A	Well Location: T17S / R31E / SEC 19 / SENW /	County or Parish/State: EDDY / NM
Well Number: 15	Type of Well: INJECTION - ENHANCED RECOVERY	Allottee or Tribe Name:
Lease Number: NMLC029395A	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001505240	Operator: LH OPERATING LLC	

Notice of Intent

Sundry ID: 2789291

Type of Submission: Notice of Intent

Date Sundry Submitted: 05/09/2024

Date proposed operation will begin: 06/01/2024

Type of Action: Workover Operations Time Sundry Submitted: 10:05

Procedure Description: 1. Move in rig up workover rig. Bleed off well head pressure. ND wellhead and NU BOP. 2. Unhook injection line and meter run. 3. ND wellhead and NU BOP. 4. Unset packer. Pull out of hole with tubing. Inspect tubing as pulling out of hole. 5. Send packer to shop for redress or replace with new packer based on condition. 6. Replace tubing as needed from visual inspection. 7. Pick up reconditioned or new packer and run in hole on the tubing while testing the tubing below the slips to 4500 psi (test tools to be coated). Replace tubing as needed. 8. Once on depth above perforations, circulate in packer fluid (corrosion inhibitor and biocide) mixed in fresh water. 9. Set packer. ND BOP and NU wellhead. Install meter run. 10. Notify NMOCD field representative to witness test. Perform mechanical integrity test. Return to water injection.

Surface Disturbance

Is any additional surface disturbance proposed?: No

Received by OCD: 5/16/2024 9:26:48 AM Well Name: TURNER A	Well Location: T17S / R31E / SEC 19 / SENW /	County or Parish/State: EDDY / 2 of NM
Well Number: 15	Type of Well: INJECTION - ENHANCED RECOVERY	Allottee or Tribe Name:
Lease Number: NMLC029395A	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001505240	Operator: LH OPERATING LLC	
)

Conditions of Approval

Specialist Review

Workover_or_Vertical_Deepen_COA_20240515215419.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: MICHAEL BURTON

State: TX

State:

Name: LH OPERATING LLC

Title: Environmental Manager

Street Address: 3730 KIRBY DR SUITE 1200

City: HOUSTON

Phone: (575) 499-5306

Email address: MIKE@LHOPERATING.COM

Field

Representative Name: Street Address: City: Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD BLM POC Phone: 5752345972 Disposition: Approved Signature: Jonathon Shepard Signed on: MAY 09, 2024 10:05 AM

Zip:

BLM POC Title: Petroleum Engineer

BLM POC Email Address: jshepard@blm.gov

Disposition Date: 05/15/2024

Received by OCD: 5/16/2024 9:26:48 AM

cectrea by OCD. 5	110/2021 2.	20.10 2111				1 uge 5 0j
Form 3160-5 (June 2019)		UNITED STATE PARTMENT OF THE I EAU OF LAND MAN	NTERIOR		0	DRM APPROVED MB No. 1004-0137 res: October 31, 2021
Do no	t use this i		DRTS ON WELLS to drill or to re-enter an PD) for such proposals		6. If Indian, Allottee or	Tribe Name
1. Type of Well	SUBMIT IN	TRIPLICATE - Other instru	uctions on page 2		7. If Unit of CA/Agree	ment, Name and/or No.
Oil Well	Gas V	Vell Other			8. Well Name and No.	
2. Name of Operator					9. API Well No.	
3a. Address			3b. Phone No. (include area cod	le)	10. Field and Pool or E	xploratory Area
4. Location of Well (For	otage, Sec., T.,I	R.,M., or Survey Description))		11. Country or Parish, S	State
	12. CHE	CK THE APPROPRIATE B	OX(ES) TO INDICATE NATUR	E OF NOT	ICE, REPORT OR OTH	ER DATA
TYPE OF SUBM	IISSION		ТҮ	PE OF AC	TION	
Notice of Intent		Acidize	Deepen Hydraulic Fracturing		luction (Start/Resume) lamation	Water Shut-Off Well Integrity
Subsequent Repo	ort	Casing Repair Change Plans	New Construction		omplete porarily Abandon	Other
Final Abandonm	ent Notice	Convert to Injection	Plug Back	_	er Disposal	
the proposal is to de the Bond under whi completion of the in	epen directiona ch the work wi wolved operation andonment No	ally or recomplete horizontal Il be perfonned or provide the ons. If the operation results in	ly, give subsurface locations and n e Bond No. on file with BLM/BI/ n a multiple completion or recomp	measured a A. Required pletion in a	nd true vertical depths of l subsequent reports mus new interval, a Form 31	k and approximate duration thereof. If f all pertinent markers and zones. Attach t be filed within 30 days following 60-4 must be filed once testing has been he operator has detennined that the site

14. I hereby certify that the foregoing is true and correct. Name (<i>Printed/Typed</i>)			
	Fitle		
Signature	Date		
THE SPACE FOR FEDE	RAL OR STATE O	FICE USE	
Approved by			
	Title	Date	
Conditions of approval, if any, are attached. Approval of this notice does not warrant of certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any any false, fictitious or fraudulent statements or representations as to any matter within		illfully to make to any department or agency o	f the United States

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: SENW / 1650 FNL / 1980 FWL / TWSP: 17S / RANGE: 31E / SECTION: 19 / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet) BHL: SENW / 1650 FNL / 1980 FWL / TWSP: 17S / SECTION: / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet)

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Conditions of Approval for Workover/Deepening of a Well

- <u>Notification</u>: Contact the appropriate BLM office at least 24 hours prior to the commencing of any operations. For wells in Eddy County, call 575-361-2822. For wells in Lea County, call 575-689-5981
- <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,100 feet, a 3M system for a well not deeper than 13,600 feet, or a 5M system for a well not deeper than 22,700 feet (all depths are for measured well depth).
- 3. Cement: Notify BLM if cement fails to circulate.
- Subsequent Reporting: Within 30 days after work is completed, file a Subsequent Report (Form 3160-5) to BLM. The report should give in detail the manner in which the work was carried out. Show date work was completed. If producing a new zone, submit a Completion Report (Form 3160-4) with the Subsequent Report.
- 5. <u>Trash</u>: All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.
- If well location is within the Timing Limitation Stipulation Area for Lesser Prairie-Chicken: From March 1st through June 15th annually, activities will be allowed except between the hours from 3:00 am and 9:00 am. Normal vehicle use on existing roads will not be restricted.

Downhole Well Profile

Well Name: TURNER A 15 INJ

WellView[®]

uwi 01505240	Surface Legal Location	Field Name PBNM - PB-GRAYBURG WEST CENTR	Spud Date Noti	te mormation	State/Province		Well Configuration	n iype
inal KB Elevation (ft) 58.00	KB-Tubing Head Distance (ft)	Initial Spud Date 10/6/1941 00:00	Rig Release Da	te	PBTD (All) (ftKB)	Total Depth All (T	VD) (ftKB)
30.00		10/0/1941 00:00						
9								
Des	Make	Model	WP (psi)	Service		WP Top (psi)		Bore Min (in)
Original	Hole, 5/8/2024 3:07:45 PM	Casing Str	-					
Ver	tical schematic (actual)	C Surface	sg Des	OD (in) 8 5/8	Wt/Len (lb/ft) 32.00	Grade	Top Thread	Set Depth (
				7	20.00	K-55		2,91
	10	Liner		4 1/2	9.50	J-55		3,44
		Perforation						
	2-2; Packer	Date 2/23/2015	Te	op (ftKB) 1,770.0	Btm (ftKB) 2,305	5.0	Linked Zone	
		10/10/1996		2,732.0	3,256			
22 550		4/30/1973		2,945.0	2,947			
io ed		4/30/1973 4/30/1973		2,978.0 2,996.0	2,979			
		4/30/1973		2,996.0	2,996			
		4/30/1973		3,020.0	3,020	0.0		
		4/30/1973		3,034.0	3,035			
	- /	2/17/1971		3,320.0 3,321.0	3,322 3,322			
	-	2/17/1971		3,326.0	3,32			
200 200 200 200 200 200 200 200	-	1/2/1970		3,327.0	3,327			
201 201 201 201 201 201 201 201 201 201		1/2/1970		3,331.0	3,331			
80 50	-	2/17/1971		3,333.0 3,335.0	3,334 3,335			
30 80 30 30 30 30 30 30 30 30		2/17/1971		3,338.0	3,330			
	-	1/2/1970		3,339.0	3,339			
80 80 80 80 89 88	-	1/2/1970		3,346.0	3,346			
60 GB		2/17/1971		3,349.0 3,352.0	3,349			
第2日 第3日 第3日 第3日 第3日 第3日 第3日 第3日		1/2/1970		3,353.0	3,35			
100 EX	-	1/2/1970		3,355.0	3,355			
	-	2/17/1971		3,358.0	3,360			
· (2) (2) (2) (2) (2) (2) (2) (2) (2) (2)	-	2/17/1970		3,359.0 3,368.0	3,359 3,369			
18 81 18 81		1/2/1970		3,368.0	3,30			
10 R	-	2/17/1971		3,372.0	3,372	2.0		
		1/2/1970		3,373.0	3,373			
	-	2/17/1971 2/17/1971		3,374.0 3,377.0	3,374			
20 50 20 50 20 50	-	1/2/1970		3,379.0	3,379			
	T	2/17/1971		3,382.0	3,383	3.0		
100 100 100 100 100 100 100 100 100 100		1/2/1970		3,385.0	3,385			
	-	2/17/1971 1/2/1970		3,385.0 3,387.0	3,387 3,387			
		2/17/1971		3,389.0	3,390			
	-	1/2/1970		3,396.0	3,396	6.0		
	-	2/17/1971		3,396.0	3,398			
125 ES 126 ES 128 ES	-	2/17/1971		3,400.0 3,402.0	3,40 ⁻ 3,402			
28 28 28 28	-	2/17/1971		3,402.0	3,402			
	-	2/17/1971		3,405.0	3,407	7.0		
20 R1 20 R1 20 R1		1/2/1970		3,406.0	3,400			
		2/17/1971 2/17/1971		3,414.0 3,416.0	3,414 3,416			
		1/2/1970		3,416.0	3,410			
	5		1	-,	0, 11			

Released to Imaging: 8/2/2024 8:59:50 AM

Downhole Well Profile

Well Name: TURNER A 15 INJ

WellView[®]

api/uwi 3001505240	Surface Legal Location	Field Name PBNM - PB-GRAYBURG WEST CENTRAL	Spud Date Notic	e Information	State/Province	We	II Configurati	ion Type	
Original KB Elevation (ft) 3,658.00	KB-Tubing Head Distance (ft)	Initial Spud Date 10/6/1941 00:00	Rig Release Dat	e	PBTD (All) (ftKB)	Tot	al Depth All (TVD) (ftKB)	
		-							_
Origina	al Hole, 5/8/2024 3:07:46 PM	Perforations	5						
Ve	ertical schematic (actual)	Date 2/17/1971	То	o (ftKB) 3,418.0	Btm (ftKB) 3,418.0		Linked Zone	9	
		2/17/1971		3,418.0	3,418.0				_
		2/17/1971		3,422.0	3,422.0				
		2/17/1971		3,424.0	3,428.0				
	2-2; Packer	2/17/1970		3,426.0 3,431.0	3,426.0 3,433.0				_
		1/2/1970		3,432.0	3,432.0				-
		Tubing Strin	igs	•					
		Tubing Descriptio	n Ru	n Date 23/2015	String Leng 1,745.00	th (ft)	Set Depth (1,745.0	(ftKB)	_
		Tubing	Des	Jts Ma	ake Mod T&C Ups		Wt (lb/ft) 4.70		_en 1,7
		Packer		Baker		2 3/8		1	10.
		Rod Strings						(11/2)	
90 90 90 90 90		Rod Description		n Date	String Leng		Set Depth ((пкв)	
1720 950 1777 760 1787 860 1788 860 1788 860 1789 860	-	Item	Des	Jts Ma	ake Mod	el OD (in)	Wt (lb/ft)	Grade L	_en
		B	age 2/2			Pa	port Prin	to d. 5/9/	20

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
LH Operating, LLC	329319
	Action Number:
Houston, TX 77098	345037
	Action Type:
	[C-103] NOI Workover (C-103G)

CONDITIONS					
Created By	Condition	Condition Date			
mgebremichael	Ensure that the setting depth of the packer is not more than 100 ft above the top part of the injection interval. Should the workover require tubing replacement, the same size tube shall be replaced as prescribed in the respective order.	8/2/2024			

CONDITIONS

Page 9 of 9

Action 345037