

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: J L KEEL B Well Location: T17S / R31E / SEC 6 / County or Parish/State: EDDY /

SWNW / 32.8653036 / -103.9146629

Well Number: 40 Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMLC029435B Unit or CA Name: Unit or CA Number:

US Well Number: 3001525940 **Operator:** LH OPERATING LLC

Notice of Intent

Sundry ID: 2793247

Type of Submission: Notice of Intent

Type of Action: Workover Operations

Date Sundry Submitted: 06/03/2024 Time Sundry Submitted: 06:05

Date proposed operation will begin: 06/17/2024

Procedure Description: 1. Move in rig up workover rig. Bleed off well head pressure. ND wellhead and NU BOP. 2. Unhook injection line and meter run. 3. ND wellhead and NU BOP. 4. Unset packer. Pull out of hole with tubing. Inspect tubing as pulling out of hole. 5. Send packer to shop for redress or replace with new packer based on condition. 6. Replace tubing as needed from visual inspection. 7. Pick up reconditioned or new packer and run in hole on the tubing while testing the tubing below the slips to 4500 psi (test tools to be coated). Replace tubing as needed. 8. Once on depth above perforations, circulate in packer fluid (corrosion inhibitor and biocide) mixed in fresh water. 9. Set packer. ND BOP and NU wellhead. Install meter run. 10. Notify NMOCD field representative to witness test. Perform mechanical integrity test. Return to water injection.

Surface Disturbance

Is any additional surface disturbance proposed?: No

Page 1 of 2

eceived by OCD: 6/7/2024 6:45:01 AM Well Name: J L KEEL B

Well Location: T17S / R31E / SEC 6 / SWNW / 32.8653036 / -103.9146629

Well Number: 40

Type of Well: OIL WELL

Allottee or Tribe Name:

County or Parish/State: EDD 200

Lease Number: NMLC029435B

Unit or CA Name:

Unit or CA Number:

US Well Number: 3001525940

Operator: LH OPERATING LLC

Conditions of Approval

Specialist Review

Workover or Vertical Deepen COA 20240606223113.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: MICHAEL BURTON Signed on: JUN 03, 2024 06:05 AM

Name: LH OPERATING LLC Title: Environmental Manager

Street Address: 3730 KIRBY DR SUITE 1200

City: HOUSTON State: TX

Phone: (575) 499-5306

Email address: MIKE@LHOPERATING.COM

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

Disposition: Approved Disposition Date: 06/06/2024

Signature: Jonathon Shepard

Page 2 of 2

Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM A	PPROVED
OMB No.	1004-0137
Expires: Oct	ober 31, 202

5. Lease Serial	No
-----------------	----

BURE	EAU OF LAND MANAGEMENT		5. Lease Serial No.		
Do not use this fo	OTICES AND REPORTS ON Worm for proposals to drill or to Use Form 3160-3 (APD) for suc	re-enter an	6. If Indian, Allottee or Tribe Name		
	TRIPLICATE - Other instructions on pag	e 2	7. If Unit of CA/Agre	ement, Name and/or No.	
1. Type of Well Oil Well Gas W	ell Other		8. Well Name and No		
2. Name of Operator			9. API Well No.		
3a. Address	3b. Phone No.	(include area code)	10. Field and Pool or	Exploratory Area	
4. Location of Well (Footage, Sec., T.,R.	,M., or Survey Description)		11. Country or Parish	State	
12. CHEC	CK THE APPROPRIATE BOX(ES) TO INI	DICATE NATURE OF N	NOTICE, REPORT OR OTI	HER DATA	
TYPE OF SUBMISSION		ТҮРЕ О	FACTION		
Notice of Intent	Acidize Deep Alter Casing Hydr	_	Production (Start/Resume) Reclamation	Water Shut-Off Well Integrity	
Subsequent Report	Casing Repair New		Recomplete Temporarily Abandon	Other	
Final Abandonment Notice	Convert to Injection Plug	=	Water Disposal		
is ready for final inspection.)					
4. I hereby certify that the foregoing is	true and correct. Name (Printed/Typed)	Title			
Signature		Date			
	THE SPACE FOR FEDI	ERAL OR STATE	OFICE USE		
Approved by		Title		Data	
	ed. Approval of this notice does not warran quitable title to those rights in the subject leduct operations thereon.	t or		Date	
Title 18 U.S.C Section 1001 and Title 43	U.S.C Section 1212, make it a crime for ar	ny person knowingly and	d willfully to make to any de	epartment or agency of the United States	

any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

Additional Information

Location of Well

 $0. \ SHL: \ SWNW \ / \ 1980 \ FNL \ / \ 660 \ FWL \ / \ TWSP: \ 17S \ / \ RANGE: \ 31E \ / \ SECTION: \ 6 \ / \ LAT: \ 32.8653036 \ / \ LONG: \ -103.9146629 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \)$ BHL: $\ SWNW \ / \ 1980 \ FNL \ / \ 660 \ FWL \ / \ TWSP: \ 17S \ / \ SECTION: \ / \ LAT: \ 0.0 \ / \ LONG: \ 0.0 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \)$

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Conditions of Approval for Workover/Deepening of a Well

- 1. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any operations. For wells in Eddy County, call 575-361-2822. For wells in Lea County, call 575-689-5981
- 2. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,100 feet, a 3M system for a well not deeper than 13,600 feet, or a 5M system for a well not deeper than 22,700 feet (all depths are for measured well depth).
- 3. Cement: Notify BLM if cement fails to circulate.
- 4. <u>Subsequent Reporting:</u> Within 30 days after work is completed, file a Subsequent Report (Form 3160-5) to BLM. The report should give in detail the manner in which the work was carried out. <u>Show date work was completed</u>. If producing a new zone, submit a Completion Report (Form 3160-4) with the Subsequent Report.
- 5. <u>Trash</u>: All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.
- 6. If well location is within the Timing Limitation Stipulation Area for Lesser Prairie-Chicken: From March 1st through June 15th annually, activities will be allowed except between the hours from 3:00 am and 9:00 am. Normal vehicle use on existing roads will not be restricted.


WellView[®]

Downhole Well Profile

Well Name: KEEL J L B 40 INJ

API/UWI 3001525940		Field Name PBNM - PB-GRAYBURG WEST CENTRAL	State/Province NM	Well Configuration Type
Original KB Elevation (ft) 3,782.00	KB-Tubing Head Distance (ft)	Initial Spud Date 7/21/1988 00:00	PBTD (All) (ftKB) Original Hole - 3,715.0	Total Depth All (TVD) (ftKB)

T	ype						
	Des	Make	Model	WP (psi)	Service	WP Top (psi)	Bore Min (in)
Г							



5 1/2 X 2 3/8 AD-1 PKR 1 Baker 4 3/4 17.00 K-77 3.00 @ 1907' KB 1 Baker 4 3/4 17.00 K-77 3.00 Rod Strings Rod Description Run Date String Length (ft) Set Depth (ftKB)	Casing Strings											
Production 5 1/2 15.50 J-55 3,759.0 Perforations Date Top (ftKB) Btm (ftKB) Linked Zone 6/22/2021 1,969.0 1,972.0 Seven Rivers 6/22/2021 1,986.0 1,990.0 Seven Rivers 6/22/2021 2,000.0 2,003.0 Seven Rivers 6/22/2021 2,032.0 2,035.0 Seven Rivers 6/22/2021 2,056.0 2,058.0 Seven Rivers 6/22/2021 2,116.0 2,119.0 Seven Rivers 6/22/2021 2,156.0 2,159.0 Seven Rivers 6/22/2021 2,195.0 2,198.0 Seven Rivers 6/22/2021 2,319.0 2,279.0 Seven Rivers 6/22/2021 2,319.0 2,322.0 Seven Rivers 8/5/1988 2,826.0 3,234.0 3,44/1988 3,340.0 3,483.0 Tubing Description Run Date 6/23/2021 String Length (ft) Set Depth (ftKB) 1 Baker 4 3/4 17.00 K-77 3.00										op Thread	Set De	
Date Top (fiKB) Btm (fiKB) Linked Zone					- 1							
Date Top (ffKB) Btm (ffKB) Linked Zone	Production			5 1/2		15.50	J-5	J-55			3	3,759.0
6/22/2021 1,969.0 1,972.0 Seven Rivers 6/22/2021 1,986.0 1,990.0 Seven Rivers 6/22/2021 2,000.0 2,003.0 Seven Rivers 6/22/2021 2,032.0 2,035.0 Seven Rivers 6/22/2021 2,056.0 2,058.0 Seven Rivers 6/22/2021 2,116.0 2,119.0 Seven Rivers 6/22/2021 2,156.0 2,159.0 Seven Rivers 6/22/2021 2,195.0 2,198.0 Seven Rivers 6/22/2021 2,276.0 2,279.0 Seven Rivers 6/22/2021 2,319.0 2,322.0 Seven Rivers 8/5/1988 2,826.0 3,234.0 3,234.0 4/21/1999 2,920.0 2,934.0 8/4/1988 8/4/1988 3,340.0 3,483.0 Set Depth (ftKB) 1 bing Description Tubing Run Date 6/23/2021 String Length (ft) 1,907.0 Set Depth (ftKB) 1,907.0 2 3/8 EUE 8 RD J-55 IPC 60 T&C Non- Upset 2 3/8 4.60 J-55 1,904 .00 5 1/2 X 2 3/8 AD-1 PKR D 1 Baker Bak	Perforations											
6/22/2021		To		,	Btm (,	,					
6/22/2021 2,000.0 2,003.0 Seven Rivers 6/22/2021 2,032.0 2,035.0 Seven Rivers 6/22/2021 2,056.0 2,058.0 Seven Rivers 6/22/2021 2,116.0 2,119.0 Seven Rivers 6/22/2021 2,156.0 2,159.0 Seven Rivers 6/22/2021 2,195.0 2,198.0 Seven Rivers 6/22/2021 2,276.0 2,279.0 Seven Rivers 6/22/2021 2,319.0 2,322.0 Seven Rivers 8/5/1988 2,826.0 3,234.0 4/21/1999 2,920.0 2,934.0 8/4/1988 3,340.0 3,483.0 Tubing Description Tubing Run Date							972.0 Seven Rivers					
6/22/2021 2,032.0 2,035.0 Seven Rivers 6/22/2021 2,056.0 2,058.0 Seven Rivers 6/22/2021 2,116.0 2,119.0 Seven Rivers 6/22/2021 2,156.0 2,159.0 Seven Rivers 6/22/2021 2,195.0 2,198.0 Seven Rivers 6/22/2021 2,276.0 2,279.0 Seven Rivers 6/22/2021 2,319.0 2,322.0 Seven Rivers 8/5/1988 2,826.0 3,234.0 4/21/1999 2,920.0 2,934.0 8/4/1988 3,340.0 3,483.0 Tubing Strings Tubing Description Tubing Run Date	6/22/2021					,		Seven Rivers				
6/22/2021 2,056.0 2,058.0 Seven Rivers 6/22/2021 2,116.0 2,119.0 Seven Rivers 6/22/2021 2,156.0 2,159.0 Seven Rivers 6/22/2021 2,195.0 2,198.0 Seven Rivers 6/22/2021 2,276.0 2,279.0 Seven Rivers 6/22/2021 2,319.0 2,322.0 Seven Rivers 8/5/1988 2,826.0 3,234.0 4/21/1999 2,920.0 2,934.0 8/4/1988 3,340.0 3,483.0 Tubing Strings Tubing Description Tubing Run Date	6/22/2021		2,	0.000		2,003	3.0	Seven Rivers				
6/22/2021 2,116.0 2,119.0 Seven Rivers 6/22/2021 2,156.0 2,159.0 Seven Rivers 6/22/2021 2,195.0 2,198.0 Seven Rivers 6/22/2021 2,276.0 2,279.0 Seven Rivers 6/22/2021 2,319.0 2,322.0 Seven Rivers 8/5/1988 2,826.0 3,234.0 4/21/1999 2,920.0 2,934.0 8/4/1988 3,340.0 3,483.0 Tubing Strings Tubing Description Tubing Tubing Bescription	6/22/2021		2,	032.0		2,03	5.0	Seven	Rivers			
6/22/2021	6/22/2021		2,	056.0		2,058	3.0	Seven	Rivers			
6/22/2021 2,195.0 2,198.0 Seven Rivers 6/22/2021 2,276.0 2,279.0 Seven Rivers 6/22/2021 2,319.0 2,322.0 Seven Rivers 8/5/1988 2,826.0 3,234.0 4/21/1999 2,920.0 2,934.0 8/4/1988 3,340.0 3,483.0 Tubing Strings Tubing Description Tubing Run Date 6/23/2021 String Length (ft) 1,907.00 Set Depth (ftKB) 1,907.0 1 Set Depth (ftKB) 1,907.00 1,907.0 1,907.0 1,907.0 1 Item Des String Length (ft) 1,907.00 1,907.0 1,907.0 1,907.0 2 3/8 EUE 8 RD J-55 IPC 60 Upset T&C Non- Upset 2 3/8 4.60 J-55 1,904 0.00 1,907.0 5 1/2 X 2 3/8 AD-1 PKR 1 Baker	6/22/2021		2,	116.0		2,119	9.0	Seven	Rivers			
6/22/2021 2,276.0 2,279.0 Seven Rivers 6/22/2021 2,319.0 2,322.0 Seven Rivers 8/5/1988 2,826.0 3,234.0 4/21/1999 2,920.0 2,934.0 8/4/1988 3,340.0 3,483.0 Tubing Strings Tubing Description Tubing Run Date 6/23/2021 String Length (ft) 1,907.00 Set Depth (ftKB) 1,907.0 Item Des Jts Make Model OD (in) Wt (lb/ft) Grade Len (ft) 2 3/8 EUE 8 RD J-55 IPC TBG 60 T&C Non- 23/8 4.60 J-55 1,904 TBG Upset 4 3/4 17.00 K-77 3.00 8 Rod Strings Rod Description Run Date String Length (ft) Set Depth (ftKB)	6/22/2021		2,	156.0		2,159	9.0	Seven Rivers				
6/22/2021 2,319.0 2,322.0 Seven Rivers 8/5/1988 2,826.0 3,234.0 4/21/1999 2,920.0 2,934.0 8/4/1988 3,340.0 3,483.0 Tubing Strings Tubing Description Tubing Run Date 6/23/2021 String Length (ft) 1,907.00 Set Depth (ftKB) 1,907.0 Item Des Jts Make Model OD (in) Wt (lb/ft) Grade Len (ft) 2 3/8 EUE 8 RD J-55 IPC TBG 60 T&C Non- 23/8 4.60 J-55 1,904 .00 5 1/2 X 2 3/8 AD-1 PKR 1 Baker 4 3/4 17.00 K-77 3.00 3.00 Rod Strings Rod Description Run Date String Length (ft) Set Depth (ftKB)	6/22/2021		2,	195.0		2,198	3.0	Seven Rivers				
8/5/1988 2,826.0 3,234.0 4/21/1999 2,920.0 2,934.0 8/4/1988 3,340.0 3,483.0 Tubing Strings Tubing Description Tubing Run Date String Length (ft) 1,907.0 Set Depth (ftKB) 1,907.0 Litem Des Jts Make Model OD (in) Wt (lb/ft) Grade Len (ft) 2 3/8 EUE 8 RD J-55 IPC TBG 60 T&C Non- Upset 2 3/8 4.60 J-55 1,904 .00 5 1/2 X 2 3/8 AD-1 PKR	6/22/2021 2,276.0				2,279	9.0	Seven Rivers					
A/21/1999 2,920.0 2,934.0	6/22/2021		2,	2,319.0		2,322	2.0	Seven Rivers				
Set Depth (ftKB) String Set Depth (ftKB) Se	8/5/1988		2,	,826.0		3,234	4.0					
Tubing Strings Tubing Description Tubing Run Date	4/21/1999		2,	,920.0		2,934	4.0					
Tubing Description Run Date 6/23/2021 String Length (ft) 1,907.00 Set Depth (ftKB) 1,907.0 Item Des Jts Make Model OD (in) Wt (lb/ft) Grade Len (ft) 2 3/8 EUE 8 RD J-55 IPC 60 T&C Non- Upset 2 3/8 4.60 J-55 1,904 TBG 1 Baker 4 3/4 17.00 K-77 3.00 © 1907' KB 1 Baker 4 3/4 17.00 K-77 3.00 Rod Strings Rod Description Run Date String Length (ft) Set Depth (ftKB)	8/4/1988		3,	3,340.0		3,483	3.0					
Tubing 6/23/2021 1,907.00 1,907.0 Item Des Jts Make Model OD (in) Wt (lb/ft) Grade Len (ft) 2 3/8 EUE 8 RD J-55 IPC 60 T&C Non-Upset 2 3/8 4.60 J-55 1,904 5 1/2 X 2 3/8 AD-1 PKR 1 Baker 4 3/4 17.00 K-77 3.00 Rod Strings Rod Description Run Date String Length (ft) Set Depth (ftKB)	Tubing Strings			<u> </u>								
Item Des											(ftKB)	
2 3/8 EUE 8 RD J-55 IPC 60 T&C Non- Upset 2 3/8 4.60 J-55 1,904 .00 5 1/2 X 2 3/8 AD-1 PKR 1 Baker 4 3/4 17.00 K-77 3.00 @ 1907' KB Strings		6/2							" 1			. (5)
TBG Upset .00 5 1/2 X 2 3/8 AD-1 PKR 1 Baker 4 3/4 17.00 K-77 3.00 @ 1907' KB 1 Baker 4 3/4 17.00 K-77 3.00 Rod Strings Rod Description Run Date String Length (ft) Set Depth (ftKB)		EE IDC		Ma	ake				. ,	, ,		
@ 1907' KB Rod Strings Rod Description Run Date String Length (ft) Set Depth (ftKB)			00					2 3/0			.00	
Rod Description Run Date String Length (ft) Set Depth (ftKB)			1	Baker		•		4 3/4	17.00	K-77	3.00	
	Rod Strings											
Item Des Jts Make Model OD (in) Wt (lb/ft) Grade Len (ft)	Rod Description Ru		n Date		String Length (ft)			Set Depth (ftKB)				
	Item Des		Jts	Make		Model		OD (in)	Wt (lb/ft)	Grade	Len (ft)	

Page 1/1 Report Printed: 5/22/2024

Released to Imaging: 8/2/2024 8:47:28 AM

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 351866

CONDITIONS

Operator:	OGRID:
LH Operating, LLC	329319
3730 Kirby Drive	Action Number:
Houston, TX 77098	351866
	Action Type:
	[C-103] NOI Workover (C-103G)

CONDITIONS

Created By		Condition Date
mgebremichael	Ensure that the setting depth of the packer is not more than 100 ft above the top part of the injection interval. Should the workover require tubing replacement, the same size tube shall be replaced as prescribed in the respective order.	8/2/2024