Received by OCD:	7/1/202729	5:57 PM	Print		Clear				Page 1 of 8	
Form 3160-5 UNITED STATES (June 2015) DEPARTMENT OF THE INTERIOR					ON Expir	FORM APPROVED OMB No. 1004-0137 Expires: January 31, 2018				
BUREAU OF LAND MANAGEMENT						5. Lease Serial No.	5. Lease Serial No.			
	ot use this i	form for p		drill	N WELLS or to re-enter an such proposals		6. If Indian, Allottee or	Tribe Name		
SUBMIT IN TRIPLICATE - Other instructions on page 2							7. If Unit of CA/Agreen	7. If Unit of CA/Agreement, Name and/or No.		
1. Type of Well										
✔ Oil We		Vell [8. Well Name and No. C	8. Well Name and No. CATO SAN ANDRES UNIT #156						
2. Name of Operator OXY USA INC.							9. API Well No. 30-005	9. API Well No. 30-005-20187		
3a. Address PO BOX 4294, HOUSTON, TX 77210 3b. Phone No. (include area code)					10. Field and Pool or Ex	10. Field and Pool or Exploratory Area				
						CATO; SAN ANDRE	CATO; SAN ANDRES			
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description)							11. Country or Parish, S	11. Country or Parish, State		
1980 FNL, 1980 FEL, SEC 29, T08S, R30E							CHAVES	CHAVES		
	12. CHE	CK THE APP	ROPRIATE BO	X(ES) T	O INDICATE NATURI	E OF N	OTICE, REPORT OR OTHE	ER DATA		
TYPE OF SUB	MISSION				TY	PE OF	ACTION			
Notice of Inten		Acidiz	ze		Deepen	I	Production (Start/Resume)	Water Shut-Off		
	l	Alter	Casing		Hydraulic Fracturing	I	Reclamation	Well Integrity		
Subsequent Rep	oort	Casing	g Repair		New Construction	I	Recomplete	Other		
- Subsequent rep	Solt	Chang	e Plans	~	Plug and Abandon]	Femporarily Abandon			
Final Abandon	nent Notice	Conve	ert to Injection		Plug Back	<u> </u>	Water Disposal			
the proposal is to o the Bond under wh completion of the	leepen directiona nich the work wil involved operation	Ily or recompl l be perfonned ons. If the oper	ete horizontally, l or provide the l ration results in a	, give su Bond No a multipl	bsurface locations and r b. on file with BLM/BIA le completion or recomp	neasure A. Requi	ng date of any proposed worl ed and true vertical depths of ired subsequent reports must in a new interval, a Form 316 have been completed and the	all pertinent markers and z be filed within 30 days fol 50-4 must be filed once test	cones. Attach llowing ting has been	

is ready for final inspection.)

Please see the attached final plugging report, and final wellbore diagram. Well is now plugged.

Accepted for Record

14. I hereby certify that the foregoing is true and correct. Name (<i>Printed/Typed</i>) Sarah McKinney	REGUL Title	ATORY ADVISOR				
Signature Sout Mcking	Date	ate 11/02/2023				
THE SPACE FOR FEDERAL OR STATE OFICE USE						
Approved by	Title P	etroleum Engineer	07/01/2024			
Conditions of approval, if any, are attached. Approval of this notice does not warrant certify that the applicant holds legal or equitable title to those rights in the subject lead which would entitle the applicant to conduct operations thereon.		RFO				
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.						

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Cato San Andres Unit 156 Final Plugging Report 30-005-20187 8/21/2023-8/25/2023


Set CIBP @ 3248'. Spot 6 BBLs (25 sxs) of Class C CMT & Displaced down to 2864' w/ 11 BBLs. POOH w/ WS TBG. L/D 11 JTs. RIH w/ PKR & 30 JTs. Set PKR @ 969'. Set down to CMT Plug to 500 PSI & held. RIH w/ TBG & tag CMT Plug @ 2892'.

RIH w/ Perf Gun. Perforate CSG @ 1540'. Pump 24 BBLs (100 sxs) of Class C CMT @ 1.5 BPM @ 0 PSI. Spot 4 BBLs of CMT. POOH w/ TBG. WOC. RIH w/ 48 JTs of TBG to 1550'. No CMT. POOH w/ TBG. RIH w/ PKR to 1002'. Est Rate @ 1.5 BPM @ 0 PSI. Close all valves. Close BOPE & Lock Pins. Secure Location

Crew HTGSM. 0 PSI on TBG & CSG. Est Rate sqz 12 BBLs (50 sxs) of Class C CMT & Displaced down to 1250' w/ 6.5 BBLs. Wait on CMT. Release PKR. RIH & Tag CMT Plug @ 1292'. Spot 7 BBLs (30 sxs) of Class C C & Displaced down to 850'. POOH w/ TBG. Wait on CMT. RIH w/ TBG & Tag CMT Plug @ 807'. POOH w/ TBG. R/U WL. RIH w/ 1-9/16" Perf Gun. Perforate CSG @ 383'. POOH w/ WL. Set PKR @ 68' w/ 2 JTs. Est Rate @ 1.5 BPM @ 300 PSI pump 30 bbls of FW. Did not circulate out of surface. Sqz 27 BBLs (115 sxs) of Class C CMT & Displaced down to 200' w/ 2.5 BBLs.

Release PKR. RIH w/ TBG & tag CMT Plug @ 180'. RIH w/ 1-9/16" Perf Gun. Perforated CSG @ 150'. Circulated well w/ 10.5 BBLs (45 sxs) of Class C CMT through surface CSG. RDSU & all plugging equipment. ND WH & verified CMT inside CSG. Secure Location. Well is plugged. Final Wellbore Diagram 11/2/2023

Current Cato San Andreas Unit # 156 API # 3000520187





United States Department of the Interior

BUREAU OF LAND MANAGEMENT Roswell Field Office 2909 W Second St. Roswell, New Mexico 88201 www.blm.gov/nm



In Reply Refer To: 1310

Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines (**Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait until the last day and try to get them to remove infrastructure**). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip (across the slope and seed as specified in the original APD COA. **This will apply to well pads, facilities, and access roads**. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months.
- 3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you

have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Ricky Flores Natural Resource Specialist 575-627-0339

Harley Davis Natural Resource Specialist 575-627-0247

Allison Nelson Natural Resource Specialist 575-627-0202 CSAU 156

30-005-20187

CUT AND CAP COMPLETE ON 10/27/2023.

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator: (OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	360182
	Action Type:
	[C-103] Sub. Plugging (C-103P)
CONDITIONS	

Created By Condition Condition Date loren.diede 8/6/2024 None

CONDITIONS

Page 8 of 8

.

Action 360182