District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 Revised April 3, 2017

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office. For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Below-Grade Tank, or			
Proposed Alternative Method Permit or Closure Plan Application			
Type of action: Below grade tank registration BGT 1 Permit of a pit or proposed alternative method Modification to an existing permit/or registration Modification to an existing permit/or registration Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank,			
or proposed alternative method			
Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request			
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.			
ı. Operator: <u>Hilcorp Energy Company</u> OGRID #: <u>372171</u>			
Address: 382 Road 3100 Aztec, NM 87410 O Orab m O Orab m			
Facility or well name: NV NAVAJO 24 3			
API Number: 30-045-31423 OCD Permit Number: BGT1			
U/L or Qtr/Qtr <u>N</u> Section <u>24</u> Township <u>29N</u> Range <u>14W</u> County: <u>San Juan</u>			
Center of Proposed Design: Latitude <u>36.706809 N</u> Longitude <u>-108.263997 W</u> NAD83			
Surface Owner: 🛛 Federal 🗌 State 🗌 Private 🖾 Tribal Trust or Indian Allotment			
□ Pit: Subsection F, G or J of 19.15.17.11 NMAC Temporary: □ Drilling Workover □ Permanent Emergency □ Cavitation □ P&A Multi-Well Fluid Management Low Chloride Drilling Fluid □ no □ Lined □ Unlined Liner type: Thickness mil □ LLDPE HDPE PVC Other			
Visible sidewalls and liner Visible sidewalls only Other Liner type: Thickness			
 Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. 			
 5. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify			

Netting:	Subsection E of 19.15.17.11 NMAC	(Applies to peri	manent vits and i	permanent open to	p tanks)

Screen Netting Other_

Monthly inspections (If netting or screening is not physically feasible)

Signs: Subsection C of 19.15.17.11 NMAC

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.16.8 NMAC

Variances and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.

Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

^{9.} <u>Siting Criteria (regarding permitting)</u>: 19.15.17.10 NMAC *Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below.* Siting criteria does not apply to drying pads or above-grade tanks.

General siting	
<u>Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.</u> - □ NM Office of the State Engineer - iWATERS database search; □ USGS; □ Data obtained from nearby wells	□ Yes □ No ⊠ NA
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ⊠ NA
 Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) Written confirmation or verification from the municipality; Written approval obtained from the municipality 	🗌 Yes 🗌 No
 Within the area overlying a subsurface mine. (Does not apply to below grade tanks) Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 	🗌 Yes 🗌 No
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	🗌 Yes 🗌 No
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	🗌 Yes 🗌 No
Below Grade Tanks	
 Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🛛 No
 Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗌 Yes 🔀 No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
 Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.	🗌 Yes 🗌 No
 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	🗌 Yes 🗌 No

Received by OCD: 8/14/2024 10:17:30 AM	Page 3 of 3		
 Within 100 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No		
Temporary Pit Non-low chloride drilling fluid			
 Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No		
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No		
 Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No		
 Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No		
Permanent Pit or Multi-Well Fluid Management Pit			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa			
 lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No		
 Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No		
 Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No		
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No		
10. Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist : Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number: 			
11. Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:			

•

	12. <u>Permanent Pits Permit Application Checklist</u> : Subsection B of 19.15.17.9 NMAC	
	Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the attached.	documents are
	Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC	
	Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
	 Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC 	
	Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC	
	Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC	
	 Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan 	
	Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
	Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	
	 Nuisance or Hazardous Odors, including H₂S, Prevention Plan Emergency Response Plan 	
	Oil Field Waste Stream Characterization	
	Monitoring and Inspection Plan	
	 Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC 	
	^{13.} <u>Proposed Closure</u> : 19.15.17.13 NMAC	
	Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
	Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F	luid Management Pit
	Alternative Proposed Closure Method: Waste Excavation and Removal	
	Waste Removal (Closed-loop systems only)	
	On-site Closure Method (Only for temporary pits and closed-loop systems)	
	☐ In-place Burial ☐ On-site Trench Burial ☐ Alternative Closure Method	
	Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be	attached to the
	<i>closure plan. Please indicate, by a check mark in the box, that the documents are attached.</i> Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC	
	Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC	
	Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)	
	Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
	Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
	15. Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC	
	Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour	
	provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. 19.15.17.10 NMAC for guidance.	lease refer to
	Ground water is less than 25 feet below the bottom of the buried waste.	Yes No
	- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	
	 Ground water is between 25-50 feet below the bottom of the buried waste NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 	\square Yes \square No
		□ NA
	 Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 	$\square Yes \square No$ $\square NA$
	Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	🗌 Yes 🗌 No
	- Topographic map; Visual inspection (certification) of the proposed site	
	Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	□ Yes □ No
	- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
	Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence	🗌 Yes 🗌 No
	at the time of initial application.	
	- NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	
	Written confirmation or verification from the municipality; Written approval obtained from the municipality	🗌 Yes 🗌 No
	Within 300 feet of a wetland.	
	US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	🗌 Yes 🗌 No
	Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	
	Form C-144Oil Conservation DivisionPage 4 orReleased to Imaging: 8/14/2024 11:19:43 AMOil Conservation DivisionPage 4 or	f 6
4	Released to 1maging: 0/14/2024 11:19:45 AM	

Received by OCD: 8/14/2024 10:17:30 AM	Page 5 of 3		
 adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtained from the municipality 	🗌 Yes 🗌 No		
 Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 	🗌 Yes 🗌 No		
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 			
Within a 100-year floodplain.	Yes No		
- FEMA map	🗌 Yes 🗌 No		
 16. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure play a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.13 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cann Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC 	11 NMAC 15.17.11 NMAC		
17. Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and bel Name (Print):			
Signature:			
e-mail address: Telephone:			
18. OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)			
OCD Representative Signature: Approval Date:			
Title: OCD Permit Number:			
 19. <u>Closure Report (required within 60 days of closure completion)</u>: 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. 			
20. Closure Method: Waste Excavation and Removal □ On-Site Closure Method □ Alternative Closure Method □ Waste Removal (Closed-le If different from approved plan, please explain.	oop systems only)		
21. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please in mark in the box, that the documents are attached.			

.

			accurate and complete to the best of my knowledge and ditions specified in the approved closure plan.
Name (Print):	Priscilla Shorty	Title:	Operations/Regulatory Technician – Sr
Signature:	<u>Príscílla Shorty</u>	Date:	8/14/2024
e-mail address: p	shorty@hilcorp.com	Telephone:(505) 324-5188

.

Hilcorp Energy Company San Juan Basin: New Mexico Assets Below Grade Tank Closure Report

Lease Name: NV NAVAJO 24 3 API No.: 30-045-31423

In accordance with Rule 19.15.17.13 NMAC, the following information describes the closure of the below-grade tank referenced above. All proper documentation regarding closure activities is being included with the C-144.

General Plan Requirements:

1. Prior to initiating any BGT closure, except in the case of an emergency, HILCORP will notify the surface owner of the intent to close the BGT by certified mail no later than 72 hours or one week before closure and a copy of this notification will be included in the closure report. In the case of an emergency, the surface owner will be notified as soon as practical.

The surface owner was notified by email of the closure process and the notification is attached.

- 2. Notice of closure will be given to the District Division office between 72 hours and one week of the scheduled closure via email or phone. The notification of closure will include the following:
 - a. Operators Name
 - b. Well Name and API Number
 - c. Location

Notification is attached.

3. All liquids will be removed from the BGT following cessation of operation. Produced water will be disposed of at one of HILCORP's approved Salt Water Disposal facilities or at a District Division approved facility.

All recovered liquids were disposed of at an approved SWD facility or an approved District Division facility within 60 days of cessation of operation.

 Solids and sludge's will be shoveled and/or vacuumed out for disposal at one of the District Division approved facilities, depending on the proximity of the BGT site: Envirotech Land Farm (Permit #NM-01-011), JFJ Land Farm % Industrial Ecosystems Inc. (Permit #NM-01-0010B), and Basin Disposal (Permit #NM-01-005).

Any sludge or soil required to be removed to facilitate closure was transported to Envirotech Land Farm (Permit # NM-01-011) and/or JFJ Landfarm % IEI (Permit# NM-01-0010B).

Revised 10/14/2015

5. HILCORP will obtain prior approval from District Division to dispose, recycle, reuse, or reclaim the BGT and provide documentation of the disposition of the BGT in the closure report. Steel materials will be recycled or reused as approved by the District Division. Fiberglass tanks will be empty, cut up or shredded, and EPA cleaned for disposal as solid waste. Liner materials will be cleaned without soils or contaminated material for disposal as solid waste. Fiberglass tanks and liner materials will meet the conditions of 19.15.35 NMAC. Disposal will be at a licensed disposal facility, presently San Juan County Landfill operated by Waste Management under NMED Permit SWM-052426.

The below-grade tank was disposed of in a division-approved manner. The liner was cleaned per 19.15.35.8.C(1)(m) NMAC and disposed of at the San Juan County Regional Landfill located on CR 3100.

6. Any equipment associated with the BGT that is no longer required for some other purpose, following the closure, will be removed.

All on-site equipment associated with the below-grade tank was removed.

- 7. Following removal of the tank and any liner material, HILCORP will test the soils beneath the BGT as follows:
 - a. At a minimum, a five-point composite sample will be taken to include any obvious stained or wet soils or any other evidence of contamination.
 - b. The laboratory sample shall be analyzed for the constituents listed in Table I of 19.15.17.13.

A five point composite sample was taken of the below-grade tank using sampling tools and all samples tested per Table I of 19.15.17.13 and the results are attached.

8. If the District Division and/or HILCORP determine there is a release, HILCORP will comply with 19.15.17.13.C.3b.

A release was not determined for the above referenced well.

9. Upon completion of the tank removal, pursuant to 19.15.17.13.C.3c, if all contaminant concentrations are less than or equal to the parameters listed in Table I of 19.15.17.13 NMAC, the excavation will be backfilled with non-waste earthen material compacted and covered with a minimum of one foot top soil or background thickness whichever is greater and to existing grade. The surface will be re-contoured to match the native grade and to prevent ponding.

The tank removal area passed all requirements of Table I of 19.15.17.13 NMAC and was backfilled with compacted, non-waste containing, earthen material which included at least one foot of suitable material to establish vegetation at the site.

Revised 10/14/2015

10. For those portions of the former BGT area no longer required for production activities, HILCORP will seed the disturbed area the first favorable growing season after the BGT is covered. Seeding will be accomplished via drilling on the contour whenever practical, or by other District Division-approved methods. HILCORP will notify the District Division when reclamation and re-vegetation is complete.

Reclamation of the BGT shall be considered complete when:

- Vegetative cover reflects a life form ratio of +/- 50% of pre disturbance levels.
- Total percent plant cover of at least 70% of pre-disturbance levels (Excluding noxious weeds) OR
- Pursuant to 19.15.17.13.H.5d HILCORP will comply with obligations imposed by other applicable federal or tribal agencies in which there re-vegetation and reclamation requirements provide equal or better protection of fresh water, human health and the environment.

Provision 10 will be accomplished pursuant to 19.15.17.H.5d and notification will be submitted upon completion.

11. For those portions of the former BGT area required for production activities, reseeding will be done at well abandonment, and following the procedure noted above.

The former BGT area is required for production activities and reseeding will be completed upon plug and abandonment, per the procedure noted above.

Closure Report:

All closure activities will include proper documentation and will be submitted to OCD within 60 days of the BGT closure on a Closure Report using District Division Form C-144. The Report will include the following:

- Proof of Closure Notice (surface owner and District Division) (Attached)
- Backfilling & cover installation (See Report)
- Confirmation Sampling Analytical Results (Attached)
- Application Rate & Seeding techniques (See Report)
- Photo Documentation of Reclamation (Attached)

Revised 10/14/2015

Priscilla Shorty

From:	Priscilla Shorty
Sent:	Wednesday, June 19, 2024 6:44 AM
То:	Chad Perkins; Dale Crawford; Mitch Killough; Brandon Sinclair; Ben Mitchell; Ramon
	Hancock; Lisa Jones; Abiodun Adeloye; bertha.spencer@bia.gov;
	laverna.jaquez@bia.gov; Victoria Venegas (Victoria.Venegas@emnrd.nm.gov);
	Farmington Regulatory Techs; Samantha Grabert; Kate Kaufman; Alex Rios; Christopher
	Bramwell; Priscilla Shorty; Ray Shelby; Tammy Jones
Subject:	72 Hour BGT Closure Notification - NV NAVAJO 24 3 (30.045.31423)
Attachments:	NV NAVAJO 24 3 BGT Permit.pdf

Subject: 72 Hour BGT Closure Notification

Anticipated Start Date: Tuesday, June 25, 2024 at 11:30 AM

The subject well has a below-grade tank that will be permanently removed. The BGT Permit is attached. Please contact me if you have any questions or concerns.

Reason:	Well was P&A'd	
Operator:	Hilcorp Energy	Surface Owner: TRIBAL
Footages:	674' FSL & 1883' FWL	
Location:	Unit N (SE/SW), Sectior	n 24, T29N, R14W
API#:	30-045-31423	
Well Name:	NV NAVAJO 24 3	

Please Note Required Photos for Closure

- Well site placard
- Photos of the BGT prior to closure
- The sample location or, more preferred, photos of actual sample collection
- Final state of the area after closure.
- Photos will require captioning including direction of photo, date and time of photo and a description of the image contents.

Thanks,

Priscilla Shorty Operations Regulatory Technician Hilcorp Energy Company 505-324-5188 pshorty@hilcorp.com State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party Hilcorp Energy Company	OGRID 372171
Contact Name Mitch Killough	Contact Telephone: (713) 757-5247
Contact email mkillough@hilcorp.com	Incident # (assigned by OCD)
Contact mailing address 382 Road 3100 Aztec NM 87410	•

Location of Release Source

Latitude	Latitude 36.706809 Longitude -108.263997 (NAD 83 in decimal degrees to 5 decimal places)										
Site Name NV Navajo 24 3 Site Type Gas Well											
Date Release	Discovered	N/A		API# (if applicable) 30-045-31423							
Unit Letter	Section	Township	Range	County							
N	24	29N	14W	San Juan							

Surface Owner: State Federal Tribal Private (*Name:*)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

Volume Released (bbls)	Volume Recovered (bbls)
Volume Released (bbls)	Volume Recovered (bbls)
Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	Yes No
Volume Released (bbls)	Volume Recovered (bbls)
Volume Released (Mcf)	Volume Recovered (Mcf)
Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)
	Volume Released (bbls) Is the concentration of dissolved chloride in the produced water >10,000 mg/l? Volume Released (bbls) Volume Released (Mcf)

Cause of Release

No release was encountered during the BGT Closure.

orm C-141	State of New Mexico		Incident ID
age 2	Oil Conservation Division	L	Incident ID District RP
0			Facility ID
			Application ID
Was this a major	If YES, for what reason(s) does the res	ponsible party conside	r this a major release?
release as defined by 19.15.29.7(A) NMAC?			
🗌 Yes 🖾 No	N/A		
If YES, was immediate n	otice given to the OCD? By whom? To	whom? When and by	what means (phone, email, etc)?
Not Required			
Not Required			
	Initial	Response	
The responsible	party must undertake the following actions immedi	•	te a safety hazard that would result in injury
The source of the rele	ease has been stopped.		
The impacted area ha	s been secured to protect human health a	nd the environment.	
Released materials ha	we been contained via the use of berms of	or dikes, absorbent pad	ls, or other containment devices.
All free liquids and re	ecoverable materials have been removed	and managed appropri	ately.
	d above have <u>not</u> been undertaken, expla		
If all the actions describe	a above have <u>not</u> been undertaken, expla	in wny.	
			ately after discovery of a release. If remedia
	a narrative of actions to date. If remediant area (see 19.15.29.11(A)(5)(a) NMAC		uccessfully completed or if the release occu prmation needed for closure evaluation.
		-	
			e and understand that pursuant to OCD rules and corrective actions for releases which may endang
public health or the environment	nent. The acceptance of a C-141 report by th	e OCD does not relieve t	the operator of liability should their operations have
			rface water, human health or the environment. In apliance with any other federal, state, or local laws
and/or regulations.		or responsionity for con	-p
Printed Name	Mitch Killough	Title	Environmental Specialist
	Witten Killougii	I IIIC	
	the last		
Signature:	the John -	Date:7/1	2/2024
	mkillough@hilcorp.com	Teleph	one: (713-757-5247)
OCD Only			
Received by:		Date:	
J			

Released to Imaging: 8/14/2024 11:19:43 AM

NV Navajo 24 #3

36.70684°N 108.26406°W

ACCURACY 4 m DATUM WGS84

Hilcorp Energy Company EMERGENCY NUMBER: 505-324-5170 NV NAVAJO 24 #3 674' FSL 1883' FWL SE/SW SEC 24 T29N R14W LATITUDE 36° .70689 LONGITUDE 108° .26403 LEASE # 14206032198A

API #30-045-31423 SAN JUAN COUNTY, NEW MEXICO

Placard

2024-06-25 13:11:58-06:00

36.70686°N 108.26405°W

DIRECTION 126 deg(T)

NV Navajo 24 #3

ACCURACY 4 and 33 DATUM WGS84



Before Removal

2024-06-25 13:12:11-06:00



36.70689°N 108.26402°W



NV Navajo 24 #3

After Removal with Composite Sample Points

2024-06-25 13:19:21-06:00 Received by OCD: 8/14/2024 10:17:30 AM



Environment Testing

ANALYTICAL REPORT

PREPARED FOR

Attn: Mitch Killough Hilcorp Energy PO BOX 4700 Farmington, New Mexico 87499 Generated 7/10/2024 3:28:46 PM

JOB DESCRIPTION

NV Navajo 24 #3

JOB NUMBER

885-6996-1

Eurofins Albuquerque 4901 Hawkins NE Albuquerque NM 87109

See page two for job notes and contact information.

Eurofins Albuquerque

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

Authorization

Juhelle Garcia

Generated 7/10/2024 3:28:46 PM

Authorized for release by Michelle Garcia, Project Manager michelle.garcia@et.eurofinsus.com (505)345-3975

Laboratory Job ID: 885-6996-1

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
QC Sample Results	7
QC Association Summary	9
Lab Chronicle	10
Certification Summary	11
Chain of Custody	12
Receipt Checklists	13

Definitions/Glossary

Client: Hilcorp Energy Project/Site: NV Navajo 24 #3 Job ID: 885-6996-1

Qualifiers

RL

RPD

TEF

TEQ

TNTC

Qualifiers		3
GC VOA		
Qualifier	Qualifier Description	
S1+	Surrogate recovery exceeds control limits, high biased.	
Glossary		5
Abbreviation	These commonly used abbreviations may or may not be present in this report.	
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis	
%R	Percent Recovery	
CFL	Contains Free Liquid	
CFU	Colony Forming Unit	0
CNF	Contains No Free Liquid	0
DER	Duplicate Error Ratio (normalized absolute difference)	
Dil Fac	Dilution Factor	9
DL	Detection Limit (DoD/DOE)	
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample	
DLC	Decision Level Concentration (Radiochemistry)	
EDL	Estimated Detection Limit (Dioxin)	
LOD	Limit of Detection (DoD/DOE)	
LOQ	Limit of Quantitation (DoD/DOE)	
MCL	EPA recommended "Maximum Contaminant Level"	
MDA	Minimum Detectable Activity (Radiochemistry)	
MDC	Minimum Detectable Concentration (Radiochemistry)	
MDL	Method Detection Limit	
ML	Minimum Level (Dioxin)	
MPN	Most Probable Number	
MQL	Method Quantitation Limit	
NC	Not Calculated	
ND	Not Detected at the reporting limit (or MDL or EDL if shown)	
NEG	Negative / Absent	
POS	Positive / Present	
PQL	Practical Quantitation Limit	
PRES	Presumptive	
QC	Quality Control	
RER	Relative Error Ratio (Radiochemistry)	

Reporting Limit or Requested Limit (Radiochemistry)

Toxicity Equivalent Factor (Dioxin)

Too Numerous To Count

Toxicity Equivalent Quotient (Dioxin)

Relative Percent Difference, a measure of the relative difference between two points

Case Narrative

Job ID: 885-6996-1

Client: Hilcorp Energy Project: NV Navajo 24 #3

Eurofins Albuquerque

1 2 3 4 5 6 7 8 9 10 11

Page 20 of 33

Job ID: 885-6996-1

Job Narrative 885-6996-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The sample was received on 6/27/2024 7:00 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 4.9°C.

Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Client Sample Results

Job ID: 885-6996-1

Client: Hilcorp Energy

Client Sample ID: Bottom Comp 2'

Project/Site: NV Navajo 24 #3

Lab Sample	ID:	885-6996-1

ate Received: 06/27/24 07:00								
Method: SW846 8015M/D - Gasol	ine Range Org	anics (GRC)) (GC)					
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		4.9	mg/Kg		06/27/24 13:48	07/04/24 06:36	1
Method: SW846 8015M/D - Gasol	ine Range Org	anics (GRC)) (GC)					
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	95		35 - 166			06/27/24 13:48	07/04/24 06:36	1
Method: SW846 8021B - Volatile (Organic Comp	ounds (GC)						
Analyte		Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.024	mg/Kg		06/27/24 13:48	07/04/24 06:36	1
Ethylbenzene	ND		0.049	mg/Kg		06/27/24 13:48	07/04/24 06:36	1
Toluene	ND		0.049	mg/Kg		06/27/24 13:48	07/04/24 06:36	1
(ylenes, Total	ND		0.097	mg/Kg		06/27/24 13:48	07/04/24 06:36	1
Method: SW846 8021B - Volatile	Organic Comp	ounds (GC))					
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
I-Bromofluorobenzene (Surr)	88		48 - 145			06/27/24 13:48	07/04/24 06:36	1
Nethod: SW846 8015M/D - Diese	Range Organ	ics (DRO) (GC)					
Analyte		Qualifier	, RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.7	mg/Kg		07/01/24 08:38	07/01/24 11:23	1
Notor Oil Range Organics [C28-C40]	ND		48	mg/Kg		07/01/24 08:38	07/01/24 11:23	1
Method: SW846 8015M/D - Diese	Range Organ	ics (DRO) (GC)					
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	100		62 - 134			07/01/24 08:38	07/01/24 11:23	1
Method: EPA 300.0 - Anions, Ion	Chromatogram	ohy						
WELHOU. LFA JUU.U - AIHUHS, IUH								
Analyte		Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac

QC Sample Results

Surrogate

4-Bromofluorobenzene (Surr)

Method: 8015M/D - 0

Lab Sample ID: MB 885-7510/1-A									Client Sa	mple ID: Metho	od Blank	
Matrix: Solid										Prep Type:		
Analysis Batch: 7896											ch: 7510	ĥ
	МВ	MB										
Analyte	Result	Qualifier	RL		Uni	t	D	Pi	repared	Analyzed	Dil Fac	÷,
Gasoline Range Organics [C6 - C10]	ND		5.0		mg	/Kg	_	06/2	7/24 13:48	07/04/24 02:42	1	
	MB	МВ										
Surrogate	%Recovery	Qualifier	Limits					Pi	repared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	95		35 - 166					06/2	7/24 13:48	07/04/24 02:42	1	
Lab Sample ID: LCS 885-7510/2-A							С	lient	Sample I	D: Lab Contro	I Sample	
Matrix: Solid									-	Prep Type:	Total/NA	
Analysis Batch: 7896										Prep Bat	ch: 7510	
			Spike	LCS	LCS					%Rec		
Analyte			Added	Result	Qualifier	Unit		D	%Rec	Limits		
Gasoline Range Organics [C6 -			25.0	24.6		mg/Kg			98	70 - 130		
-	LCS LCS											

Method: 80)21B - Volati	le Organic Com	npounds (GC)

%Recovery Qualifier

207 S1+

Lab Sample ID: MB 885-7510/1-/ Matrix: Solid Analysis Batch: 7897									Client Sa	ample ID: Meth Prep Type: Prep Bat	
		ИВ МВ									
Analyte		ult Qual			Unit		D		repared	Analyzed	Dil Fac
Benzene		ND	0.025		mg/K	•			7/24 13:48	07/04/24 02:42	1
Ethylbenzene	I	ND	0.050)	mg/K	g		06/2	7/24 13:48	07/04/24 02:42	1
Toluene		ND	0.050)	mg/K	g		06/2	7/24 13:48	07/04/24 02:42	1
Xylenes, Total	I	ND	0.10)	mg/K	g		06/2	7/24 13:48	07/04/24 02:42	1
	I	ИВ МВ									
Surrogate	%Recov	ery Qual	ifier Limits					P	repared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)		87	48 - 145	-			-	06/2	7/24 13:48	07/04/24 02:42	1
Lab Sample ID: LCS 885-7510/3-	A						CI	lient	Sample	ID: Lab Contro	I Sample
Matrix: Solid										Prep Type:	Total/NA
Analysis Batch: 7897										Prep Bat	tch: 7510
			Spike	LCS	LCS					%Rec	
Analyte			Added	Result	Qualifier	Unit		D	%Rec	Limits	
Benzene			1.00	0.872		mg/Kg			87	70 - 130	
Ethylbenzene			1.00	0.837		mg/Kg			84	70 - 130	
m&p-Xylene			2.00	1.69		mg/Kg			84	70 - 130	
o-Xylene			1.00	0.825		mg/Kg			83	70 - 130	
Toluene			1.00	0.817		mg/Kg			82	70 - 130	
	LCS L	.cs									
Surrogate	%Recovery 0	Qualifier	Limits								
4-Bromofluorobenzene (Surr)	91		48 - 145								

Limits

35 - 166

QC Sample Results

Matrix: Solid

Lab Sample ID: MB 885-7664/1-A

Method: 8015M/D - Diesel Range Organics (DRO) (GC)

Job ID: 885-6996-1

Prep Type: Total/NA

Client Sample ID: Method Blank

6

Analysis Batch: 7694										Prep Bat	ch: 7664
	ME	B MB									
Analyte	Resul	t Qualifier	RL		Unit		D	Р	repared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	N)	10		mg/K	g	_	07/0	1/24 08:38	07/01/24 10:07	1
Motor Oil Range Organics [C28-C40]	NE)	50		mg/K	g		07/0	1/24 08:38	07/01/24 10:07	1
	ME	B MB									
Surrogate	%Recover	/ Qualifier	Limits					Р	repared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	10	2	62 - 134					07/0	1/24 08:38	07/01/24 10:07	1
Matrix: Solid Analysis Batch: 7694										Prep Type: Prep Bat	
			Spike	LCS	LCS					%Rec	
Analyte			Added	Result	Qualifier	Unit		D	%Rec	Limits	
Diesel Range Organics			50.0	54.9		mg/Kg			110	60 - 135	
[C10-C28]											
[010-020]											
[010-020]	LCS LC	s									
Surrogate	LCS LC %Recovery Qu		Limits								

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 885-7593/1-A Matrix: Solid Analysis Batch: 7597	MD	мв							Client S	ample ID: Metho Prep Type: ⁻ Prep Bat	Total/NA
Analyte		Qualifier		RL		Unit		DI	Prepared	Analyzed	Dil Fac
Chloride	ND			3.0		mg/K	g	06/	28/24 09:56	06/28/24 16:59	1
Lab Sample ID: LCS 885-7593/2-A								Clien	t Sample	ID: Lab Control	Sample
Matrix: Solid										Prep Type:	Total/NA
Analysis Batch: 7597										Prep Bat	ch: 7593
			Spike	L	S LCS	;				%Rec	
Analyte			Added	Res	ult Qua	lifier	Unit	D	%Rec	Limits	
Chloride			30.0	2	.9		mg/Kg		93	90 - 110	

Eurofins Albuquerque

Released to Imaging: 8/14/2024 11:19:43 AM

Client Sample ID

Bottom Comp 2'

Lab Control Sample

Lab Control Sample

Client Sample ID

Bottom Comp 2'

Lab Control Sample

Method Blank

Method Blank

QC Association Summary

Prep Type

Total/NA

Total/NA

Total/NA

Total/NA

Prep Type

Total/NA

Total/NA

Total/NA

Matrix

Solid

Solid

Solid

Solid

Client: Hilcorp Energy Project/Site: NV Navajo 24 #3

GC VOA

885-6996-1

Prep Batch: 7510 Lab Sample ID

MB 885-7510/1-A

LCS 885-7510/2-A

LCS 885-7510/3-A

Lab Sample ID

MB 885-7510/1-A

LCS 885-7510/2-A

885-6996-1

Analysis Batch: 7896

Prep Batch

Job ID: 885-6996-1

7

Prep Batch Matrix Method Solid 8015M/D 7510 Solid 8015M/D 7510 Solid 8015M/D 7510

Method

5030C

5030C

5030C

5030C

Analysis Batch: 7897

Lab Sample ID 885-6996-1	Client Sample ID Bottom Comp 2'	Prep Type Total/NA	Matrix Solid	Method 8021B	Prep Batch 7510
MB 885-7510/1-A	Method Blank	Total/NA	Solid	8021B	7510
LCS 885-7510/3-A	Lab Control Sample	Total/NA	Solid	8021B	7510

GC Semi VOA

Prep Batch: 7664

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-6996-1	Bottom Comp 2'	Total/NA	Solid	SHAKE	
MB 885-7664/1-A	Method Blank	Total/NA	Solid	SHAKE	
LCS 885-7664/2-A	Lab Control Sample	Total/NA	Solid	SHAKE	
- Analysis Batch: 7694 -					
- Analysis Batch: 7694 - Lab Sample ID	Client Sample ID	Ргер Туре	Matrix	Method	Prep Batch
-		Prep Type Total/NA	Matrix Solid	Method 8015M/D	Prep Batch 7664
Lab Sample ID	Client Sample ID				

HPLC/IC

Prep Batch: 7593

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-6996-1	Bottom Comp 2'	Total/NA	Solid	300_Prep	
MB 885-7593/1-A	Method Blank	Total/NA	Solid	300_Prep	
LCS 885-7593/2-A	Lab Control Sample	Total/NA	Solid	300_Prep	

Analysis Batch: 7597

Lab Sample ID	Client Sample ID	Ргер Туре	Matrix	Method	Prep Batch
885-6996-1	Bottom Comp 2'	Total/NA	Solid	300.0	7593
MB 885-7593/1-A	Method Blank	Total/NA	Solid	300.0	7593
LCS 885-7593/2-A	Lab Control Sample	Total/NA	Solid	300.0	7593

Job ID: 885-6996-1

Matrix: Solid

Lab Sample ID: 885-6996-1

Client: Hilcorp Energy Project/Site: NV Navajo 24 #3

Client Sample ID: Bottom Comp 2' Date Collected: 06/25/24 13:20 Date Received: 06/27/24 07:00

	Batch	Batch		Dilution	Batch			Prepared
Prep Type	Туре	Method	Run	Factor	Number	Analyst	Lab	or Analyzed
Total/NA	Prep	5030C			7510	AT	EET ALB	06/27/24 13:48
Total/NA	Analysis	8015M/D		1	7896	JP	EET ALB	07/04/24 06:36
Total/NA	Prep	5030C			7510	AT	EET ALB	06/27/24 13:48
Total/NA	Analysis	8021B		1	7897	JP	EET ALB	07/04/24 06:36
Total/NA	Prep	SHAKE			7664	KR	EET ALB	07/01/24 08:38
Total/NA	Analysis	8015M/D		1	7694	DH	EET ALB	07/01/24 11:23
Total/NA	Prep	300_Prep			7593	RC	EET ALB	06/28/24 09:56
Total/NA	Analysis	300.0		20	7597	RC	EET ALB	06/28/24 20:56

Laboratory References:

EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975

Eurofins Albuquerque

Released to Imaging: 8/14/2024 11:19:43 AM

Accreditation/Certification Summary

Client: Hilcorp Energy Project/Site: NV Navajo 24 #3

Laboratory: Eurofins Albuquerque

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

thority	Prog	Iram	Identification Number	Expiration Date
w Mexico	State	9	NM9425, NM0901	02-26-25
The following analytes	are included in this report,	out the laboratory is not certif	ied by the governing authority. This li	st may include analyte
for which the agency of	loes not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte	
300.0	300_Prep	Solid	Chloride	
8015M/D	5030C	Solid	Gasoline Range Organics	s [C6 - C10]
8015M/D	SHAKE	Solid	Diesel Range Organics [0	C10-C28]
8015M/D	SHAKE	Solid	Motor Oil Range Organic	s [C28-C40]
8021B	5030C	Solid	Benzene	
8021B	5030C	Solid	Ethylbenzene	
8021B	5030C	Solid	Toluene	
8021B	5030C	Solid	Xylenes, Total	
egon	NEL	AP	NM100001	02-26-25

Eurofins Albuquerque

Job ID: 885-6996-1

 HALL ENVIRONME ANALYSIS LABORA www.hallenvironmental.com Makins NE - Albuquerque, NM 87109 505-345-3975 Fax 505-345-4107 Analysis Request 	(8021) TPH:8015D(GRO / TMB's (8021) TPH:8015D(GRO / DRO / MRO) 8081 Pesticides/8082 PCB's PPHs by 8310 or 8270SIMS RCRA 8 Metals RCRA 8 Metals TOtal Coliform (Present/Absent) Total Coliform (Present/Absent)		Time: Relinquished by: Received by: Via: Date Time Remarks: 1541 1541 1541 1541 1541 1541 1541 1600 1541 1541 1541 1541 17me: Relinquished by: Received by: Via: Date 1541 17me: Relinquished by: No. 15 0.15 100 0.15 17me: Relinquished by: No. 15 0.15 100 0.15 100 17me: Relinquished by: No. 15 0.15 100 0.15 100 0.15 100 17me: Relinquished by: No. 15 0.
Turn-Around Time: due: 7/3 Standard Rush Project Name: Project #:	M K K M K Iation) M K K K Sampler: Brandon Sinclait Sampler: Brandon Sinclait M On Ice: M Yes M On Ice: M Yes M Coolers: I No Container Preservative HEAL No.		Received by: Via: Date Time R MMM Male J24)SUL Received by: Via: Date Time Received by: Via: Bate 7:00 Munacted to other accredited laboratories. This serves as notice of this po
Istody Recor	email or Fax#: bro holon, S in cla : Co A. QA/QC Package: Standard	an 12 of 12	Date: Time: Relinquished by: $b_{2u/2u}$ 154 M. Relinquished by: $b_{2u/2u}$ M. Lun $b_{2u/2u}$ M. Relinquished by: $b_{1/2u/2u}$ M. Loll f necessary, sambles submitted to Hall Environmental may be subcompleted to Hall Environmental m

Page 12 of 13

7/10/2024

Received by OCD: 8/14/2024 10:17:30 AM

Page 27 of 33

Job Number: 885-6996-1

List Source: Eurofins Albuquerque

Login Sample Receipt Checklist

Client: Hilcorp Energy

Login Number: 6996

Eurofins Albuquerque

List Number: 1 Creator: Casarrubias, Tracy

Question	Answer	Comment
Radioactivity wasn't checked or is = background as measured by a survey meter.</td <td>True</td> <td></td>	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

.

NV Navajo 24 #3

Pit Closure Pictures.



NV Navajo 24 #3 08/14/24

Page 30 of 33



View Looking South



View Looking Southeast



View Looking West

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	373781
	Action Type:
	[C-144] Below Grade Tank Plan (C-144B)

CONDITIONS		
Created By	Condition	Condition Date
joseph.kennedy	Accepted for records retention purposes only. Note, BGT is on Tribal land.	8/14/2024

CONDITIONS

Page 33 of 33

Action 373781