


Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name Andre Dawson SWD		
								6. Well Number: 1		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____										
8. Name of Operator Goodnight Midstream Permian, LLC						9. OGRID 372311				
10. Address of Operator 5910 N Central Expressway, Suite 850, Dallas, TX 75206						11. Pool name or Wildcat SWD; San Andres				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	P	17	21S	36E		1105	S	244	E	Lea
BH:										
13. Date Spudded 11/30/2022	14. Date T.D. Reached 12/06/2022		15. Date Rig Released 1/11/2023		16. Date Completed (Ready to Produce) 1/11/2023			17. Elevations (DF and RKB, RT, GR, etc.) 3536.6 (GR)		
18. Total Measured Depth of Well 5,760			19. Plug Back Measured Depth 5,760		20. Was Directional Survey Made? yes			21. Type Electric and Other Logs Run GR - Neutron, CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.625		54.5		1,385		17.5		870 sxs to surface		
9.625		40		5,760		12.25		1,795 sxs to surface		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET		PACKER SET	
						5.5	4,280		4,280	
26. Perforation record (interval, size, and number) 4,375' - 5,525' 0.40" shots 800 total shots						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						4,375 - 5,525		15,000 gal 15%HCL		
28. PRODUCTION										
Date First Production		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>)					Well Status (<i>Prod. or Shut-in</i>)			
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (<i>Corr.</i>)				
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>)								30. Test Witnessed By		
31. List Attachments										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 			Printed Name Nathan Alleman		Title Regulatory Advisor - Consultant			Date 06/17/2024		
E-mail Address natealleman@aceadvisors.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy (Rustler) 1,352	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt (Tansill) 2,841	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates 3,055	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers 3,302	T. Devonian	T. Cliff House	T. Leadville
T. Queen 3,612	T. Silurian	T. Menefee	T. Madison
T. Grayburg 3,897	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres 4,287	T. Simpson	T. Mancos	T. McCracken
T. Glorieta 5,590	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology



Survey Report: Andre Dawson SWD #1 Survey

Operator Dir. Co.	Cambrian M3P Directional				Northing Easting	537979.200 866252.700		Date System	24-May-23 2 - St. Plane	
Well Name	Andre Dawson SWD #1 Survey				Elevation	3580.00		Datum	1983 - NAD83	
Location	Lea County, NM				Latitude	32.474558		Zone	3001 - New Mexico East	
Rig	UDI Rig 52				Longitude	-103.279742		Scale Fac.		
Job	2022011				Units	Feet		Converg.	0.570000	
MD	INC	AZI	TVD	+N/S-	+E/W-	VS@0°	BR	TR	DLS	
0	0	0	0	0	0	0	0	0	0	
208	1.5	230.5	207.98	-1.73	-2.1	-1.73	0.72	110.82	0.72	
359	1.2	221.5	358.93	-4.17	-4.67	-4.17	-0.2	-5.96	0.24	
452	1	224.1	451.92	-5.49	-5.88	-5.49	-0.22	2.8	0.22	
544	0.3	275.2	543.91	-6.04	-6.68	-6.04	-0.76	55.54	0.92	
638	0.2	344.5	637.91	-5.86	-6.97	-5.86	-0.11	73.72	0.31	
733	0.3	243.9	732.91	-5.81	-7.24	-5.81	0.11	-105.89	0.41	
827	0.3	301.6	826.91	-5.79	-7.67	-5.79	0	61.38	0.31	
954	0.4	279.2	953.91	-5.54	-8.39	-5.54	0.08	-17.64	0.13	
1049	0.4	265.1	1048.9	-5.52	-9.05	-5.52	0	-14.84	0.1	
1143	0.3	275.2	1142.9	-5.52	-9.62	-5.52	-0.11	10.74	0.12	
1238	0.6	262.8	1237.9	-5.56	-10.36	-5.56	0.32	-13.05	0.33	
1333	0.3	2.4	1332.9	-5.38	-10.84	-5.38	-0.32	-274.11	0.75	
1428	0.2	228.6	1427.9	-5.24	-10.96	-5.24	-0.11	238.11	0.49	
1523	0.4	74.8	1522.9	-5.26	-10.76	-5.26	0.21	-161.89	0.62	
1617	0.6	58.1	1616.89	-4.92	-10.03	-4.92	0.21	-17.77	0.26	
1712	0.5	83.8	1711.89	-4.61	-9.19	-4.61	-0.11	27.05	0.28	
1807	0.6	74.9	1806.88	-4.43	-8.3	-4.43	0.11	-9.37	0.14	
1902	0.5	42.2	1901.88	-4	-7.54	-4	-0.11	-34.42	0.34	
1998	0.5	56.9	1997.88	-3.46	-6.91	-3.46	0	15.31	0.13	
2092	0.5	79.9	2091.87	-3.16	-6.16	-3.16	0	24.47	0.21	
2187	0.5	55.3	2186.87	-2.85	-5.41	-2.85	0	-25.89	0.22	
2282	0.7	80	2281.86	-2.52	-4.5	-2.52	0.21	26	0.34	
2376	0.9	90.7	2375.86	-2.43	-3.2	-2.43	0.21	11.38	0.26	
2471	1.1	79.6	2470.84	-2.27	-1.56	-2.27	0.21	-11.68	0.29	
2566	1.1	74.9	2565.82	-1.87	0.22	-1.87	0	-4.95	0.09	
2661	1.2	78.9	2660.8	-1.44	2.08	-1.44	0.11	4.21	0.13	
2755	0.9	89.2	2754.79	-1.24	3.78	-1.24	-0.32	10.96	0.38	
2850	1	97.1	2849.78	-1.33	5.35	-1.33	0.11	8.32	0.17	
2945	1	87.1	2944.76	-1.39	7	-1.39	0	-10.53	0.18	
3039	0.7	85.1	3038.75	-1.3	8.39	-1.3	-0.32	-2.13	0.32	
3134	1	87.9	3133.74	-1.22	9.8	-1.22	0.32	2.95	0.32	
3229	0.9	92.8	3228.73	-1.23	11.37	-1.23	-0.11	5.16	0.14	
3324	0.8	89.1	3323.72	-1.25	12.78	-1.25	-0.11	-3.89	0.12	
3419	1.1	92.8	3418.7	-1.29	14.36	-1.29	0.32	3.89	0.32	
3514	0.8	86.1	3513.69	-1.29	15.93	-1.29	-0.32	-7.05	0.34	
3609	0.6	83.2	3608.68	-1.18	17.09	-1.18	-0.21	-3.05	0.21	
3704	0.4	78.2	3703.68	-1.06	17.9	-1.06	-0.21	-5.26	0.22	
3800	0.3	76.1	3799.68	-0.93	18.48	-0.93	-0.1	-2.19	0.11	
3894	0.3	86.3	3893.68	-0.85	18.96	-0.85	0	10.85	0.06	
3989	0.3	102.5	3988.67	-0.89	19.45	-0.89	0	17.05	0.09	
4084	0.4	114.9	4083.67	-1.08	20	-1.08	0.11	13.05	0.13	
4178	0.5	100.8	4177.67	-1.3	20.7	-1.3	0.11	-15	0.16	
4274	0.7	113.6	4273.66	-1.61	21.64	-1.61	0.21	13.33	0.25	



Survey Report: Andre Dawson SWD #1 Survey

Operator Dir. Co. Well Name Location Rig Job	Cambrian	Northing Easting Elevation Latitude Longitude Units	537979.200	Date System Datum Zone Scale Fac. Converg.	24-May-23				
	M3P Directional		866252.700		2 - St. Plane				
	Andre Dawson SWD #1 Survey		3580.00		1983 - NAD83				
	Lea County, NM		32.474558		3001 - New Mexico East				
	UDI Rig 52		-103.279742						
2022011		Feet		0.570000					
MD	INC	AZI	TVD	+N/S-	+E/W-	VS@0°	BR	TR	DLS
4369	0.6	121.7	4368.66	-2.11	22.6	-2.11	-0.11	8.53	0.14
4464	0.7	132.6	4463.65	-2.76	23.45	-2.76	0.11	11.47	0.17
4559	0.6	114.1	4558.65	-3.36	24.33	-3.36	-0.11	-19.47	0.24
4749	0.6	89.4	4748.64	-3.75	26.23	-3.75	0	-13	0.14
4844	0.7	82.2	4843.63	-3.67	27.31	-3.67	0.11	-7.58	0.14
4940	0.6	77.1	4939.62	-3.48	28.38	-3.48	-0.1	-5.31	0.12
5035	0.8	55.9	5034.62	-2.99	29.41	-2.99	0.21	-22.32	0.34
5130	0.7	56.2	5129.61	-2.3	30.44	-2.3	-0.11	0.32	0.11
5226	0.7	74.2	5225.6	-1.81	31.5	-1.81	0	18.75	0.23
5321	0.8	54	5320.59	-1.26	32.59	-1.26	0.11	-21.26	0.3
5416	0.8	59.9	5415.58	-0.54	33.7	-0.54	0	6.21	0.09
5510	0.8	64.1	5509.58	0.07	34.86	0.07	0	4.47	0.06
5605	1.1	86.5	5604.56	0.42	36.37	0.42	0.32	23.58	0.5
5695	0.9	69.5	5694.55	0.72	37.89	0.72	-0.22	-18.89	0.4
5760	0.9	69.5	5759.54	1.08	38.85	1.08	0	0	0

5760: PTB

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-3720

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

Form C-102

Revised August 1, 2011

Submit one copy to appropriate
District Office☐ AMENDED REPORT**WELL LOCATION AND ACREAGE DEDICATION PLAT**

API Number	Pool Code 96121	Pool Name SWD; SAN ANDRES
Property Code	Property Name ERNIE BANKS SWD	Well Number 1
OGRID No. 372311	Operator Name GOODNIGHT MIDSTREAM PERMIAN, LLC	Elevation 3550.6'


Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	17	21-S	36-E		395	NORTH	1203	WEST	LEA

Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres	Joint or Infill	Consolidated Code	Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

NW CORNER NMSP-E (NAD 83) N(Y): = 542138.9' E(X): = 861181.5' LAT.: = 32.4861270° N LON.: = 103.2960526° W NMSP-E (NAD 27) N(Y): = 542077.2' E(X): = 819997.6' LAT.: = 32.4860022° N LON.: = 103.2955783° W WEST QUARTER CORNER NMSP-E (NAD 83) N(Y): = 539468.3' E(X): = 861201.5' LAT.: = 32.4787866° N LON.: = 103.2960719° W NMSP-E (NAD 27) N(Y): = 539406.6' E(X): = 820017.6' LAT.: = 32.4786617° N LON.: = 103.2955978° W SOUTHWEST CORNER NMSP-E (NAD 83) N(Y): = 536797.6' E(X): = 861221.6' LAT.: = 32.4714461° N LON.: = 103.2960911° W NMSP-E (NAD 27) N(Y): = 536736.0' E(X): = 820037.6' LAT.: = 32.4713212° N LON.: = 103.2956172° W	NORTH QUARTER CORNER NMSP-E (NAD 83) N(Y): = 542165.1' E(X): = 863818.8' LAT.: = 32.4861282° N LON.: = 103.2874999° W NMSP-E (NAD 27) N(Y): = 542103.4' E(X): = 822634.9' LAT.: = 32.4860034° N LON.: = 103.2870261° W SOUTH QUARTER CORNER NMSP-E (NAD 83) N(Y): = 536838.1' E(X): = 863865.0' LAT.: = 32.4714864° N LON.: = 103.2875196° W NMSP-E (NAD 27) N(Y): = 536776.4' E(X): = 822680.9' LAT.: = 32.4713614° N LON.: = 103.2870461° W	NE CORNER NMSP-E (NAD 83) N(Y): = 542191.3' E(X): = 866456.2' LAT.: = N32.4861288° N LON.: = W103.2789473° W NMSP-E (NAD 27) N(Y): = 542129.6' E(X): = 825272.1' LAT.: = 32.4860039° N LON.: = 103.2784739° W EAST QUARTER CORNER NMSP-E (NAD 83) N(Y): = 539531.3' E(X): = 866480.8' LAT.: = 32.4788175° N LON.: = 103.2789525° W NMSP-E (NAD 27) N(Y): = 539469.6' E(X): = 825296.7' LAT.: = 32.4786926° N LON.: = 103.2784793° W SOUTHEAST CORNER NMSP-E (NAD 83) N(Y): = 536878.5' E(X): = 866508.4' LAT.: = 32.4715261° N LON.: = 103.2789481° W NMSP-E (NAD 27) N(Y): = 536816.9' E(X): = 825324.3' LAT.: = 32.4714011° N LON.: = 103.2784751° W	OPERATOR CERTIFICATION <i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i>  Signature 11/16/2020 Date Nathan Alleman Print Name Nalleman@all-llc.com E-mail Address SURVEYORS CERTIFICATION <i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i> SEPTEMBER 30, 2020 Date of Survey Signature and Seal of Professional Surveyor:  James E. Tompkins Job No.: WTC 54323 Certificate Number Draft: M.Y.
--	---	--	--

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

February 01, 2023

CINDY CRAIN

CRAIN ENVIRONMENTAL

2925 E. 17TH STREET

ODESSA, TX 79761

RE: ERNIE BANKS SWD #1

Enclosed are the results of analyses for samples received by the laboratory on 01/18/23 15:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-22-15. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Total Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Cardinal Laboratories is accredited through the State of New Mexico Environment Department for:

Method SM 9223-B	Total Coliform and E. coli (Colilert MMO-MUG)
Method EPA 524.2	Regulated VOCs and Total Trihalomethanes (TTHM)
Method EPA 552.2	Total Haloacetic Acids (HAA-5)

Accreditation applies to public drinking water matrices for State of Colorado and New Mexico.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:CRAIN ENVIRONMENTAL
2925 E. 17TH STREET
ODESSA TX, 79761Project: ERNIE BANKS SWD #1
Project Number: NONE GIVEN
Project Manager: CINDY CRAIN
Fax To: (432) 272-0304Reported:
01-Feb-23 13:56

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
ERNIE BANKS SWD #1	H230258-01	Water	18-Jan-23 12:10	18-Jan-23 15:00

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CRAIN ENVIRONMENTAL
2925 E. 17TH STREET
ODESSA TX, 79761

Project: ERNIE BANKS SWD #1
Project Number: NONE GIVEN
Project Manager: CINDY CRAIN
Fax To: (432) 272-0304

Reported:
01-Feb-23 13:56

ERNIE BANKS SWD #1
H230258-01 (Water)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Alkalinity, Bicarbonate	830		5.00	mg/L	1	3010506	AC	20-Jan-23	310.1	
Alkalinity, Carbonate	<1.00		1.00	mg/L	1	3010506	AC	20-Jan-23	310.1	
Chloride*	13600		4.00	mg/L	1	3011328	AC	20-Jan-23	4500-Cl-B	
Conductivity*	39400		1.00	umhos/cm @ 25°C	1	3011905	AC	19-Jan-23	120.1	
pH*	7.18		0.100	pH Units	1	3011905	AC	19-Jan-23	150.1	
Temperature °C	21.3			pH Units	1	3011905	AC	19-Jan-23	150.1	
Sulfate*	1830		500	mg/L	50	3012401	AC	24-Jan-23	375.4	
TDS*	26300		5.00	mg/L	1	3011904	AC	20-Jan-23	160.1	
Alkalinity, Total*	680		4.00	mg/L	1	3010506	AC	20-Jan-23	310.1	

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	4.37		1.00	mg/L	0.1	3012412	MS	25-Jan-23	8015B	
DRO >C10-C28*	4.78		1.00	mg/L	0.1	3012412	MS	25-Jan-23	8015B	
EXT DRO >C28-C36	<1.00		1.00	mg/L	0.1	3012412	MS	25-Jan-23	8015B	
Surrogate: 1-Chlorooctane			75.9 %	48.8-131		3012412	MS	25-Jan-23	8015B	
Surrogate: 1-Chlorooctadecane			82.8 %	60.1-141		3012412	MS	25-Jan-23	8015B	

Green Analytical Laboratories**Total Recoverable Metals by ICP (E200.7)**

Calcium*	1030		5.00	mg/L	50	B230184	AES	30-Jan-23	EPA200.7	
Iron*	85.2		2.50	mg/L	50	B230184	AES	30-Jan-23	EPA200.7	
Magnesium*	303		5.00	mg/L	50	B230184	AES	30-Jan-23	EPA200.7	
Potassium*	172		50.0	mg/L	50	B230184	AES	30-Jan-23	EPA200.7	
Sodium*	7850		50.0	mg/L	50	B230184	AES	30-Jan-23	EPA200.7	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CRAIN ENVIRONMENTAL
2925 E. 17TH STREET
ODESSA TX, 79761

Project: ERNIE BANKS SWD #1
Project Number: NONE GIVEN
Project Manager: CINDY CRAIN
Fax To: (432) 272-0304

Reported:
01-Feb-23 13:56

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Coley D. Keene".

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CRAIN ENVIRONMENTAL
2925 E. 17TH STREET
ODESSA TX, 79761

Project: ERNIE BANKS SWD #1
Project Number: NONE GIVEN
Project Manager: CINDY CRAIN
Fax To: (432) 272-0304

Reported:
01-Feb-23 13:56

Inorganic Compounds - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	----------------	-----	--------------	-------

Batch 3010506 - General Prep - Wet Chem**Blank (3010506-BLK1)**

Prepared: 05-Jan-23 Analyzed: 06-Jan-23

Alkalinity, Carbonate	ND	1.00	mg/L						
Alkalinity, Bicarbonate	5.00	5.00	mg/L						
Alkalinity, Total	4.00	4.00	mg/L						

LCS (3010506-BS1)

Prepared: 05-Jan-23 Analyzed: 06-Jan-23

Alkalinity, Carbonate	ND	2.50	mg/L			80-120			
Alkalinity, Bicarbonate	305	12.5	mg/L			80-120			
Alkalinity, Total	250	10.0	mg/L	250	100	80-120			

LCS Dup (3010506-BSD1)

Prepared: 05-Jan-23 Analyzed: 06-Jan-23

Alkalinity, Carbonate	ND	2.50	mg/L			80-120		20	
Alkalinity, Bicarbonate	305	12.5	mg/L			80-120	0.00	20	
Alkalinity, Total	250	10.0	mg/L	250	100	80-120	0.00	20	

Batch 3011328 - General Prep - Wet Chem**Blank (3011328-BLK1)**

Prepared & Analyzed: 13-Jan-23

Chloride	ND	4.00	mg/L						
----------	----	------	------	--	--	--	--	--	--

LCS (3011328-BS1)

Prepared & Analyzed: 13-Jan-23

Chloride	104	4.00	mg/L	100	104	80-120			
----------	-----	------	------	-----	-----	--------	--	--	--

LCS Dup (3011328-BSD1)

Prepared & Analyzed: 13-Jan-23

Chloride	100	4.00	mg/L	100	100	80-120	3.92	20	
----------	-----	------	------	-----	-----	--------	------	----	--

Batch 3011904 - Filtration**Blank (3011904-BLK1)**

Prepared: 19-Jan-23 Analyzed: 20-Jan-23

TDS	ND	5.00	mg/L						
-----	----	------	------	--	--	--	--	--	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CRAIN ENVIRONMENTAL
2925 E. 17TH STREET
ODESSA TX, 79761

Project: ERNIE BANKS SWD #1
Project Number: NONE GIVEN
Project Manager: CINDY CRAIN
Fax To: (432) 272-0304

Reported:
01-Feb-23 13:56

Inorganic Compounds - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 3011904 - Filtration**LCS (3011904-BS1)**

Prepared: 19-Jan-23 Analyzed: 20-Jan-23

TDS	476		mg/L	495		96.2	80-120			
-----	-----	--	------	-----	--	------	--------	--	--	--

Duplicate (3011904-DUP1)

Source: H230236-02

Prepared: 19-Jan-23 Analyzed: 20-Jan-23

TDS	1390	5.00	mg/L		1390			0.288	20	
-----	------	------	------	--	------	--	--	-------	----	--

Batch 3011905 - General Prep - Wet Chem**LCS (3011905-BS1)**

Prepared & Analyzed: 19-Jan-23

pH	7.09		pH Units	7.00		101	90-110			
Conductivity	49300		uS/cm	50000		98.6	80-120			

Duplicate (3011905-DUP1)

Source: H230258-01

Prepared & Analyzed: 19-Jan-23

pH	7.22	0.100	pH Units	7.18				0.556	20	
Conductivity	40300	1.00	umhos/cm @ 25°C	39400				2.26	20	
Temperature °C	21.3		pH Units	21.3				0.00	200	

Batch 3012401 - General Prep - Wet Chem**Blank (3012401-BLK1)**

Prepared & Analyzed: 24-Jan-23

Sulfate	ND	10.0	mg/L							
---------	----	------	------	--	--	--	--	--	--	--

LCS (3012401-BS1)

Prepared & Analyzed: 24-Jan-23

Sulfate	21.3	10.0	mg/L	20.0		106	80-120			
---------	------	------	------	------	--	-----	--------	--	--	--

LCS Dup (3012401-BSD1)

Prepared & Analyzed: 24-Jan-23

Sulfate	22.2	10.0	mg/L	20.0		111	80-120	4.42	20	
---------	------	------	------	------	--	-----	--------	------	----	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CRAIN ENVIRONMENTAL
2925 E. 17TH STREET
ODESSA TX, 79761

Project: ERNIE BANKS SWD #1
Project Number: NONE GIVEN
Project Manager: CINDY CRAIN
Fax To: (432) 272-0304

Reported:
01-Feb-23 13:56

Petroleum Hydrocarbons by GC FID - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 3012412 - General Prep - Organics**Blank (3012412-BLK1)**

Prepared: 24-Jan-23 Analyzed: 25-Jan-23

GRO C6-C10	ND	1.00	mg/L							
DRO >C10-C28	ND	1.00	mg/L							
EXT DRO >C28-C36	ND	1.00	mg/L							
Surrogate: 1-Chlorooctane	3.85		mg/L	5.00		77.0	48.8-131			
Surrogate: 1-Chlorooctadecane	4.27		mg/L	5.00		85.4	60.1-141			

LCS (3012412-BS1)

Prepared: 24-Jan-23 Analyzed: 25-Jan-23

GRO C6-C10	42.5	1.00	mg/L	50.0		85.0	69.6-126			
DRO >C10-C28	43.8	1.00	mg/L	50.0		87.6	68.8-126			
Surrogate: 1-Chlorooctane	5.02		mg/L	5.00		100	48.8-131			
Surrogate: 1-Chlorooctadecane	5.06		mg/L	5.00		101	60.1-141			

LCS Dup (3012412-BSD1)

Prepared: 24-Jan-23 Analyzed: 25-Jan-23

GRO C6-C10	44.1	1.00	mg/L	50.0		88.1	69.6-126	3.62	16.8	
DRO >C10-C28	43.4	1.00	mg/L	50.0		86.9	68.8-126	0.839	20.4	
Surrogate: 1-Chlorooctane	5.09		mg/L	5.00		102	48.8-131			
Surrogate: 1-Chlorooctadecane	5.12		mg/L	5.00		102	60.1-141			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CRAIN ENVIRONMENTAL
2925 E. 17TH STREET
ODESSA TX, 79761

Project: ERNIE BANKS SWD #1
Project Number: NONE GIVEN
Project Manager: CINDY CRAIN
Fax To: (432) 272-0304

Reported:
01-Feb-23 13:56

Total Recoverable Metals by ICP (E200.7) - Quality Control**Green Analytical Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B230184 - Total Recoverable by ICP**Blank (B230184-BLK1)**

Prepared: 25-Jan-23 Analyzed: 30-Jan-23

Iron	ND	0.050	mg/L							
Calcium	ND	0.100	mg/L							
Magnesium	ND	0.100	mg/L							
Potassium	ND	1.00	mg/L							
Sodium	ND	1.00	mg/L							

LCS (B230184-BS1)

Prepared: 25-Jan-23 Analyzed: 30-Jan-23

Iron	2.04	0.050	mg/L	2.00		102	85-115			
Magnesium	10.4	0.100	mg/L	10.0		104	85-115			
Potassium	4.15	1.00	mg/L	4.00		104	85-115			
Sodium	1.63	1.00	mg/L	1.62		101	85-115			
Calcium	2.08	0.100	mg/L	2.00		104	85-115			

LCS Dup (B230184-BSD1)

Prepared: 25-Jan-23 Analyzed: 30-Jan-23

Calcium	2.03	0.100	mg/L	2.00		102	85-115	2.40	20	
Sodium	1.60	1.00	mg/L	1.62		98.5	85-115	2.23	20	
Iron	2.01	0.050	mg/L	2.00		101	85-115	1.30	20	
Magnesium	10.3	0.100	mg/L	10.0		103	85-115	1.79	20	
Potassium	4.13	1.00	mg/L	4.00		103	85-115	0.462	20	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

[illegible]

Wellbore Diagram

WELL NAME:		Ernie Banks SWD #1		POOL:		SWD; SAN ANDRES		STATE:		New Mexico			
LOCATION:		395' FNL & 1203' FWL, Unit D of Sec 17-T21S-R36E Lat. 32.4850434 / Long. -103.291555 (NAD83)		COUNTY:		Lea		Spud		TD		Completion	
ELEVATION:		GL 3550.6', KB 3569'		Updated		1/5/2023		DATE		12/15/2022		1/1/2023	
KB:		18'											
API#		30-025-50633						TVD				PBTD	
Drill Contractor		United #52		PREPARED BY:		C. Gaddy		Total Depth				Permit Depth	
		DEPTH		HOLE SIZE		SIZE		WEIGHT		GRADE		THREAD	
Surf CASING:		1305'		17 1/2"		13 3/8"		54.5		J55		BTC	
Int CASING:													
Liner:													
Prod Casing		5479'		12 1/4"		9 5/8"		40		J55 & L80HC		LTC & BTC	
OH:													
Tubing:		4290'				5 1/2"		17		J55		LTC	
Hole Size		Formation Tops per Log											
17 1/2"													
		Rustler Anhy 1241'											

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 354715

ACKNOWLEDGMENTS

Operator: GOODNIGHT MIDSTREAM PERMIAN, LLC 5910 North Central Expressway Dallas, TX 75206	OGRID: 372311
	Action Number: 354715
	Action Type: [C-105] Well (Re)Completion (C-105)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.
☐	I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 354715

CONDITIONS

Operator: GOODNIGHT MIDSTREAM PERMIAN, LLC 5910 North Central Expressway Dallas, TX 75206	OGRID: 372311
	Action Number: 354715
	Action Type: [C-105] Well (Re)Completion (C-105)

CONDITIONS

Created By	Condition	Condition Date
dmcclure	None	8/28/2024