

Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.

30-025-28750

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name
State HQ

8. Well Number
8

9. OGRID Number
331595

10. Pool name or Wildcat
Airstrip Bone Spring

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Franklin Mountain Energy

3. Address of Operator

44 Cook St., Ste. 1000 Denver, CO 80206

4. Well Location

Unit Letter L : 1980 feet from the W line and 660 feet from the N line

Section 26 Township 18S Range 34E NMPM County LEA

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3994 GR

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____

Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ P AND A ☒

CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Notify Regulatory 24 hrs prior.

1. 1-2-2024 – MIRU.
2. 1-4-2024 – LD rods. Release TAC.
3. 1-7 & 1-8-2024 – POOH LD prod tbg.
4. 1-9-2024 – Tag CIBP 9070 PUH Perf 7900 press up RIH to 7950 spot 35sx Pull to clear current SI.
5. 1-10-2024 – Tag TOC 7733 POOH ND BOP. NU WH. R. RDMO.
6. 3-6-24 – MIRU NU BOP.
7. 3-7-2024 – LD 2 7/8 tbg Perf 5510' circ P&A mud press to 1000psi RIH 5560 spot 25sx WOC Tag 5340 Perf 4050 press to 800psi SWI.
8. 3-8-24 – RIH 4100 spot 25sx WOC Tag 3840. Perf 3596 press to 800psi RIH 3646 spot 25sx PUH SWI.
9. 3-9-24 – Tag 3350 perf 2171 press to 1000psi. RIH to 2221 spot 25sx WOC & tag 2140 spot 20sx Perf 1909 Sqz 47sx WI.
10. 3-10-2024 – Tag 1720 Perf 350 press to 1500psi SWI.
11. 3-11-2024 – Perf 200 press to 1200psi RIH to 400 cmt to surt w/35sx ND BOP. Hot work Perm. CO WH. Top off w/10sx. RR. RD. MO. DHM to be installed.

P&A mud between all plugs. Closed loop all fluid to licensed facility.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Brody Pinkerton TITLE VP DATE 3-14-2024

Type or print name: Brody Pinkerton

E-mail address: Brody@maverickwellpluggers.com


Telephone No.: 432-458-3780

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

<u>String</u>	<u>TOC</u>	<u>Sx</u>
13-3/8"	Surface	400
8-5/8"	300'	2650
5-1/2"	8,580'	2425



Well Name: State HQ.008
Pad Name: State HQ
Latitude: 32.7169647
Longitude: -103.5375290
API 14 Digit: 30025287500000
AFE:

<u>Color Legend</u>
Old Cement
No Current Cement
Contingency Balanced Plug
Residual Drilling Solids
Mud Laden Fluids
Cast Iron Bridge Plug
ALREADY SET CIBP

<u>Plug</u>	<u>Actual Plug Depths (Tag-</u>	<u>Plug Type</u>	<u>Cement Class</u>
8 and Top Out	Surface-400'	P&S @ 200', down to 400'+ Top Out	C
7	1,720'-1,909'	P&S	C
6	2,140'-2,221'	P&S	C
5	3,350'-3,646'	P&S	C
4	3,840'-4,100'	P&S	C
3	5,340'-5,560'	P&S	C
2	7,733'-7,950'	Attempted P&S (pressure held)	H
1	9,070'	CIBP + bailed cement top	H

Perforations: 9,171'-9,290'

Perforations: 10,270'-10,280', 10,483'-10,500'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 364371

CONDITIONS

Operator: Franklin Mountain Energy 3, LLC 44 Cook Street Denver, CO 80206	OGRID: 331595
	Action Number: 364371
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	9/11/2024