Santa Fe Main Office Phone: (505) 476-3441 Fax: (55) 476-3462	State of New Mexico Energy, Minerals and Natural Resources		Form C-103 Revised July 18, 2013		
General Information Phone: (505) 629-6116	Ellergy, Millerais and Natural	Resources	WELL API NO.	Revised July 18, 2015	
. ,	OIL CONSERVATION D	IVISION	30-025-22368		
Online Phone Directory Visit: https://www.emnrd.nm.gov/ocd/contact-us/	1220 South St. Francis		5. Indicate Type of Lo		
	Santa Fe, NM 8750		STATE STATE 6. State Oil & Gas Le	FEE	
	2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		EO-4958	ase No.	
(DO NOT USE THIS FORM FOR PROPOSAL			7. Lease Name or Uni	it Agreement Name	
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)			ELK STATE		
	s Well Other		8. Well Number 1		
2. Name of Operator MARK L. SHIDLER, INC			9. OGRID Number 14096 & 62739 X		
3. Address of Operator			10. Pool name or Wildcat		
1313 CAMPBELL ROAD, BLDG D, HOUSTON TX 7705			NORTH & TEAGUE	BLINEBRY	
4. Well Location	0.0.0				
Unit Letter N: 330		line and		theWESTline	
Section 16 Towns	nip 23S Range 37E 11. Elevation (Show whether DR, R.	NMPM	7.17.7.7.7.	EA.	
	11. Elevation (Snow whether DR, R	NB, KI, GK, elc.,	<b>'</b>		
12. Check App	propriate Box to Indicate Natu	re of Notice, l	Report or Other Dat	a	
		·	•		
NOTICE OF INTE			SEQUENT REPO		
		EMEDIAL WORK		TERING CASING ☐ ND A 🔯	
<del>-</del>	<del></del>	ASING/CEMENT	-	ND A	
DOWNHOLE COMMINGLE	NOETH LE COMM E	TORTO/OLIVILITY	10D		
CLOSED-LOOP SYSTEM					
OTHER:		THER:			
	ed operations. (Clearly state all pert				
of starting any proposed work proposed completion or recom	). SEE RULE 19.15.7.14 NMAC. F	or Multiple Con	ipletions: Attach wellb	ore diagram of	
3/29/21-RU AND CEMENT EQUIPMENT		ORARY DEADM	AN, LEFT WELL SHUT	IN. SHUT DOWN.	
3/30/21-RU, LAYED DOWN 61-7/8" ROD	S AND 179-34" RODS, NIPPLED DO	WN WELLHEAD	RELEASED 7" TAC. ST	TOOD BACK AND	
TALLIED 53 STRANDS, SI WELL, SD.	OD DAOK 84 STRANDS 1 AVED DO	BALL ACT 171TC	CEATING MIDDLE DEL	TEOD ATTENDED OF THE AND	
3/31/31-FINISHED POH AND TAC, STO					
IT. MUD ANCHOR, SET 7" CIBP WITH WIRELINE. WIH WITH BULL PLUG 4" PERFORATED SUB AND 166JTS OF 2 3.8" TUBING. CIRCULATED HOLE CLEAN WITH MUD, CEMENTED. POH WITH 18 STRANDS, LAID DOWN 60 JTS, PUMPED CEMENT, LAYED DOWN					
REST OF JTS, SI AND SD. 189 JTS OF 2				CASING GOOD TO	
500#. SPOT 25 SX OF CLASS C ON TOP 4/1/01-PERFORATED, CIRCULATED, A				WAS GOOD LAID	
DOWN ALL JTS, PERFORATED, CIRCU					
4/5/01- RD, DUG OUT CELLAR AND DE					
JETTED CIRCULATING TRUCK, CLEAR W/10 SX, FILLED UP 7" 8 5/8" ANNULU		GGED LOCATIC	IN, PICKED UP TRASH.	FILLED 7" CASING	
Wild dry i industry of the restriction					
Spud Date:	Rig Release Date:				
I hereby certify that the information about	ove is true and complete to the best of	of my knowledge	and belief.		
$\Omega M$		_		0 ( )	
SIGNATURE //	TITLE	VP	DATE	9/13/24	
				1 1	
Type or print name	E-mail address:		PHONI	E:	
For State Use Only					
APPROVED BY:	TITLE		DATE		
Conditions of Approval (if any):					

## Mark L. Shidler Inc. Elk State #1

**CURRENT** 30-025-22368



**INSTALL DRY HOLE MARKER CUT OFF WELLHEAD & VERIFY CMT CIRC CMT TO SURF PERF AT 150'** 

9 5/8" 32.5# csg @ 1055' (circ)

WOC & TAG SQZ W/ 40 SX CMT **PERF AT 1105'** 

**TOC 2340'** 

**SPOT 25 SX CMT POOH TO 2390'** 

Perfs 5388' - 5887'

Cmt Ret @ 6360' Sqz w/ 100 sx Cmt Ret @ 6360' Sqz w/ 200 sx CIBP 6700' 7" 23 & 26# csg @ 7350' **SPOT 25 SX CMT** CIRC HOLE W/ MLF & PRESSURE TEST CSG SET CIBP AT 5288'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 383904

## **CONDITIONS**

Operator:	OGRID:
MARK L SHIDLER INC	14096
1313 Campbell Road	Action Number:
Houston, TX 77055	383904
	Action Type:
	[C-103] Sub. Plugging (C-103P)

## CONDITIONS

Created B		Condition Date
jagarcia	Site must be cleaned up and operator must file a C-103Q for OCD to perform an site inspection.	9/17/2024