

Well Name	Well Number	US Well Number	Lease Number	Case Number	Operator
EXMOOR 10-34	535H	3001549346	NMNM0503	NMNM0503	DEVON
EXMOOR 10-34	536H	3001549347	NMNM0503	NMNM0503	DEVON

Notice of Intent

Sundry ID: 2767050

Type of Submission: Notice of Intent

Date Sundry Submitted: 12/21/2023

Date proposed operation will begin: 12/21/2023

Type of Action: APD Change

Time Sundry Submitted: 07:04

Procedure Description: Devon Energy Production Co., L.P. (Devon) respectfully requests to run a DV tool with ACP packer on the 9-5/8" intermediate casing string on the Exmoor 10-34 Fed Com 535H and 536H. See below for the details. Verbal approval attached. • Exmoor 10-34 Fed Com 535H o API: 30-015-49346 • Exmoor 10-34 Fed Com 536H o API: 30-015-49347 • 9-5/8" DV tool with ACP packer depth at 4186' o Base of salt • This will be ran on the 9-5/8" casing string • 13-3/8" Surface casing shoe estimated at 880'

NOI Attachments

Procedure Description

Verbal_DV_tool_20231221070426.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SHAYDA OMOUMI

Signed on: DEC 21, 2023 07:04 AM

Name: DEVON ENERGY PRODUCTION COMPANY LP

Title: Regulatory Compliance Associate 3

Street Address: 333 W SHERIDAN AVE

City: OKLAHOMA CITY **State:** OK

Phone: (405) 235-3611

Email address: SHAYDA.OMOUMI@DVN.COM

Field

Representative Name:

Street Address:

City: **State:** **Zip:**

Phone:

Email address:

BLM Point of Contact

BLM POC Name: CHRISTOPHER WALLS

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752342234

BLM POC Email Address: cwalls@blm.gov

Disposition: Approved

Disposition Date: 06/03/2024

Signature: Chris Walls

Omoumi, Shayda

From: Vo, Long T <lvo@blm.gov>
Sent: Wednesday, December 20, 2023 2:37 PM
To: Porraz, Isac
Cc: Green, Chelsey; Omoumi, Shayda
Subject: Re: [EXTERNAL] Exmoor 10-34 Fed Com 535H and 536H - Verbal Approval Request

Isac,

All previous COAs still apply, the procedure is approved as written. Please follow up with a formal sundry within 5 business days and see below for the general requirement for the DV tool.

The depth may be adjusted as long as the cement is changed proportionally. The DV tool(s) may be cancelled if cement circulates to surface on the first stage.

DV tool(s) shall be set a minimum of 50' below previous shoe and a minimum of 200' above current shoe. Operator shall contact the BLM if DV tool(s) depth cannot be set in this range. If an ECP is used, it is to be set a minimum of 50' below the shoe to provide cement across the shoe. If it cannot be set below the shoe, a CBL shall be run to verify cement coverage.

1. First stage to DV tool(s): Cement to circulate. If cement does not circulate off the DV tool(s), contact the appropriate BLM office before proceeding with second stage cement job.
2. Second stage above DV tool(s):

- Cement to surface. If cement does not circulate, contact the appropriate BLM office.

Regards,

Long Vo, EIT, M.Sc.

Petroleum Engineer SME
Carlsbad Field Office
Land and Minerals
Bureau of Land Management
Department of Interior
575-988-5402 Cell

From: Porraz, Isac <Isac.Porraz@dvn.com>
Sent: Wednesday, December 20, 2023 10:04 AM
To: Vo, Long T <lvo@blm.gov>
Cc: Green, Chelsey <Chelsey.Green@dvn.com>; Omoumi, Shayda <Shayda.Omoumi@dvn.com>
Subject: [EXTERNAL] Exmoor 10-34 Fed Com 535H and 536H - Verbal Approval Request

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

Long,

As per our phone conversation, we would like to request a verbal approval to run a DV tool with ACP packer on our 9-5/8" intermediate casing string on the Exmoor 10-34 Fed Com 535H and 536H. See below for the details. Please advise if additional information is needed.

- Exmoor 10-34 Fed Com 535H
 - API: 30-015-49346
- Exmoor 10-34 Fed Com 536H
 - API: 30-015-49347
- 9-5/8" DV tool with ACP packer depth at 4186'
 - Base of salt
- This will be ran on the 9-5/8" casing string
- 13-3/8" Surface casing shoe estimated at 880'

2. Casing Program

Hole Size	Csg. Size	Wt (PPF)	Grade	Conn	Casing Interval		Casing Interval	
					From (MD)	To (MD)	From (TVD)	To (TVD)
17 1/2	13 3/8	54 1/2	J-55	BTC	0	880	0	880
12 1/4	9 5/8	40	J-55	BTC	0	8400	0	8400
8 3/4	5 1/2	17	P110	DWC / C-IS+	0	24512	0	8916

Casing	# Sks	TOC	Wt. (lb/gal)	Yld (ft3/sack)	Slurry Description
Surface	674	Surf	13.2	1.44	Lead: Class C Cement + additives
Int 1 (2 stage with DV ACP)	525	Surf	9.0	3.27	2nd Stage Lead: Class C Cement + additives
	806	Surf	9.0	3.27	Lead: Class C Cement + additives
	517	6616	13.2	1.44	Tail: Class H / C + additives
Production	50	7900	9.0	3.30	Lead Class H / C + additives
	3095	8474	13.2	1.40	Tail: Class H / C + additives

Isac J. Porraz
 Drilling Engineer
 (cell) 724-809-7647
 (office) 405-228-2868
isac.porraz@dvn.com

Confidentiality Warning: This message and any attachments are intended only for the use of the intended recipient(s),

are confidential, and may be privileged. If you are not the intended recipient, you are hereby notified that any review, retransmission, conversion to hard copy, copying, circulation or other use of all or any portion of this message and any attachments is strictly prohibited. If you are not the intended recipient, please notify the sender immediately by return e-mail, and delete this message and any attachments from your system.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 351525

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 351525
	Action Type: [C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created By	Condition	Condition Date
ward.rikala	The C-103 NOI was not approved or rejected; however, the work requested in the C-103 NOI was performed and completed without NMOCD approval. This action is currently under review from our legal department.	9/18/2024